Inwood

OFFICE INVIRONMENTS

Inwood Office Invironments warrants its products to be free from defects in materials and workmanship given normal use and proper care, for a period of ten (10) years of single shift service.

Specific components are warranted to be free from defects in materials and workmanship for the following periods of time from the date of initial shipment:

electrical components	two (2) years
pneumatic cylinders	three (3) years
control mechanisms	three (3) years
casters	three (3) years

Fabrics will be covered only by the warranty of the original manufacturer.

Inwood tenders this warranty only to original purchasers acquiring our products through those parties specifically authorized by Inwood to sell our products. Repair and/or replacement, at our option, will be made on any part or parts found to be defective within the terms of the warranty. The warranty shall not include any labor or shipping costs for replacement of any such parts or materials.

This warranty does not cover

- Damage(s) caused by a transportation company
- Damage(s) resulting from user modification, alterations, misuse, abuse or negligent use of our product
- Damage(s), defect(s), or product failure(s) due to customers request for modifications to product design, product dimensions, product arrangement or normal product specifications
- Natural variations in color, grain, or texture of wood and other covering materials over which Inwood has no control
- Wearing or cuts to covering materials
- Customer's Own Materials (COM)

Inwood does not make any other warranties except as expressly set forth above, either expressed or implied, including any warranty of merchantability or fitness for any particular purpose. Inwood shall not be liable for consequential or incidental damages under this warranty.

Further, Inwood makes no warranties, expressed or implied, for improper assembly and/or installation of its products.

order procedure

Inwood does not accept orders verbally. Orders may be faxed, e-mailed or mailed directly to:

Inwood Office Invironments PO Box 646 Jasper, IN 47546 Fax: 812.482.9732 E-mail: inwood@inwood.net

All orders from authorized & credit-approved Inwood Office Invironments dealers must be in writing and must include the following information:

Date

Purchase Order Number Bill to Address Ship to Address Special Shipping Instructions (delivery notification, special ship dates, ship complete or split shipments, and tags if applicable) Complete Model Numbers (include finish & fabric numbers) Net Price Requested Delivery Date (if applicable)

order confirmation

All complete orders will be entered and acknowledged promptly with approximate shipping date(s), transit times, and other pertinent information. This acknowledgement is the final agreement between

Inwood and the customer, superseding all previous communications regarding the order. NOTE It is the customer's responsibility to check the acknowledgment for accuracy. Please advise Inwood immediately of any discrepancies.

changes and cancellations

Because many of our casegood products and all of our seating products are made to order, we must limit customer changes and cancellations. We regret that changes and cancellations are not possible once production has begun. Production normally begins 48 hours after receipt of order. Orders for standard casegood products with in-stock finishes may be cancelled for a 30% restocking fee. Any non-stock finish is considered made to order and cannot be changed or cancelled.

delivery information

Shipments are FOB destination for the 48 contiguous states. Orders are priced by destination zone as listed by state.



zone 1 🗌

Alabama, Arkansas, Connecticut, Delaware, Florida, Georgia, Illinois, indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Nebraska, New Hampshire, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, Tennessee, Texas, Virginia, West Virginia and Wisconsin.

zone 2 🔲

Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, North Dakota, Oregon, South Dakota, Utah, Washington and Wyoming.

Orders of less than 500 lbs will be assessed a handling charge of \$100.00 net per order. Inwood reserves the right to select the most appropriate carrier and routing on all shipments. Any charge arising from failure to receive a shipment, rerouting while in transit or carrier storage charges are not included in prices shown and will be billed to the 'sold to' account on the order.

Any order requiring special delivery services will incur additional charges at the time of invoicing. All such requirements must be noted on the purchase order. These are services that are billed to Inwood by the freight company or require the usage of specialized carriers, and not included in the standard price of the product. Examples of such services include:

- delivery notification or call ahead requests
- \$10 Net Charge
- ¬ inside delivery minimum \$100 Net Charge
- ¬ non dock deliverv
- minimum \$100 Net Charge
- weekend delivery (friday after 4:00pm-sunday night) minimum \$500 Net Charge
- residential delivery
- Customer Service may assist you in determining your special delivery requirements and any additional charges that may apply
- ¬ fuel surcharges
- We will continue to do our best to absorb the increased cost from our transportation vendors; however, if the price

of fuel increases above the normal rates, it may require us to pass on the increased costs. We will address this situation with a fuel surcharge rather than a price increase so that we can eliminate it as appropriate.

Contact Customer Service if you are unsure if your order requires one or more of the above services. We will make every attempt to avoid additional charges by giving options on what we can do within our standard delivery prices.

All prepaid shipments by Inwood Office Invironments will be on carriers of our choice. If you choose to order product FOB Factory, please specify the carrier you require. Product will ship Freight Collect and Inwood's responsibility will cease upon delivery to the carrier.

order postponements and delivery changes

Changes may be made to delivery address no later than 5 days before the acknowledged ship date of an order. Contact Customer Service for charges which may be incurred for delivery charges within 5 days of the acknowledged ship date. If it becomes necessary to postpone an order after production has begun, the order will be completed, stored and invoiced to the customer with normal terms. Storage fees of \$2.00 per 100 lbs or \$5.00 minimum per day will occur on all orders that are not picked up or released for shipment after 10 working days from the acknowledged ship date.

claim process for merchandise damage/shortage/carrier delay

All products produced by Inwood are carefully inspected and properly packed prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortage, or delivery has been delayed by the carrier, the following steps must be taken:

- Before signing for any merchandise, make notation of all visible damage, shortages, and/or time of truck arrival on the freight bill (bill of lading).
- Contact Inwood Customer Service within 15 calendar days of goods receipt to report issue. Legal title to merchandise passes to the buyer upon acceptance by the carrier. We will work with you to file any necessary claims when reported to us within the 15 day time frame.
- Retain all packing materials/cartons for inspection by the carrier agent.

Failure to make any claims against Inwood Office Invironments within 15 days shall constitute acceptance of the merchandise and a waiver of any errors or shortages discovered upon inspection.

repairs and returns

No repairs or returns will be considered without first obtaining our written permission. Such requests must be made in writing within 15 days of the invoice. Authorization must be obtained from Customer Service prior to repairs being made if Inwood is expected to pay these charges. Charges will be approved only after an estimate has been provided. Credit will be issued only after receipt of repair bills.

Made to order items are not returnable. This includes upholstered seating, special items, special finishes, and any non-stock finish. Authorized returns of stock items will be charged a minimum 30% restocking fee. All returns are subject to an attempted pick-up charge of \$200. Please insure that all goods are packed and tagged correctly before calling Inwood for pick up. All RMA's (Return Materials Authorization) will expire within 30 days of notification. Once expired, a new authorization is required for any return. Upon receipt of returned goods, Inwood will inspect and assess responsibility for any defects. If damage of the merchandise was caused by abuse, alteration, or unauthorized repair, we may offer to repair the merchandise for a fee. The final responsibility for determining damage remains with Inwood.

All merchandise must be shipped freight prepaid or we will not accept. All merchandise being returned must be properly packed and protected to insure that no further damage is incurred during transportation back to Inwood.

special construction agreement

When requested that Inwood Office invironments Inc. modify, change or alter its standard product in order to meet the specific needs of Customer, Inwood shall exercise its best efforts to modify its standard product to incorporate the modifications and changes requested by Customer. Inwood Office Invironments disclaims any warranty with respect to the modifications or changes requested by Customer and its standard warranty shall not apply to said modifications or changes. Customer shall have no right to rescind its order of this product after production of the product has begun. Customer assumes the risk of the use of Inwood Office invironments product containing the modifications or changes requested by Customer. In no event shall the product containing the modifications or changes requested by Customer be returnable to Inwood Office invironments.

replacement parts

Contact Inwood Customer Service for item numbers and pricing on replacement parts.

dimensions


All dimensions referenced in this book are nominal.

terms

1% 15 days, 30 days net.

Payments are accepted in US Dollars. Payment is also accepted by Visa & Mastercard credit cards, and is posted prior to shipment. When payment is made with a credit card, no additional discounts may be taken.





minimum order \$10 US Dollars list price.

standard special upcharges

Inwood Office invironments provides the following standard special modifications to its product. Simply specify the request and add the associated price to list.

to make standard top size shorter or narrower	\$248
to change file drawer pedestal in desks, credenzas	
and modular cabinets to box drawers	\$218
to change 2 box drawers in desk to file drawer	\$140
to change position of file drawer in desks	\$106
to add locks where not standard	
¬ box, file drawer or center drawer	\$56
¬ hinged door, single	\$56
¬ hinged door, double	
to key items alike from factory per unit	
to add extra lock per set (including set of keys)	
extra set of keys (two)	
to add grommets in any special location	
to move standard placement of grommet on unit	
grommets (cover only)	
to add extra shelf for bookcase	
to make shelves solid wood (per shelf)	
for typing height return	\$197
for non-standard Inwood pulls	A- 4
(to change to another series per unit)	\$/1
special finishes (6 item minimum)	
¬ non-Inwood finishes	
¬ standard Inwood finishes	15%



ebb 1100 series specifications

materials:

All wood is thoroughly air and kiln dried to a moisture content not to exceed 8% at the time of assembly.

veneers:

ebb 1100

All exposed surfaces are plain sliced Cherry. Veneers are carefully slip-matched and balanced. All drawer fronts, doors, end panels, and modesty panels are vertical grain.

top work surfaces:

Optional laminate tops 1" thick, 3-ply construction, consisting of a high pressure laminate work surface and a 45 lb. density flake board core and a Gator-Ply backing.

modesty panels:

Recessed 3/4" thick, 3-ply construction with a vertical veneer on exposed surfaces and a 45 lb density particle board core.

construction:

Mortise and tenon and glue are used to join pedestal sides and back. All joints are reinforced with glue blocks. All pedestals have box drawers and file drawers with the option of black or satin nickel clamshell drawer pulls. Each pedestal has a lock and is keyed alike.

drawers:

Drawer fronts are 3/4" thick, 3-ply construction with vertical book matched veneer. Drawer edges are veneered on top and sides with matching wood veneer. Box drawers have a high grade Sterling metal ball-bearing drawer suspension. File drawers have a high grade Sterling metal ball bearing full progressive suspension and are equipped with metal rods for hanging file folders. All drawers have smooth quiet operation.


NOTE: Optional center drawers available.


locking:

Each pedestal has its own lock and is keyed alike on each unit. Each unit is equipped with two keys. Units may be keyed alike in groups (per office, if requested) for an additional charge of \$31 list per unit.


finish:

All Inwood finishes are a catalyzed varnish finish. Our multi-step satin finishes leave an open grain natural look to the furniture. Available in the following finishes: (6LC) Light Cherry, (7MC) Medium Cherry, (8DC) Dark Cherry and (9BC-W only) Burgundy Cherry.






lateral files













legal side to side





legal side to side





unit identification (type), top dimension, chassis option - chassis & top finish - top material - pull option

ebb

_

1100 series

		model number F1172FP	description double pedestal desk file drawers have letter and legal capacity	d w h 36 72 29 APPROACH: 6.25'' KNEESPACE: 41''	freight class 125 cwt 330 lb cu ft 53	list \$ zone 1 2,149 P	list \$ zone 2 2,321 P
		F1166FP	double pedestal desk file drawers have letter and legal capacity	36 66 29 APPROACH: 6.25'' KNEESPACE: 35''	class 125 cwt 300 lb cu ft 48	2,218 P	2,395 P
-		F116630FP	double pedestal desk file drawers have letter and legal capacity	30 66 29 KNEESPACE: 35''	class 125 cwt 285 lb cu ft 40	2,143 P	2,313 P
		CR117224FP	kneespace credenza file drawers have letter and legal capacity	24 72 29 KNEESPACE: 41''	class 125 cwt 285 lb cu ft 34	1,878 P	2,027 P
-		CR117224RCFP 	kneespace credenza left file/file pedestal right cpu storage	24 72 29 KNEESPACE: 41''	class 125 cwt 285 lb cu ft 34	1,707 P	1,847 P
		CR117224LCFP 	kneespace credenza right file/file pedestal left cpu storage	24 72 29 KNEESPACE: 41''	class 125 cwt 285 lb cu ft 34	1,707 P	1,847 P
-		CR117224DFP 	storage credenza file drawers have letter and legal capacity (side filing) hinged doors enclose storage area with one adjustable shelf ADDITIONAL SHELVES \$77 EACH	24 72 29	class 125 cwt 315 lb cu ft 34	2,329 P	2,514 P
	0	CR116624FP	kneespace credenza file drawers have letter and legal capacity	24 66 29 KNEESPACE: 35''	class 125 cwt 285 lb cu ft 34	1,829 P	1,976 P
		CR116624RCFP 	kneespace credenza left file/file pedestal right cpu storage	24 66 29 KNEESPACE: 35''	class 125 cwt 225 lb cu ft 30	1,601 P	1,717 P

* * •	model number CR116624LCFP 	description kneespace credenza right file/file pedestal left cpu storage	d 24 ĸnees	w 66 space: 3	h 29 35''	freight class 125 cwt 225 lb cu ft 30	list \$ zone 1 1,601 P	list \$ zone 2 1,717 P
	CR116624DFP 	storage credenza file drawers have letter and legal capacity hinged doors enclose storage area with one adjustable shelf ADDITIONAL SHELVES \$77 EACH	24	66	29	class 125 cwt 285 lb cu ft 30	2,195 P	2,370 P
	D1172R-FP	single pedestal desk right file/file pedestal	36	72	29	class 125 cwt 270 lb cu ft 53	1,553 P	1,678 P
	D1172L-FP	single pedestal desk left file/file pedestal	36	72	29	class 125 cwt 270 lb cu ft 53	1,553 P	1,678 P
	D1172R-FP3D 	single pedestal desk right box/box/file pedestal	36	72	29	class 125 cwt 270 lb cu ft 53	1,624 P	1,754 P
	D1172L-FP3D 	single pedestal desk left box/box/file pedestal	36	72	29	class 125 cwt 270 lb cu ft 53	1,624 P	1,754 P
	D1166R-FP	single pedestal desk right file/file pedestal	36	66	29	class 125 cwt 260 lb cu ft 48	1,529 P	1,651 P
	D1166L-FP	single pedestal desk left file/file pedestal	36	66	29	class 125 cwt 260 lb cu ft 48	1,529 P	1,651 P
	D1166R-FP3D 	single pedestal desk right box/box/file pedestal	36	66	29	class 125 cwt 260 lb cu ft 48	1,600 P	1,727 P

laminate 8DC-P dark cherry on cherry tops only

ebb standard satin nickel pulls (SP) are available in an optional black (OB) finish pulls

P laminate top

N

top

edge

ebb 1100

wood top, veneer chassis, veneer drawer fronts laminate top, veneer chassis, veneer drawer fronts

ebb 1100



unit identification (type), top dimension, chassis option - chassis & top finish - top material - pull option

ebb

1100 series

laminate 8DC-P dark cherry on cherry

tops only

model number D1166L-FP3D 	description single pedestal desk left box/box/file pedestal	d w h 36 66 29	freight class 125 cwt 260 lb cu ft 48	list \$ zone 1 1,600 P	list \$ zone 2 1,727 P		* • •	model number R1160L-3D
D116630R-FP 	single pedestal desk right file/file pedestal	30 66 29	class 125 cwt 245 lb cu ft 40	1,476 P	1,594 P	-		R1148R-FF
D116630L-FP 	single pedestal desk left file/file pedestal	30 66 29	class 125 cwt 245 lb cu ft 40	1,476 P	1,594 P			R1148L-FF
D116630R-FP3D 	single pedestal desk right box/box/file pedestal	30 66 29	class 125 cwt 245 lb cu ft 40	1,547 P	1,671 P	_		R1148R-EHFP
D116630L-FP3D 	single pedestal desk left box/box/file pedestal	30 66 29	class 125 cwt 245 lb cu ft 40	1,547 P	1,671 P			R1148L-EHFP
CU1142	corner unit	42 42 29 KNEESPACE: 26''	class 85 kd cwt 175 lb cu ft 7	1,321 P	1,428 P	-		R1148R-3D
 R1160R-FF	single pedestal return right file/file pedestal иse wiтн CU1142 омгу	24 60 29 KNEESPACE: 43''	class 125 cwt 165 lb cu ft 30	1,293 P	1,396 P		44	R1148L-3D
R1160L-FF	single pedestal return left file/file pedestal USE WITH CU1142 ONLY	24 60 29 KNEESPACE: 43''	class 125 cwt 165 lb cu ft 30	1,293 P	1,396 P	-		B1148-EH
R1160R-3D	single pedestal return right box/box/file pedestal иse wiтн CU1142 омLy	24 60 29 KNEESPACE: 43''	class 125 cwt 165 lb cu ft 30	1,364 P	1,473 P	-		C1172R-FP
 								SPC D dark share on

pulls

P laminate top

N

top

edge

ebb standard satin nickel pulls (SP) are available in an optional black (OB) finish

ebb 1100

wood top, veneer chassis, veneer drawer fronts laminate top, veneer chassis, veneer drawer fronts

description single pedestal return left box/box/file pedestal USE WITH CU1142 ONLY	d w h 24 60 29 <i>KNEESPACE:</i> 43''	freight class 125 cwt 165 lb cu ft 30	list \$ zone 1 1,364 P	list \$ zone 2 1,473 P
single pedestal return right file/file pedestal иse wiтн CU1142 омьу	24 48 29 KNEESPACE: 31''	class 125 cwt 145 lb cu ft 24	862 P	931 P
single pedestal return left file/file pedestal <i>use wiтн CU1142 омь</i> ү	24 48 29 KNEESPACE: 31''	class 125 cwt 145 lb cu ft 24	862 P	931 P
single pedestal return right box/box/file pedestal USE WITH SINGLE PEDESTAL DESK	24 48 29 KNEESPACE: 31''	class 125 cwt 145 lb cu ft 24	1,037 P	1,121 P
single pedestal return left box/box/file pedestal USE WITH SINGLE PEDESTAL DESK	24 48 29 KNEESPACE: 31''	class 125 cwt 145 lb cu ft 24	1,037 P	1,121 P
single pedestal return right box/box/file pedestal use with CU1142 onLy	24 48 29 KNEESPACE: 31''	class 125 cwt 145 lb cu ft 24	934 P	1,009 P
single pedestal return left box/box/file pedestal use with CU1142 onLy	24 48 29 KNEESPACE: 31''	class 125 cwt 145 lb cu ft 24	934 P	1,009 P
bridge open kneespace	24 48 29	class 85 cwt 65 lb cu ft 7	514 P	555 P
single pedestal credenza right box/box/file pedestal	24 72 29	class 125 cwt 205 lb cu ft 34	1,269 P	1,371 P

ebb 1100



unit identification (type), top dimension, chassis option - chassis & top finish - top material - pull option

ebb

1100 series

 model number C1172L-FP	description single pedestal credenza left box/box/file pedestal	d 24	w 72	h 29	freight class 125 cwt 205 lb cu ft 34	list \$ zone 1 1,269 P	list \$ zone 2 1,371 P
C1172R-FM2F 	single pedestal credenza right lateral file pedestal	24	72	29	class 125 cwt 250 lb cu ft 34	1,745 P	1,885 P
C1172L-FM2F 	single pedestal credenza left lateral file pedestal	24	72	29	class 125 cwt 250 lb cu ft 34	1,745 P	1,885 P
C1172R-FM5D 	single pedestal credenza right multi-file pedestal (2 box/3 file drawers)	24	72	29	class 125 cwt 250 lb cu ft 34	1,968 P	2,126 P
C1172L-FM5D 	single pedestal credenza left multi-file pedestal (2 box/3 file drawers)	24	72	29	class 125 cwt 250 lb cu ft 34	1,968 P	2,126 P
C1166R-FP	single pedestal credenza right box/box/file pedestal	24	66	29	class 125 cwt 195 lb cu ft 30	1,246 P	1,346 P
C1166L-FP	single pedestal credenza left box/box/file pedestal	24	66	29	class 125 cwt 195 lb cu ft 30	1,246 P	1,346 P
C1166R-FM2F 	single pedestal credenza right lateral file pedestal	24	66	29	class 125 cwt 240 lb cu ft 30	1,720 P	1,858 P
C1166L-FM2F 	single pedestal credenza left lateral file pedestal	24	66	29	class 125 cwt 240 lb cu ft 30	1,720 P	1,858 P

P laminate top top edge N

ebb standard satin nickel pulls (SP) are available in an optional black (OB) finish pulls

model number	description	d w h	freight	list \$ zone 1	list \$ zone 2
C1166R-FM5D 	single pedestal credenza right multi-file pedestal (2 box/3 file drawers)	24 66 29	class 125 cwt 240 lb cu ft 30	1,944 P	2,099 P
C1166L-FM5D 	single pedestal credenza left multi-file pedestal (2 box/3 file drawers)	24 66 29	class 125 cwt 240 lb cu ft 30	1,944 P	2,099 P
WH1166	66" wide wall hung unit overhead four hinged doors	16 66 16	class 125 cwt 110 lb cu ft 13	1,666	1,798
WH1148	48" wide wall hung unit overhead three hinged doors	16 48 16	class 125 cwt 90 lb cu ft 10	1,282	1,348
WH1136	36" wide wall hung unit overhead two hinged doors	16 36 16	class 125 cwt 75 lb cu ft 7	839	906
OU1172	overhead storage unit four hinged doors three wire management grommets	17 71.8 43.25 OPENING: 26.25''	i class 125 cwt 200 lb cu ft 40	2,213	2,382
OU1166	overhead storage unit four hinged doors three wire management grommets	17 65.8 43.25 OPENING: 26.25''	i class 125 cwt 185 lb cu ft 38	2,138	2,304
OU1160	overhead storage unit four hinged doors three wire management grommets	17 58.25 43.25 OPENING: 26.25''	class 125 cwt 170 lb cu ft 28	1,808	1,953
OU1148	overhead storage unit three hinged doors three wire management grommets	17 46.25 43.25 OPENING: 26.25''	class 125 cwt 145 lb cu ft 22	1,361	1,471

Iaminate
8DC-P
dark cherry on cherry

tops only
Image: second second

208

wood top, veneer chassis, veneer drawer fronts laminate top, veneer chassis, veneer drawer fronts

ebb 1100




unit identification (type), top dimension, chassis option - chassis & top finish - top material - pull option


ebb

1100 series

	model number	description	d w h	freight	list \$ zone 1	list \$ zone
	OD1172	overhead storage unit open center and one hinged door on each end three wire management grommets	17 71.8 43.25 OPENING: 26.25''	5 class 125 cwt 185 lb cu ft 40	1,948	2,105
	OD1166	overhead storage unit open center and one hinged door on each end three wire management grommets	17 65.8 43.25 OPENING: 26.25''	class 125 cwt 170 lb cu ft 38	1,854	2,004
0 0	001172	open overhead storage unit three wire management grommets	17 71.8 43.25 OPENING: 26.25''	class 125 cwt 175 lb cu ft 40	1,651	1,781
0 0	001166	open overhead storage unit three wire management grommets	17 65.8 43.25 OPENING: 26.25''	class 125 cwt 160 lb cu ft 38	1,588	1,716
	CUH1142	corner unit hutch For use wiтн cu1142	38 12 32	class 85 kd cwt 105 lb cu ft 7	1,507	1,659
	H01136	open bookcase hutch set unit on HW1136 or 2FD1136 additional shelves \$77 each	16.5 35 43.25	class 125 cwt 105 lb cu ft 19	1,288	1,466
	HW1172-HW	storage cabinet hinged doors upper and lower hinged doors with adjustable shelf below ADDITIONAL SHELVES \$77 EACH	24 36 72	class 125 cwt 270 lb cu ft 43	4,140	4,477
	HW1172-2F	storage cabinet hinged door upper lateral file below	24 36 72	class 125 cwt 320 lb cu ft 43	4,323	4,669
	HW1136	hinged door cabinet with one adjustable shelf	20 36 29	class 125 cwt 120 lb cu ft 16	1,294	1,396



laminate 8DC-P dark cherry on cherry tops only



ebb 1100

wood top, veneer chassis, veneer drawer fronts laminate top, veneer chassis, veneer drawer fronts

		w 536		freigh class 1 cwt 1 cu ft 2	125 140 lb	list \$ zone 1 1,663	list \$ zone 2 1,770
l-out swivel tv ustable shelf	24	36	72	class 1 cwt 2 cu ft 4	290 lb	4,785	5,170
I-out swivel tv	24	36	72	class 1 cwt 3 cu ft 4	340 lb	4,953	5,349
	24	36	72	class 1 cwt 2 cu ft 4	290 lb	2,995	3,226
	24	18	72	class 1 cwt 1 cu ft 2	170 lb	2,155	2,367
letter and legal	20	36	54	class 1 cwt 2 cu ft 2	260 lb	2,38 2 P	2,573 P
ter and legal	20	36	29	class 1 cwt 1 cu ft 1	70 lb	1,400 P	1,511 P
ocking casters for face	18.8	15.6	27.25	class 1 cwt 7 cu ft 6	75 lb	1,059	1,142
with locking any 29" surface	18.8	15.6	27.25	class 1 cwt 7 cu ft 6	75 lb	1,231	1,330

ebb 1100




unit identification (type), top dimension, chassis option - chassis & top finish - top material - pull option

1100 series ebb

BC1184	description bookcase four adjustable shelves one fixed shelf in center solid wood shelves \$23 EACH ADDITIONAL SHELVES \$77 EACH	d w 12 36		freight class 125 cwt 155 lb cu ft 28	list \$ zone 1 1,259 P	list \$ zone 2 1,360 P
BC1172	bookcase three adjustable shelves one fixed shelf in center <i>SOLID WOOD SHELVES</i> \$23 EACH ADDITIONAL SHELVES \$77 EACH	12 36	5 72	class 125 cwt 145 lb cu ft 24	1,111 P	1,200 P
BC1160	bookcase two adjustable shelves one fixed shelf in center Solid wood SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH	12 36	60	class 125 cwt 115 lb cu ft 20	1,011 P	1,093 P
BC1148	bookcase one adjustable shelf one fixed shelf <i>Solid wood shelves</i> \$23 <i>EACH</i> <i>ADDITIONAL SHELVES</i> \$77 <i>EACH</i>	12 36	6 48	class 125 cwt 96 lb cu ft 16	878 P	948 P
BC1136	bookcase two adjustable shelves sould wood shelves \$23 EACH Additional shelves \$77 EACH	12 36	6 36	class 125 cwt 85 lb cu ft 12	766 P	828 P
BC1130	bookcase one adjustable shelf soud wood shelves \$23 EACH Additional shelves \$77 EACH	12 36	5 30	class 125 cwt 80 lb cu ft 11	718 P	776 P


model number description M1172R-EHFP - ___ executive "I" unit · ___



model number	description
M1172L-EHFP	executive "I" unit







tops only

laminate 8DC-P dark cherry on cherry



	d 84	w 72	h 29	freight class 125 cwt 415 lb cu ft 77	list \$ zone 2,590 P	1	list \$ zone 2 2,799 P
consist D1172L- single pr eft file/f R1148R- single pr ight boy	-FP edesta ile pe -EHFF edesta	al desi destal o al retu	rn	клее 24	wh 7229 ЮАСН: 6.25'' SPACE: 32'' 4829 SPACE: 31''	qu : 1	antity
	d 84	w 72	h 29	freight class 125 cwt 415 lb cu ft 77	list \$ zone 2,590 P	1	list \$ zone 2 2,799 P
Consist D1172R single po ight file, R1148L- single po eft box/	-FP edesta /file p -EHFF edesta	al desl edesta o al retu	al rn	клее 24	w h 72 29 0ACH: 6.25'' SPACE: 32'' 48 29 SPACE: 31''	qua 1	antity
	d 84	w 66	h 29	freight class 125 cwt 405 lb	list \$ zone 2,566 P	1	list \$ zone 2 2,772 P
consist	ts of: -FP	al desl		cu ft 72	w h 66 29 0ACH: 6.25''	qu 1	antity


inwood OFFICE I NVIRONMENTS

ebb 1100

F1172FP**-8DC-P**

unit identification (type), top dimension, chassis option - chassis & top finish - top material - pull option

ebb 1100 series



	d	w	h	freight			\$ zone	1	list \$ zone 2
	108	72	29	class 125 cwt 535 cu ft 90	lb	3,33	6 P		3,604 P
consis	ts of:				d	w	h	qua	antity
D1172L single p left file/f	edesta		C.			72 асн: 6 расе: 3		1	
B1148-E bridge v		en kn	eespace	e	24 ĸnees	48 PACE: 4	29 48''	1	
C1172R single p right bo	edesta				24 ĸnees	72 PACE: 3	29 32''	1	
	d	w	h	freight		list	\$ zone	1	list \$ zone 2
	108	72	29	class 125 cwt 535 cu ft 90	lb	3,33			3,604 P
consis	ts of:				d	w	h	qua	antity
D1172R single p right file	edesta					72 асн: 6 расе: 3		1	
B1148-E bridge v		en kn	eespace	9	24 ĸnees	48 PACE: 4	29 18''	1	
C1172L single p left box/	edesta				24 ĸnees	72 pace: 3	29 32''	1	
				fusionht		list	\$ zone	1	list \$ zone 2
	d	w	h	freight					


consists of:	d	w	h	quantity
D1172L-FP3D single pedestal desk left box/box/file pedestal		72 DACH: 6 PACE: 3		1
B1148-EH bridge with open kneespace	24 ĸnees	48 PACE: 4	29 18''	1
C1172R-FM2F single pedestal credenza lateral file pedestal	24 ĸnees	72 PACE: 1	29 12''	1

ebb 1100



unit identification (type), top dimension, chassis option - chassis & top finish - top material - pull option

1100 series ebb



ebb 1100

	d	w	h	freight		list	\$ zone	e 1	list \$ zone 2
	108	66	29	class 125 cwt 520 cu ft 85	lb	3,28	9 P		3,552 P
consi	sts of:				d	w	h	qua	antity
D1166 single left file,	oedesta					66 DACH: 6 PACE: 2		1	
B1148 bridge		oen kr	ieespac	e	24 ĸnees	48 PACE: 4	29 48''	1	
C1166 single right b	oedesta				24 ĸnees	66 PACE: 2	29 26''	1	
	d	w	h	freight		list	\$ zone	9 1	list \$ zone 2
	108	66	29	class 125 cwt 520 cu ft 85	lb	3,28	9 P		3,552 P
consis	ts of:				d	w	h	qua	antity
consis D1166 single right fil	R-FP pedesta			I	36 APPRO	w 66 DACH: 6	29 .25''	qua 1	antity
D1166 single right fil B1148	R-FP bedesta e/file pe	edesta		re	36 APPRO KNEES 24	66 расн: 6	29 5.25'' 26'' 29		antity
D1166 single right fil B1148	R-FP bedesta e/file pe EH with op FP bedesta	edesta ben kr	al neespac denza	e	36 APPRO KNEES 24 KNEES 24	66 DACH: 6 PACE: 2 48	29 5.25'' 26'' 29 48'' 29	1	antity
D1166 single right fil B1148 bridge C1166 single	R-FP bedesta e/file pe EH with op FP bedesta	edesta ben kr	al neespac denza	re freight	36 APPRO KNEES 24 KNEES 24	66 pace: 2 48 pace: 4 66 pace: 2	29 5.25'' 26'' 29 48'' 29	1	antity

consists of:	d	w	h	quantity
D1166L-FP3D single pedestal desk left box/box/file pedestal		66 DACH: 6 PACE: 2		1
B1148-EH bridge with open kneespace	24 ĸnees	48 PACE: 4	29 18''	1
C1166R-FM2F single pedestal credenza right lateral file pedestal	24 ĸnees	66 PACE: 5	29 5''	1


ebb 1100

inwood OFFICE INVIRONMENTS

F1172FP**-8DC-P**

unit identification (type), top dimension, chassis option - chassis & top finish - top material - pull option

1100 series ebb



	d	w	h	freight		list	\$ zon	e 1	list \$ zone 2	
	102	66	29	class 125 cwt 565 cu ft 85	lb	3,23	6 P		3,496 P	
consis	ts of:				d	w	h	qu	antity	
D11663 single p left file/i	edesta		¢		30 KNEES	66 SPACE:	29 26''	1		
B1148-I bridge v		en kn	eespac	e	24 ĸnees	48 SPACE:	29 48''	1		
single p	C1166R-FP single pedestal credenza ight box/box/file pedestal				24 66 29 KNEESPACE: 26''			1	1	
right bo	x/DOX/	ille pe	uestai							
right bo	d	w	h	freight		list	\$ zon	e 1	list \$ zone 2	
right bo				freight class 125 cwt 565 cu ft 85	lb	list 3,23		e 1	list \$ zone 2 3,496 P	
consis	d 102	w	h	class 125 cwt 565	lb					
	d 102 ts of: 0R-FP	w 66	h 29	class 125 cwt 565	d 30	3,23	6 P h 29		3,496 P	
consis D11663 single p	d 102 ts of: 0R-FP edesta e/file pe	w 66	h 29 с	class 125 cwt 565 cu ft 85	d 30 клеез 24	3,23 w 66	6 P h 29 26'' 29	qua	3,496 P	

d	w	h	freight	list \$ zone 1	list \$ zone 2
102	66	29	class 125 cwt 550 lb cu ft 77	3,781 P	4,084 P

consists of:	d	w	h	quantity
D116630L-FP3D single pedestal desk left box/box/file pedestal	30 ĸnees	66 PACE: 2	29 6''	1
B1148-EH bridge with open kneespace	24 ĸnees	48 PACE: 4	29 8''	1
C1166R-FM2F single pedestal credenza right lateral file pedestal	24 KNEES	66 PACE: 5	29	1

ebb 1100

inwood OFFICE INVIRONMENTS

ebb 1100

F1172FP-8DC-P

unit identification (type), top dimension, chassis option - chassis & top finish - top material - pull option

1100 series ebb

model numberdescriptionUM116630L-EHFP2Fexecutive "u" unit	d w h freight list \$ zone 1 102 66 29 class 125 cwt 550 lb cu ft 77 3,781 P	list \$ zone 2 4,084 P	model number TD1172	desk top transaction counter for use with 72" desk only	d w h freight 12 72 15.25 class 85 cwt 94 lb cu ft 8	list \$ zone 1 930 P	list \$ zone 999 P
	consists of:dwhqD116630R-FP3D3066291single pedestal deskKNEESPACE: 26''1B1148-EH2448291	antity	TD1166	desk top transaction counter for use with 36" x 66" desk only	12 66 15.25 class 85 cwt 84 lb cu ft 6	930 P	999 P
	bridge with open kneespace KNEESPACE: 48'' C1166L-FM2F 24 66 29 1 single pedestal credenza KNEESPACE: 5'' left lateral file pedestal		TD116630	desk top transaction counter for use with 30" x 66" desk only	12 66 15.25 class 85 cwt 84 lb cu ft 6	930 P	999 P
model numberdescriptionUM116630R-EHFP5Dexecutive "u" unit	d w h freight list \$ zone 1 102 66 29 class 125 3,933 P cwt 550 lb cu ft 77 7	list \$ zone 2 4,249 P	TM1172R	desk top transaction/reception gallery for use with 72" right executive "I" unit only	84 72 15.25 class 85 cwt 100 lb cu ft 8	1,375 P	1,478 P
	consists of:dwhqD116630L-FP3066291single pedestal deskAPPROACH: 6.25"1left file/file pedestalKNEESPACE: 26"1	antity	TM1172L	desk top transaction/reception gallery for use with 72" left executive "I" unit only	84 72 15.25 class 85 cvvt 100 lb cu ft 8	1,375 P	1,478 P
	B1148-EH bridge with open kneespace2448291C1166R-FM5D single pedestal credenza right multi-file pedestal2466291		TM1166R	desk top transaction/reception gallery for use with 66" right executive "I" unit only	84 66 15.25 class 85 cwt 94lb PANEL HEIGHT 14 cu ft 8	1,375 P	1,478 P
model numberdescriptionUM116630L-EHFP5Dexecutive "u" unit	d w h freight list \$ zone 1 102 66 29 class 125 3,933 P cwt 550 lb cu ft 77	list \$ zone 2 4,249 P	TM1166L	desk top transaction/reception gallery for use with 66" left executive "I" unit only	84 66 15.25 class 85 cwt 94lb <i>PANEL HEIGHT</i> 14 cu ft 8	1,375 P	1,478 P
	D116630R-FP 30 66 29 1 single pedestal desk <i>APPROACH:</i> 6.25''	antity	TM116630R	desk top transaction/reception gallery for use with 66" x 30" right executive "I" unit only	78 66 15.25 class 85 cwt 94 lb cu ft 8	1,375 P	1,478 P
	right file/file pedestal KNEESPACE: 26'' B1148-EH 24 48 29 1 bridge with open kneespace KNEESPACE: 48'' C1166L-FM5D 24 66 29 1 single pedestal credenza KNEESPACE: 11'' left multi-file pedestal		TM116630L	desk top transaction/reception gallery for use with 66" x 30" left executive " " unit only	78 66 15.25 class 85 cwt 94 lb <i>PANEL HEIGHT</i> 14 cu ft 8	1,375 P	1,478 P
top P laminate top		lamina tops only	te 8DC-P dark cherry o	on cherry			

220

wood top, veneer chassis, veneer drawer fronts laminate top, veneer chassis, veneer drawer fronts

ebb 1100




ebb

1100 series

unit identification (type), top dimension, chassis option - chassis & top finish - top material - pull option

model number TU1172R	description desk top transaction/reception gallery for use with 72" right executive "u" unit only	d w h 108 72 15.2 <i>Panel height</i> 14	freight 5 class 85 cwt 150 lb cu ft 10	list \$ zone 1 1,858 P	list \$ zone 2 2,001 P
TU1172L	desk top transaction/reception gallery for use with 72" left executive "u" unit only	108 72 15.2 Panel height 14	5 class 85 cwt 150 lb cu ft 10	1,858 P	2,001 P
TU1166R	desk top transaction/reception gallery for use with 66" right executive "u" unit only	108 66 15.2 Panel height 14	5 class 85 cwt 140 lb cu ft 10	1,858 P	2,001 P
TU1166L	desk top transaction/reception gallery for use with 66" left executive "u" unit only	108 66 15.2 Panel height 14	5 class 85 cwt 140 lb cu ft 10	1,858 P	2,001 P
TU116630R	desk top transaction/reception gallery for use with 66" right executive "u" unit only	102 66 15.2 Panel height 14	5 class 85 cwt 140 lb cu ft 10	1,858 P	2,001 P
TU116630L	desk top transaction/reception gallery for use with 66" left executive "u" unit only	102 66 15.2 Panel height 14	5 class 85 cwt 140 lb cu ft 10	1,858 P	2,001 P



ebb 1100

