

product warranty

Inwood Office Environments warrants its products to be free from defects in materials and workmanship given normal use and proper care, for a period of ten (10) years of single shift service.

Specific components are warranted to be free from defects in materials and workmanship for the following periods of time from the date of initial shipment:

| | |
|------------------------------|-----------------|
| electrical components | two (2) years |
| pneumatic cylinders | three (3) years |
| control mechanisms | three (3) years |
| casters | three (3) years |

Fabrics will be covered only by the warranty of the original manufacturer.

Inwood tenders this warranty only to original purchasers acquiring our products through those parties specifically authorized by Inwood to sell our products. Repair and/or replacement, at our option, will be made on any part or parts found to be defective within the terms of the warranty. The warranty shall not include any labor or shipping costs for replacement of any such parts or materials.

This warranty does not cover

- Damage(s) caused by a transportation company
- Damage(s) resulting from user modification, alterations, misuse, abuse or negligent use of our product
- Damage(s), defect(s), or product failure(s) due to customers request for modifications to product design, product dimensions, product arrangement or normal product specifications
- Natural variations in color, grain, or texture of wood and other covering materials over which Inwood has no control
- Wearing or cuts to covering materials
- Customer's Own Materials (COM)

Inwood does not make any other warranties except as expressly set forth above, either expressed or implied, including any warranty of merchantability or fitness for any particular purpose. Inwood shall not be liable for consequential or incidental damages under this warranty.

Further, Inwood makes no warranties, expressed or implied, for improper assembly and/or installation of its products.

order procedure

Inwood does not accept orders verbally. Orders may be faxed, e-mailed or mailed directly to:

Inwood Office Environments
PO Box 646
Jasper, IN 47546
Fax: 812.482.9732
E-mail: inwood@inwood.net

All orders from authorized & credit-approved Inwood Office Environments dealers must be in writing and must include the following information:

- Date
- Purchase Order Number
- Bill to Address
- Ship to Address
- Special Shipping Instructions (delivery notification, special ship dates, ship complete or split shipments, and tags if applicable)
- Complete Model Numbers (include finish & fabric numbers)
- Net Price
- Requested Delivery Date (if applicable)

order confirmation

All complete orders will be entered and acknowledged promptly with approximate shipping date(s), transit times, and other pertinent information. This acknowledgement is the final agreement between


Inwood and the customer, superseding all previous communications regarding the order. **NOTE It is the customer's responsibility to check the acknowledgment for accuracy. Please advise Inwood immediately of any discrepancies.**

changes and cancellations

Because many of our casegood products and all of our seating products are made to order, we must limit customer changes and cancellations. We regret that changes and cancellations are not possible once production has begun. Production normally begins 48 hours after receipt of order. Orders for standard casegood products with in-stock finishes may be cancelled for a 30% restocking fee. Any non-stock finish is considered made to order and cannot be changed or cancelled.

delivery information

Shipments are FOB destination for the 48 contiguous states. Orders are priced by destination zone as listed by state.



zone 1

Alabama, Arkansas, Connecticut, Delaware, Florida, Georgia, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Nebraska, New Hampshire, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, Tennessee, Texas, Virginia, West Virginia and Wisconsin.

zone 2

Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, North Dakota, Oregon, South Dakota, Utah, Washington and Wyoming.

Orders of less than 500 lbs will be assessed a handling charge of \$100.00 net per order. Inwood reserves the right to select the most appropriate carrier and routing on all shipments. Any charge arising from failure to receive a shipment, rerouting while in transit or carrier storage charges are not included in prices shown and will be billed to the 'sold to' account on the order.

Any order requiring special delivery services will incur additional charges at the time of invoicing. All such requirements must be noted on the purchase order. These are services that are billed to Inwood by the freight company or require the usage of specialized carriers, and not included in the standard price of the product. Examples of such services include:

- **delivery notification or call ahead requests**
\$10 Net Charge
- **inside delivery**
minimum \$100 Net Charge
- **non dock delivery**
minimum \$100 Net Charge
- **weekend delivery (friday after 4:00pm-sunday night)**
minimum \$500 Net Charge
- **residential delivery**
Customer Service may assist you in determining your special delivery requirements and any additional charges that may apply
- **fuel surcharges**
We will continue to do our best to absorb the increased cost from our transportation vendors; however, if the price

of fuel increases above the normal rates, it may require us to pass on the increased costs. We will address this situation with a fuel surcharge rather than a price increase so that we can eliminate it as appropriate.

Contact Customer Service if you are unsure if your order requires one or more of the above services. We will make every attempt to avoid additional charges by giving options on what we can do within our standard delivery prices.

All prepaid shipments by Inwood Office Environments will be on carriers of our choice. If you choose to order product FOB Factory, please specify the carrier you require. Product will ship Freight Collect and Inwood's responsibility will cease upon delivery to the carrier.

order postponements and delivery changes

Changes may be made to delivery address no later than 5 days before the acknowledged ship date of an order. Contact Customer Service for charges which may be incurred for delivery changes within 5 days of the acknowledged ship date. If it becomes necessary to postpone an order after production has begun, the order will be completed, stored and invoiced to the customer with normal terms. Storage fees of \$2.00 per 100 lbs or \$5.00 minimum per day will occur on all orders that are not picked up or released for shipment after 10 working days from the acknowledged ship date.

claim process for merchandise damage/shortage/carrier delay

All products produced by Inwood are carefully inspected and properly packed prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortage, or delivery has been delayed by the carrier, the following steps must be taken:

- Before signing for any merchandise, make notation of all visible damage, shortages, and/or time of truck arrival on the freight bill (bill of lading).
- Contact Inwood Customer Service within 15 calendar days of goods receipt to report issue. Legal title to merchandise passes to the buyer upon acceptance by the carrier. We will work with you to file any necessary claims when reported to us within the 15 day time frame.
- Retain all packing materials/cartons for inspection by the carrier agent.

Failure to make any claims against Inwood Office Environments within 15 days shall constitute acceptance of the merchandise and a waiver of any errors or shortages discovered upon inspection.

repairs and returns

No repairs or returns will be considered without first obtaining our written permission. Such requests must be made in writing within 15 days of the invoice. Authorization must be obtained from Customer Service prior to repairs being made if Inwood is expected to pay these charges. Charges will be approved only after an estimate has been provided. Credit will be issued only after receipt of repair bills.

Made to order items are not returnable. This includes upholstered seating, special items, special finishes, and any non-stock finish. Authorized returns of stock items will be charged a minimum 30% restocking fee. All returns are subject to an attempted pick-up charge of \$200. Please insure that all goods are packed and tagged correctly before calling Inwood for pick up. All RMA's (Return Materials Authorization) will expire within 30 days of notification. Once expired, a new authorization is required for any return. Upon receipt of returned goods, Inwood will inspect and assess responsibility for any defects. If damage of the merchandise was caused by abuse, alteration, or unauthorized repair, we may offer to repair the merchandise for a fee. The final responsibility for determining damage remains with Inwood.

All merchandise must be shipped freight prepaid or we will not accept. All merchandise being returned must be properly packed and protected to insure that no further damage is incurred during transportation back to Inwood.

special construction agreement

When requested that Inwood Office Environments Inc. modify, change or alter its standard product in order to meet the specific needs of Customer, Inwood shall exercise its best efforts to modify its standard product to incorporate the modifications and changes requested by Customer. Inwood Office Environments disclaims any warranty with respect to the modifications or changes requested by Customer and its standard warranty shall not apply to said modifications or changes. Customer shall have no right to rescind its order of this product after production of the product has begun. Customer assumes the risk of the use of Inwood Office Environments product containing the modifications or changes requested by Customer. In no event shall the product containing the modifications or changes requested by Customer be returnable to Inwood Office Environments.

replacement parts

Contact Inwood Customer Service for item numbers and pricing on replacement parts.

dimensions

All dimensions referenced in this book are nominal.

terms

1% 15 days, 30 days net.

Payments are accepted in US Dollars. Payment is also accepted by Visa & Mastercard credit cards, and is posted prior to shipment.

When payment is made with a credit card, no additional discounts may be taken.



Prices are effective with the date printed on this price list and supersede all other prices. Orders are accepted at the price in effect on the date the order is received. Possession of this price list does not constitute an offer to sell. Inwood sells to authorized and approved dealers only. Any or all prices, product, and line art are subject to change without notification. Internet or software packages, which support the sale of Inwood products, furnished to the customer either by Inwood or any other source are superseded by revised price lists.

minimum order

\$10 US Dollars list price.

standard special upcharges

Inwood Office Environments provides the following standard special modifications to its product. Simply specify the request and add the associated price to list.

| | |
|---|--------------|
| to make standard top size shorter or narrower | \$248 |
| to change file drawer pedestal in desks, credenzas and modular cabinets to box drawers | \$218 |
| to change 2 box drawers in desk to file drawer | \$140 |
| to change position of file drawer in desks | \$106 |
| to add locks where not standard | |
| - box, file drawer or center drawer | \$56 |
| - hinged door, single | \$56 |
| - hinged door, double | \$58 |
| to key items alike from factory per unit | \$31 |
| to add extra lock per set (including set of keys) | \$21 |
| extra set of keys (two) | \$21 |
| to add grommets in any special location | \$128 |
| to move standard placement of grommet on unit | \$56 |
| grommets (cover only) | \$21 |
| to add extra shelf for bookcase | \$77 |
| to make shelves solid wood (per shelf) | \$23 |
| for typing height return | \$197 |
| for non-standard Inwood pulls | |
| (to change to another series per unit) | \$71 |
| special finishes (6 item minimum) | |
| - non-Inwood finishes | 20% |
| - standard Inwood finishes | 15% |



oxford 1300 series specifications

materials:

All wood is thoroughly air and kiln dried to a moisture content not to exceed 8% at the time of assembly.

veneers:

All exposed surfaces are plain sliced Cherry. Veneers are carefully slip-matched and balanced. All drawer fronts, doors, end panels, and modesty panels are vertical grain genuine cherry.

top work surfaces:

- veneer tops are 1 1/4" thick, 5-ply construction, consisting of 1/40" thick cherry veneer work surfaces and poplar veneer backing. The top core material is a 45 lb density particleboard, with a traditional shaped solid wood rim on all four sides.
- laminate tops are 1 1/4", 3-ply construction; consisting of a high-pressure laminate work surface and a 45 lb density particle board core. The under side of the top has a smooth surface Gator-Ply backing sheet. Top rims are solid wood with a traditional edge shape.

pedestal construction:

3/4" thick 3-ply panel with 1 1/16" hardwood posts with decorative chamfered edges. Cherry veneer on all exposed surfaces and a 45 lb density flake board core. Outside panels and approach side desk panels have 3/4" raised cherry veneer decorative panels. Each pedestal in desk units has a 3-ply dictation arm slide mounted above the drawers. In the desk and credenza units each pedestal has one file drawer over one box drawer. The base is constructed and shaped in veneer wrapped MDF; adjustable leveling glides are mounted in each corner of the base. All joints are reinforced with concealed wood glue blocks.

drawers:

Drawer fronts are 3/4" thick, 3-ply construction with vertical book matched cherry veneer. Drawer edges are veneered on top with matching cherry. All drawer sides and backs are plywood, dovetailed front and back with 3-ply drawer bottoms. Drawer bottoms are framed on four sides and stapled from the bottom side. Drawer interiors are finished with clear sealer to prevent swelling or shrinkage. Box drawers have a high grade Sterling metal ball-bearing drawer suspension. File drawers have a high grade Sterling metal ball bearing full progressive suspension and are equipped with metal rods for hanging file folders. All drawers have smooth quiet operation. Pedestals have one file drawer and one box drawer each. Drawer hardware is an Antique Brass English bail pull. Each desk is standard with a center drawer with a high grade Sterling suspension and a solid wood pen and pencil tray.

locking:

Kneespace pedestal lock also locks the center drawer. Each unit is equipped with two keys. Units may be keyed alike in groups (per office, if requested) for an additional charge of \$31 list per unit.


finish:

All Inwood finishes are catalyzed varnish and have excellent durability. Our multi-step satin finishes leave an open grain natural look to the furniture, and are available in the following finishes: (6LC) light cherry, (7MC) medium cherry, (8DC) dark cherry and (9BC) burgundy cherry (veneer top only, no matching HPL).


oxford

desks


letter
front to back



letter
side to side




letter/legal
combination




**returns
and
credenzas**


letter
front to back



letter
side to side




legal
side to side




lateral files


letter
side to side



letter
front to back



legal
side to side












CF1376-9BC-W










unit identification (type) & top dimension - **chassis & top finish - top material**

oxford | 1300 series

| wood top, veneer chassis, veneer drawer fronts
| laminate top, veneer chassis, veneer drawer fronts



| | model number | description | d w h | freight | list \$ zone 1 | list \$ zone 2 |
|---|------------------|--|---|-------------------------------------|--------------------|--------------------|
|  | CF1376 - _ - _ | conference desk double pedestal desk center drawer arm slide, file/box drawer in both pedestals | 42 76 29 <i>APPROACH: 12"</i> <i>KNEESPACE: 28"</i> | class 125 cwt 335 lb cu ft 63 | 4,123 W 3,611 P | 4,453 W 3,899 P |
|  | CF1372 - _ - _ | conference desk double pedestal desk center drawer, arm slide file/box drawer in both pedestals | 36 72 29 <i>APPROACH: 6"</i> <i>KNEESPACE: 28"</i> | class 125 cwt 305 lb cu ft 53 | 4,020 W 3,561 P | 4,340 W 3,845 P |
|  | F136630 - _ - _ | double pedestal desk center drawer, arm slide file/box drawer in both pedestals | 30 66 29 <i>KNEESPACE: 32.5"</i> | class 125 cwt 270 lb cu ft 37 | 3,960 W 3,497 P | 4,278 W 3,777 P |
|  | F1360 - _ - _ | double pedestal desk center drawer, arm slide file/box drawer in both pedestals | 30 60 29 <i>KNEESPACE: 26.25"</i> | class 125 cwt 285 lb cu ft 40 | 3,807 W 3,351 P | 4,110 W 3,616 P |
|  | T1372 - _ - _ | table desk locking center drawer square legs | 36 72 29 <i>KNEESPACE: 66"</i> | class 125 cwt 135 lb cu ft 14 | 2,519 W 2,060 P | 2,720 W 2,227 P |
|  | T1372TL - _ - _ | table desk locking center drawer turned legs | 36 72 29 <i>KNEESPACE: 66"</i> | class 125 cwt 135 lb cu ft 14 | 2,476 W 2,018 P | 2,675 W 2,179 P |
|  | T1360 - _ - _ | table desk locking center drawer square legs | 30 60 29 <i>KNEESPACE: 54"</i> | class 125 cwt 110 lb cu ft 9 | 1,966 W 1,510 P | 2,124 W 1,630 P |
|  | T1360TL - _ - _ | table desk locking center drawer turned legs | 30 60 29 <i>KNEESPACE: 54"</i> | class 125 cwt 110 lb cu ft 9 | 1,851 W 1,395 P | 2,001 W 1,506 P |
|  | CR137224 - _ - _ | computer depth credenza left and right file/box pedestals | 24 72 29 <i>KNEESPACE: 38"</i> | class 125 cwt 220 lb cu ft 34 | 2,900 W 2,486 P | 3,132 W 2,687 P |

| | model number | description | d w h | freight | list \$ zone 1 | list \$ zone 2 |
|---|------------------|---|-----------------------------------|-------------------------------------|--------------------|--------------------|
|  | CR1372 - _ - _ | kneespace credenza left and right file/box pedestals | 20 72 29 <i>KNEESPACE: 38"</i> | class 125 cwt 215 lb cu ft 28 | 2,716 W 2,361 P | 2,933 W 2,549 P |
|  | CR1372D - _ - _ | storage credenza left and right file/box pedestals sliding doors in center area with one adjustable shelf <i>ADDITIONAL SHELVES \$77 EACH</i> | 20 72 29 | class 125 cwt 260 lb cu ft 28 | 3,883 W 3,527 P | 4,196 W 3,809 P |
|  | CR1372KB - _ - _ | kneespace credenza with keyboard left and right file/box pedestals <i>ARTICULATING KEYBOARD HEIGHT ADJUSTMENT FROM 26.5 - 29"</i> | 20 72 29 <i>KNEESPACE: 38"</i> | class 125 cwt 225 lb cu ft 28 | 3,018 W 2,662 P | 3,260 W 2,876 P |
|  | CR136624 - _ - _ | computer depth credenza left and right file/box pedestals | 24 66 29 <i>KNEESPACE: 32"</i> | class 125 cwt 220 lb cu ft 30 | 2,860 W 2,460 P | 3,089 W 2,654 P |
|  | CR1366 - _ - _ | kneespace credenza left and right file/box pedestals | 20 66 29 <i>KNEESPACE: 32"</i> | class 125 cwt 195 lb cu ft 26 | 2,655 W 2,302 P | 2,868 W 2,485 P |
|  | CR1366D - _ - _ | storage credenza left and right file/box pedestals sliding doors in center area with one adjustable shelf <i>ADDITIONAL SHELVES \$77 EACH</i> | 20 66 29 | class 125 cwt 245 lb cu ft 26 | 2,739 W 3,414 P | 4,069 W 3,686 P |
|  | CR1366KB - _ - _ | kneespace credenza with keyboard left and right file/box pedestals <i>ARTICULATING KEYBOARD HEIGHT ADJUSTMENT FROM 26.5 - 29"</i> | 20 66 29 <i>KNEESPACE: 32"</i> | class 125 cwt 205 lb cu ft 26 | 2,958 W 2,604 P | 3,194 W 2,813 P |
|  | D1372R - _ - _ | single pedestal desk right file/box pedestal includes center drawer | 36 72 29 | class 125 cwt 215 lb cu ft 53 | 4,375 W 3,939 P | 4,694 W 4,253 P |
|  | D1372L - _ - _ | single pedestal desk left file/box pedestal includes center drawer | 36 72 29 | class 125 cwt 215 lb cu ft 53 | 4,375 W 3,939 P | 4,694 W 4,253 P |

top
P laminate top
W veneer top

edge



laminate
tops only
6LC-P light cherry on cherry
7MC-P medium cherry on cherry
8DC-P dark cherry on cherry

veneer
tops only
6LC-W light cherry on cherry
7MC-W medium cherry on cherry
8DC-W dark cherry on cherry
9BC-W burgundy cherry on cherry










CF1376-9BC-W










unit identification (type) & top dimension - **chassis & top finish - top material**

oxford | 1300 series

| wood top, veneer chassis, veneer drawer fronts
| laminate top, veneer chassis, veneer drawer fronts



| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|---|-------------------|---|----|----|----|--|--------------------|--------------------|
|  | D1366R - _ - _ | single pedestal desk right file/box pedestal includes center drawer | 36 | 66 | 29 | class 125 cwt 205 lb cu ft 48 | 4,047 W 3,648 P | 4,370 W 3,940 P |
|  | D1366L - _ - _ | single pedestal desk left file/box pedestal includes center drawer | 36 | 66 | 29 | class 125 cwt 205 lb cu ft 48 | 4,047 W 3,648 P | 4,370 W 3,940 P |
|  | D136630R - _ - _ | single pedestal desk right file/box pedestal includes center drawer | 30 | 66 | 29 | class 125 cwt 195 lb cu ft 40 | 3,729 W 3,372 P | 4,026 W 3,642 P |
|  | D136630L - _ - _ | single pedestal desk left file/box pedestal includes center drawer | 30 | 66 | 29 | class 125 cwt 195 lb cu ft 40 | 3,729 W 3,372 P | 4,026 W 3,642 P |
|  | D1360R - _ - _ | single pedestal desk right file/box pedestal includes center drawer | 30 | 60 | 29 | class 125 cwt 180 lb cu ft 37 | 3,316 W 2,971 P | 3,581 W 3,208 P |
|  | D1360L - _ - _ | single pedestal desk left file/box pedestal includes center drawer | 30 | 60 | 29 | class 125 cwt 180 lb cu ft 37 | 3,316 W 2,971 P | 3,581 W 3,208 P |
|  | D1342R - _ - _ | single pedestal desk right file/box pedestal includes center drawer and arm slide | 30 | 42 | 29 | class 125 cwt 180 lb cu ft 26 <i>KNEESPACE: 23.5"</i> | 2,795 W 2,552 P | 3,019 W 2,755 P |
|  | D1342L - _ - _ | single pedestal desk left file/box pedestal includes center drawer and arm slide | 30 | 42 | 29 | class 125 cwt 180 lb cu ft 26 <i>KNEESPACE: 23.5"</i> | 2,795 W 2,552 P | 3,019 W 2,755 P |
|  | R1348R-EH - _ - _ | single pedestal return right file/box pedestal | 24 | 48 | 29 | class 125 cwt 165 lb cu ft 25 | 1,853 W 1,637 P | 2,002 W 1,769 P |

| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|---|---------------------|--|----|----|----|-------------------------------------|--------------------|--------------------|
|  | R1348L-EH - _ - _ | single pedestal return left file/box pedestal | 24 | 48 | 29 | class 125 cwt 165 lb cu ft 25 | 1,853 W 1,637 P | 2,002 W 1,769 P |
|  | R134820R-EH - _ - _ | single pedestal return right file/box pedestal | 20 | 48 | 29 | class 125 cwt 160 lb cu ft 25 | 1,853 W 1,637 P | 2,002 W 1,769 P |
|  | R134820L-EH - _ - _ | single pedestal return left file/box pedestal <i>FOR USE WITH D1360 DESK</i> | 20 | 48 | 29 | class 125 cwt 160 lb cu ft 25 | 1,853 W 1,637 P | 2,002 W 1,769 P |
|  | B1348-EH - _ - _ | bridge open kneespace | 20 | 48 | 29 | class 125 cwt 65 lb cu ft 3 | 657 W 576 P | 710 W 623 P |
|  | C1372R - _ - _ | single pedestal return right file/box pedestal | 20 | 72 | 29 | class 125 cwt 180 lb cu ft 28 | 2,528 W 2,196 P | 2,728 W 2,371 P |
|  | C1372L - _ - _ | single pedestal return left file/box pedestal | 20 | 72 | 29 | class 125 cwt 180 lb cu ft 28 | 2,528 W 2,196 P | 2,728 W 2,371 P |
|  | C1372R-2F - _ - _ | single pedestal credenza right lateral file pedestal | 20 | 72 | 29 | class 125 cwt 225 lb cu ft 28 | 3,001 W 2,668 P | 3,241 W 2,881 P |
|  | C1372L-2F - _ - _ | single pedestal credenza left lateral file pedestal | 20 | 72 | 29 | class 125 cwt 225 lb cu ft 28 | 3,001 W 2,668 P | 3,241 W 2,881 P |
|  | C1366R - _ - _ | single pedestal credenza right file/box pedestal | 20 | 66 | 29 | class 125 cwt 170 lb cu ft 26 | 2,343 W 2,038 P | 2,531 W 2,200 P |

top
P laminate top
W veneer top

edge



laminate
tops only
6LC-P light cherry on cherry
7MC-P medium cherry on cherry
8DC-P dark cherry on cherry

veneer
tops only
6LC-W light cherry on cherry
7MC-W medium cherry on cherry
8DC-W dark cherry on cherry
9BC-W burgundy cherry on cherry

false front \$512 list upcharge

CF1376-9BC-W

unit identification (type) & top dimension - **chassis & top finish - top material**

oxford | 1300 series

| wood top, veneer chassis, veneer drawer fronts
| laminate top, veneer chassis, veneer drawer fronts



| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--|-----------------|---|------|----|-------|--|--------------------|--------------------|
| | C1366L - _ - _ | single pedestal credenza left file/box pedestal | 20 | 66 | 29 | class 125 cwt 170 lb cu ft 26 | 2,343 W 2,038 P | 2,531 W 2,200 P |
| | WH1366 - _ - _ | 66" wide wall hung overhead unit four hinged doors | 16 | 66 | 16 | class 125 cwt 110 lb cu ft 13 | 1,805 | 1,939 |
| | WH1348 - _ - _ | 48" wide wall hung overhead unit three hinged doors | 16 | 48 | 16 | class 125 cwt 90 lb cu ft 10 | 1,361 | 1,461 |
| | WH1336 - _ - _ | 36" wide wall hung overhead unit two hinged doors | 16 | 36 | 16 | class 125 cwt 75 lb cu ft 7 | 923 | 990 |
| | FH1372 - _ - _ | 72" wide overhead storage unit two full hinged doors two half hinged doors two wire management grommet | 17.5 | 71 | 46.25 | class 125 cwt 260 lb cu ft 40 OPENING: 24.25" | 4,159 | 4,481 |
| | FH1366 -- _ - _ | 66" wide overhead storage unit two full hinged doors two half hinged doors two wire management grommet | 17.5 | 65 | 46.25 | class 125 cwt 247 lb cu ft 38 OPENING: 24.25" | 4,011 | 4,333 |
| | OU1372 - _ - _ | 72" wide overhead storage unit four hinged doors three wire management grommets | 17.5 | 71 | 46.25 | class 125 cwt 210 lb cu ft 40 OPENING: 25.63" | 3,591 | 3,889 |
| | OU1366 - _ - _ | 66" overhead storage unit four hinged doors three wire management grommets | 17.5 | 65 | 46.25 | class 125 cwt 190 lb cu ft 38 OPENING: 25.63" | 3,249 | 3,644 |
| | OD1372 - _ - _ | 72" overhead storage unit with open center one hinged door on each end three wire management grommets | 17.5 | 71 | 46.25 | class 125 cwt 210 lb cu ft 40 OPENING: 25.63" | 3,348 | 3,624 |

| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--|------------------|---|------|----|-------|--|-------------------|--------------------|
| | OD1366 - _ - _ | 66" overhead storage unit with open center one hinged door on each end three wire management grommets | 17.5 | 65 | 46.25 | class 125 cwt 190 lb cu ft 38 OPENING: 25.63" | 3,006 | 3,254 |
| | OO1372 - _ - _ | 72" open overhead storage unit with open center three wire management grommets | 17.5 | 71 | 46.25 | class 125 cwt 185 lb cu ft 38 OPENING: 25.63" | 2,892 | 3,124 |
| | OO1366 - _ - _ | 66" open overhead storage unit with open center three wire management grommets | 17.5 | 65 | 46.25 | class 125 cwt 175 lb cu ft 38 OPENING: 25.63" | 2,754 | 2,974 |
| | H1329 - _ - _ | open hutch SET UNIT ON HW1330 OR 2FD1330 ADDITIONAL SHELVES \$77 EACH | 13 | 29 | 47 | class 125 cwt 75 lb cu ft 13 | 1,688 | 1,823 |
| | H1357 - _ - _ | open hutch SET UNIT ON HFD1360 ADDITIONAL SHELVES \$77 EACH | 13 | 57 | 47 | class 125 cwt 75 lb cu ft 13 | 2,604 | 2,810 |
| | HW13722F - _ - _ | storage cabinet hinged doors with adjustable shelf upper lateral file below ADDITIONAL SHELVES \$77 EACH | 24 | 36 | 72 | class 125 cwt 320 lb cu ft 43 | 4,323 | 4,669 |
| | HW1372HW - _ - _ | storage cabinet hinged doors with adjustable shelf upper and lower ADDITIONAL SHELVES \$77 EACH | 24 | 36 | 72 | class 125 cwt 270 lb cu ft 43 | 4,140 | 4,478 |
| | HW1330 - _ - _ | hinged door cabinet two wood doors one adjustable shelf ADDITIONAL SHELVES \$77 EACH | 20 | 30 | 29 | class 125 cwt 100 lb cu ft 13 | 1,777 W 1,534P | 1,917 W 1,658 P |
| | WD1372 - _ - _ | wardrobe two hinged doors, hanging rod three adjustable shelves ADDITIONAL SHELVES \$77 EACH INSIDE DIMENSIONS: 21 33 69 | 24 | 36 | 72 | class 125 cwt 285 lb cu ft 42 | 3,556 | 3,774 |

top
P laminate top
W veneer top

edge












laminate
tops only
6LC-P light cherry on cherry
7MC-P medium cherry on cherry
8DC-P dark cherry on cherry

veneer
tops only
6LC-W light cherry on cherry
7MC-W medium cherry on cherry
8DC-W dark cherry on cherry
9BC-W burgundy cherry on cherry

CF1376-9BC-W

unit identification (type) & top dimension - **chassis & top finish - top material**

| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|---|------------------|--|----|----|----|-------------------------------------|----------------------------------|----------------------------------|
|  | WD1372-18 - _ | wardrobe one hinged door, hanging rod <i>ADDITIONAL SHELVES \$77 EACH</i> | 24 | 18 | 72 | class 125 cwt 170 lb cu ft 23 | 2,636 | 2,848 |
|  | AV13722F - _ - _ | tv cabinet pocket doors with pull-out swivel tv tray upper lateral file below <i>ADDITIONAL SHELVES \$77 EACH</i> | 24 | 36 | 72 | class 125 cwt 340 lb cu ft 43 | 4,953 | 5,349 |
|  | AV1372HW - _ - _ | tv cabinet pocket doors with pull-out swivel tv tray upper hinged doors with adjustable shelf below <i>ADDITIONAL SHELVES \$77 EACH</i> | 24 | 36 | 72 | class 125 cwt 290 lb cu ft 43 | 4,785 | 5,170 |
|  | 4FD1360 - _ - _ | lateral file/four drawers two drawer side by side under common top letter and legal capacity | 20 | 60 | 29 | class 125 cwt 225 lb cu ft 26 | 4,257 W 3,854 P | 4,598 W 4,162 P |
|  | 2FD1330 - _ - _ | lateral file letter and legal capacity | 20 | 30 | 29 | class 125 cwt 125 lb cu ft 13 | 2,129 W 1,887 P | 2,300 W 2,038 P |
|  | BC1384 - _ - _ | bookcase four adjustable shelves one fixed shelf in center <i>ADDITIONAL SHELVES \$77 EACH</i> | 12 | 36 | 84 | class 125 cwt 145 lb cu ft 28 | 1,600 W 1,509 P | 1,724 W 1,627 P |
|  | BC1372 - _ - _ | bookcase three adjustable shelves one fixed shelf in center <i>ADDITIONAL SHELVES \$77 EACH</i> | 12 | 36 | 72 | class 125 cwt 135 lb cu ft 24 | 1,443 W 1,351 P | 1,553 W 1,419 P |
|  | BC1360 - _ - _ | bookcase two adjustable shelves one fixed shelf in center <i>ADDITIONAL SHELVES \$77 EACH</i> | 12 | 36 | 60 | class 125 cwt 110 lb cu ft 20 | 1,215 W 1,126 P | 1,313 W 1,214 P |
|  | BC1348 - _ - _ | bookcase one adjustable shelf one fixed shelf <i>ADDITIONAL SHELVES \$77 EACH</i> | 12 | 36 | 48 | class 125 cwt 96 lb cu ft 16 | 1,051 W 960 P | 1,135 W 1,036 P |



top
P laminate top
W veneer top

edge



oxford | 1300 series | wood top, veneer chassis, veneer drawer fronts
| laminate top, veneer chassis, veneer drawer fronts



| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|---|----------------|---|----|----|----|------------------------------------|------------------------------|------------------------------|
|  | BC1336 - _ - _ | bookcase two adjustable shelves <i>ADDITIONAL SHELVES \$77 EACH</i> | 12 | 36 | 36 | class 125 cwt 85 lb cu ft 12 | 907 W 817 P | 980 W 882 P |
|  | BC1330 - _ - _ | bookcase one adjustable shelf <i>ADDITIONAL SHELVES \$77 EACH</i> | 12 | 36 | 30 | class 125 cwt 80 lb cu ft 11 | 810 W 718 P | 873 W 777 P |

laminates
tops only
6LC-P light cherry on cherry
7MC-P medium cherry on cherry
8DC-P dark cherry on cherry

veneer
tops only
6LC-W light cherry on cherry
7MC-W medium cherry on cherry
8DC-W dark cherry on cherry
9BC-W burgundy cherry on cherry

CF1376-9BC-W


unit identification (type) & top dimension - chassis & top finish - top material

oxford | 1300 series

| wood top, veneer chassis, veneer drawer fronts
| laminate top, veneer chassis, veneer drawer fronts




| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------|--------------------|----|----|----|-------------------------------------|--------------------|--------------------|
| M1372R-EH - _ - _ | executive "I" unit | 84 | 72 | 29 | class 125 cwt 380 lb cu ft 78 | 6,228 W 5,575 P | 6,728 W 6,021 P |




| consists of: | d | w | h | quantity |
|---|----|----|----|----------|
| D1372L-_W or -P single pedestal desk 6" overhang on approach side center drawer, arm slide left file/box pedestal | 36 | 72 | 29 | 1 |
| R1348R-EH_W or -P single pedestal return right file/box pedestal | 24 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------|--------------------|----|----|----|-------------------------------------|--------------------|--------------------|
| M1366L-EH - _ - _ | executive "I" unit | 84 | 66 | 29 | class 125 cwt 370 lb cu ft 69 | 5,900 W 5,285 P | 6,373 W 5,708 P |




| consists of: | d | w | h | quantity |
|--|----|----|----|----------|
| D1366R-_W or -P single pedestal desk 6" overhang on approach side center drawer, arm slide right file/box pedestal | 36 | 66 | 29 | 1 |
| R1348L-EH_W or -P single pedestal return left file/box pedestal | 24 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------|--------------------|----|----|----|-------------------------------------|--------------------|--------------------|
| M1372L-EH - _ - _ | executive "I" unit | 84 | 72 | 29 | class 125 cwt 380 lb cu ft 78 | 6,228 W 5,575 P | 6,728 W 6,021 P |




| consists of: | d | w | h | quantity |
|--|----|----|----|----------|
| D1372L-_W or -P single pedestal desk 6" overhang on approach side center drawer, arm slide right file/box pedestal | 36 | 72 | 29 | 1 |
| R1348R-EH_W or -P single pedestal return left file/box pedestal | 24 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|---------------------|--------------------|----|----|----|-------------------------------------|--------------------|--------------------|
| M136630R-EH - _ - _ | executive "I" unit | 78 | 66 | 29 | class 125 cwt 360 lb cu ft 65 | 5,582 W 5,009 P | 6,029 W 5,411 P |




| consists of: | d | w | h | quantity |
|---|----|----|----|----------|
| D136630L-_W or -P single pedestal desk center drawer, arm slide left file/box pedestal | 30 | 66 | 29 | 1 |
| R1348R-EH_W or -P single pedestal return right file/box pedestal | 24 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------|--------------------|----|----|----|-------------------------------------|--------------------|--------------------|
| M1366R-EH - _ - _ | executive "I" unit | 84 | 66 | 29 | class 125 cwt 370 lb cu ft 69 | 5,900 W 5,285 P | 6,373 W 5,708 P |



| consists of: | d | w | h | quantity |
|---|----|----|----|----------|
| D1366L-_W or -P single pedestal desk 6" overhang on approach side center drawer, arm slide left file/box pedestal | 36 | 66 | 29 | 1 |
| R1348R-EH_W or -P single pedestal return right file/box pedestal | 24 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|---------------------|--------------------|----|----|----|-------------------------------------|--------------------|--------------------|
| M136630L-EH - _ - _ | executive "I" unit | 78 | 66 | 29 | class 125 cwt 360 lb cu ft 65 | 5,582 W 5,009 P | 6,029 W 5,411 P |



| consists of: | d | w | h | quantity |
|--|----|----|----|----------|
| D136630R-_W or -P single pedestal desk center drawer, arm slide right file/box pedestal | 30 | 66 | 29 | 1 |
| R1348L-EH_W or -P single pedestal return left file/box pedestal | 24 | 48 | 29 | 1 |

top P laminate top
W veneer top

edge




bridges custom length bridge sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. 27" high typing height bridge available- add \$197 list and specify "TH" in place "EH".

laminates only 6LC-P light cherry on cherry
7MC-P medium cherry on cherry
8DC-P dark cherry on cherry

veneers only 6LC-W light cherry on cherry
7MC-W medium cherry on cherry
8DC-W dark cherry on cherry
9BC-W burgundy cherry on cherry




| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------|--------------------|----|----|----|-------------------------------------|--------------------|--------------------|
| M1300R-EH - _ - _ | executive "l" unit | 78 | 60 | 29 | class 125 cwt 325 lb cu ft 58 | 5,169 W 4,607 P | 5,587 W 4,977 P |




| consists of: | | d | w | h | quantity |
|--|----|----|----|---|----------|
| D1360L_-W or -P single pedestal desk center drawer, arm slide, left file/box pedestal | 30 | 60 | 29 | 1 | |
| R134820R-EH_-W or -P single pedestal return right file/box pedestal | 20 | 48 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------|--------------------|----|----|----|-------------------------------------|--------------------|--------------------|
| M1300L-EH - _ - _ | executive "l" unit | 78 | 60 | 29 | class 125 cwt 325 lb cu ft 58 | 5,169 W 4,607 P | 5,587 W 4,977 P |




| consists of: | | d | w | h | quantity |
|---|----|----|----|---|----------|
| D1360R_-W or -P single pedestal desk center drawer, arm slide, right file/box pedestal | 30 | 60 | 29 | 1 | |
| R134820L-EH_-W or -P single pedestal return left file/box pedestal | 20 | 48 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------|--------------------|-----|----|----|-------------------------------------|--------------------|--------------------|
| CFUM1372R-EH - _ - _ | executive "u" unit | 104 | 72 | 29 | class 125 cwt 495 lb cu ft 84 | 7,560 W 6,710 P | 8,165 W 7,247 P |




| consists of: | | d | w | h | quantity |
|--|----|----|----|---|----------|
| D1372L_-W or -P single pedestal desk center drawer, arm slide, left file/box pedestal | 36 | 72 | 29 | 1 | |
| B1348-EH_-W or -P bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C1372R_-W or -P single pedestal credenza right file/box pedestal | 20 | 72 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------|--------------------|-----|----|----|-------------------------------------|--------------------|--------------------|
| CFUM1372L-EH - _ - _ | executive "u" unit | 104 | 72 | 29 | class 125 cwt 495 lb cu ft 84 | 7,560 W 6,710 P | 8,165 W 7,247 P |




| consists of: | | d | w | h | quantity |
|---|----|----|----|---|----------|
| D1372R_-W or -P single pedestal desk center drawer, arm slide, right file/box pedestal | 36 | 72 | 29 | 1 | |
| B1348-EH_-W or -P bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C1372L_-W or -P single pedestal credenza left file/box pedestal | 20 | 72 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|------------------------|--------------------|-----|----|----|-------------------------------------|--------------------|--------------------|
| CFUM1372R-EH2F - _ - _ | executive "u" unit | 104 | 72 | 29 | class 125 cwt 540 lb cu ft 84 | 8,033 W 7,182 P | 8,676 W 7,756 P |



| consists of: | | d | w | h | quantity |
|--|----|----|----|---|----------|
| D1372L_-W or -P single pedestal desk center drawer, arm slide, left file/box pedestal | 36 | 72 | 29 | 1 | |
| B1348-EH_-W or -P bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C1372R-2F_-W or -P single pedestal credenza right lateral file pedestal | 20 | 72 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|------------------------|--------------------|-----|----|----|-------------------------------------|--------------------|--------------------|
| CFUM1372L-EH2F - _ - _ | executive "u" unit | 104 | 72 | 29 | class 125 cwt 540 lb cu ft 84 | 8,033 W 7,182 P | 8,676 W 7,756 P |



| consists of: | | d | w | h | quantity |
|---|----|----|----|---|----------|
| D1372R_-W or -P single pedestal desk center drawer, arm slide, right file/box pedestal | 36 | 72 | 29 | 1 | |
| B1348-EH_-W or -P bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C1372L-2F_-W or -P single pedestal credenza left lateral file pedestal | 20 | 72 | 29 | 1 | |

top P laminate top
W veneer top

edge




bridges custom length bridge sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. 27" high typing height bridge available- add \$197 list and specify "TH" in place "EH".

laminates only 6LC-P light cherry on cherry
7MC-P medium cherry on cherry
8DC-P dark cherry on cherry

veneers only 6LC-W light cherry on cherry
7MC-W medium cherry on cherry
8DC-W dark cherry on cherry
9BC-W burgundy cherry on cherry




| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------|--------------------|----|----|----|-------------------------------------|--------------------|--------------------|
| UM1366R-EH - _ - _ | executive "u" unit | 98 | 66 | 29 | class 125 cwt 445 lb cu ft 69 | 6,729 W 5,986 P | 7,267 W 6,465 P |



| consists of: | | d | w | h | quantity |
|---|--|----|----|----|----------|
| D136630L-_-W or -P single pedestal desk center drawer, arm slide, left file/box pedestal | | 30 | 66 | 29 | 1 |
| B1348-EH_-W or -P bridge with open kneespace | | 20 | 48 | 29 | 1 |
| C1366R-_-W or -P single pedestal credenza right file/box pedestal | | 20 | 66 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------|--------------------|----|----|----|-------------------------------------|--------------------|--------------------|
| UM1366L-EH - _ - _ | executive "u" unit | 98 | 66 | 29 | class 125 cwt 445 lb cu ft 69 | 6,729 W 5,986 P | 7,267 W 6,465 P |



| consists of: | | d | w | h | quantity |
|--|--|----|----|----|----------|
| D136630R-_-W or -P single pedestal desk center drawer, arm slide, right file/box pedestal | | 30 | 66 | 29 | 1 |
| B1348-EH_-W or -P bridge with open kneespace | | 20 | 48 | 29 | 1 |
| C1366L-_-W or -P single pedestal credenza left file/box pedestal | | 20 | 66 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------|--|----|----|-------|-----------------------------------|----------------|----------------|
| TD1372 - _ - _ | desk top transaction counter for use with 72" desk only | 12 | 72 | 15.25 | class 125 cwt 90 lb cu ft 6 | 930 W 930 P | 999 W 999 P |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------|--|----|----|-------|-----------------------------------|----------------|----------------|
| TD1366 - _ - _ | desk top transaction counter for use with 36" x 66" desk only | 12 | 66 | 15.25 | class 125 cwt 84 lb cu ft 6 | 930 W 930 P | 999 W 999 P |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|------------------|--|----|----|-------|-----------------------------------|----------------|----------------|
| TD136630 - _ - _ | desk top transaction counter for use with 30" x 66" desk only | 12 | 66 | 15.25 | class 125 cwt 84 lb cu ft 6 | 930 W 930 P | 999 W 999 P |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-----------------|---|----|----|-------|------------------------------------|-------------------|--------------------|
| TM1372R - _ - _ | desk top transaction/reception gallery for use with 72" right executive "I" unit only | 12 | 72 | 15.25 | class 125 cwt 100 lb cu ft 6 | 1,375W 1,375 P | 1,478 W 1,478 P |
| | GALLERY | 84 | 72 | 14 | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-----------------|--|----|----|-------|------------------------------------|-------------------|--------------------|
| TM1372L - _ - _ | desk top transaction/reception gallery for use with 72" left executive "I" unit only | 12 | 72 | 15.25 | class 125 cwt 100 lb cu ft 6 | 1,375W 1,375 P | 1,478 W 1,478 P |
| | GALLERY | 84 | 72 | 14 | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-----------------|---|----|----|-------|-----------------------------------|-------------------|--------------------|
| TM1366R - _ - _ | desk top transaction/reception gallery for use with 36" x 66" right executive "I" unit only | 12 | 66 | 15.25 | class 125 cwt 94 lb cu ft 6 | 1,375W 1,375 P | 1,478 W 1,478 P |
| | GALLERY | 84 | 66 | 14 | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-----------------|--|----|----|-------|-----------------------------------|-------------------|--------------------|
| TM1366L - _ - _ | desk top transaction/reception gallery for use with 36" x 66" left executive "I" unit only | 12 | 66 | 15.25 | class 125 cwt 94 lb cu ft 6 | 1,375W 1,375 P | 1,478 W 1,478 P |
| | GALLERY | 84 | 66 | 14 | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------|---|----|----|-------|-----------------------------------|-------------------|--------------------|
| TM136630R - _ - _ | desk top transaction/reception gallery for use with 30" x 66" right executive "I" unit only | 12 | 66 | 15.25 | class 125 cwt 94 lb cu ft 6 | 1,375W 1,375 P | 1,478 W 1,478 P |
| | GALLERY | 78 | 66 | 14 | | | |










| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------|--|----|----|-------|-----------------------------------|-------------------|--------------------|
| TM136630L - _ - _ | desk top transaction/reception gallery for use with 30" x 66" left executive "I" unit only | 12 | 66 | 15.25 | class 125 cwt 94 lb cu ft 6 | 1,375W 1,375 P | 1,478 W 1,478 P |
| | GALLERY | 78 | 66 | 14 | | | |

| | |
|------|--------------------------------|
| top | P laminate top W veneer top |
| edge | C |

| | |
|-----------------------|---|
| laminate tops only | 6LC-P light cherry on cherry 7MC-P medium cherry on cherry 8DC-P dark cherry on cherry |
| veneer tops only | 6LC-W light cherry on cherry 7MC-W medium cherry on cherry 8DC-W dark cherry on cherry 9BC-W burgundy cherry on cherry |

CF1376-9BC-W

unit identification (type) & top dimension - **chassis & top finish - top material**

| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|---|-------------------|---|-----|----|-------|-------------------------------------|--------------------|--------------------|
|  | TM1360R - _ - _ | desk top transaction/reception gallery for use with 60" right executive "I" unit only | 12 | 60 | 15.25 | class 125 cwt 90 lb cu ft 6 | 1,375W 1,375 P | 1,478 W 1,478 P |
| | | GALLERY | 78 | 60 | 14 | | | |
|  | TM1360L - _ - _ | desk top transaction/reception gallery for use with 60" left executive "I" unit only | 12 | 60 | 15.25 | class 125 cwt 90 lb cu ft 6 | 1,375W 1,375 P | 1,478 W 1,478 P |
| | | GALLERY | 78 | 60 | 14 | | | |
|  | TU1372R - _ - _ | desk top transaction/reception gallery for use with 72" right executive "u" unit only | 12 | 72 | 15.25 | class 125 cwt 150 lb cu ft 8 | 1,858 W 1,858 P | 2,001 W 2,001 P |
| | | GALLERY | 104 | 72 | 14 | | | |
|  | TU1372L - _ - _ | desk top transaction/reception gallery for use with 72" left executive "u" unit only | 12 | 72 | 15.25 | class 125 cwt 150 lb cu ft 8 | 1,858 W 1,858 P | 2,001 W 2,001 P |
| | | GALLERY | 104 | 72 | 14 | | | |
|  | TU1366R - _ - _ | desk top transaction/reception gallery for use with 36" x 66" right executive "u" unit only | 12 | 66 | 15.25 | class 125 cwt 140 lb cu ft 8 | 1,858 W 1,858 P | 2,001 W 2,001 P |
| | | GALLERY | 104 | 66 | 14 | | | |
|  | TU1366L - _ - _ | desk top transaction/reception gallery for use with 36" x 66" left executive "u" unit only | 12 | 66 | 15.25 | class 125 cwt 140 lb cu ft 8 | 1,858 W 1,858 P | 2,001 W 2,001 P |
| | | GALLERY | 104 | 66 | 14 | | | |
|  | TU136630R - _ - _ | desk top transaction/reception gallery for use with 30" x 66" right executive "u" unit only | 12 | 66 | 15.25 | class 125 cwt 140 lb cu ft 8 | 1,858 W 1,858 P | 2,001 W 2,001 P |
| | | GALLERY | 98 | 66 | 14 | | | |
|  | TU136630L - _ - _ | desk top transaction/reception gallery for use with 30" x 66" left executive "u" unit only | 12 | 66 | 15.25 | class 125 cwt 140 lb cu ft 8 | 1,858 W 1,858 P | 2,001 W 2,001 P |
| | | GALLERY | 98 | 66 | 14 | | | |
|  | T1348-29 - _ - _ | sofa table CAN SHIP UPS | 18 | 48 | 29 | class 85 kd cwt 50 lb cu ft 3 | 902 W 653 P | 971 W 706 P |

top P laminate top
W veneer top






edge



oxford | 1300 series

| wood top, veneer chassis, veneer drawer fronts
| laminate top, veneer chassis, veneer drawer fronts



| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|---|------------------|---|----|----|----|--------------------------------------|----------------|----------------|
|  | T1348 - _ - _ | lamp table CAN SHIP UPS | 18 | 48 | 17 | class 85 kd cwt 40 lb cu ft 3 | 716 W 470 P | 774 W 506 P |
|  | ET1328 - _ - _ | end table CAN SHIP UPS | 28 | 15 | 22 | class 150 kd cwt 26 lb cu ft 2 | 490 W 362 P | 531 W 389 P |
|  | ET1328S - _ - _ | end table with shelf CAN SHIP UPS | 28 | 15 | 22 | class 85 kd cwt 30 lb cu ft 2 | 610 W 482 P | 659 W 521 P |
|  | T1330-29 - _ - _ | lamp table CAN SHIP UPS | 30 | 30 | 29 | class 85 kd cwt 50 lb cu ft 3 | 889 W 612 P | 958 W 662 P |
|  | T1330-22 - _ - _ | lamp table CAN SHIP UPS | 30 | 30 | 22 | class 85 kd cwt 45 lb cu ft 3 | 706 W 430 P | 761 W 464 P |
|  | T1330-17 - _ - _ | lamp table CAN SHIP UPS | 30 | 30 | 17 | class 85 kd cwt 46 lb cu ft 3 | 672 W 396 P | 722 W 427 P |
|  | T1330S - _ - _ | lamp table with shelf CAN SHIP UPS | 30 | 30 | 22 | class 85 kd cwt 15 lb cu ft .5 | 921 W 645 P | 991 W 696 P |
|  | CO1372 - _ - _ | costumer CAN SHIP UPS | | | 72 | class 85 kd cwt 15 lb cu ft .5 | 644 | 723 |
|  | CO1366 - _ - _ | costumer CAN SHIP UPS | | | 66 | class 85 kd cwt 15 lb cu ft .5 | 551 | 596 |

laminate
tops only 6LC-P light cherry on cherry
7MC-P medium cherry on cherry
8DC-P dark cherry on cherry

veneer
tops only 6LC-W light cherry on cherry
7MC-W medium cherry on cherry
8DC-W dark cherry on cherry
9BC-W burgundy cherry on cherry