Inwood

OFFICE INVIRONMENTS

Inwood Office Invironments warrants its products to be free from defects in materials and workmanship given normal use and proper care, for a period of ten (10) years of single shift service.

Specific components are warranted to be free from defects in materials and workmanship for the following periods of time from the date of initial shipment:

electrical components	two (2) years
pneumatic cylinders	three (3) years
control mechanisms	three (3) years
casters	three (3) years

Fabrics will be covered only by the warranty of the original manufacturer.

Inwood tenders this warranty only to original purchasers acquiring our products through those parties specifically authorized by Inwood to sell our products. Repair and/or replacement, at our option, will be made on any part or parts found to be defective within the terms of the warranty. The warranty shall not include any labor or shipping costs for replacement of any such parts or materials.

This warranty does not cover

- Damage(s) caused by a transportation company
- Damage(s) resulting from user modification, alterations, misuse, abuse or negligent use of our product
- Damage(s), defect(s), or product failure(s) due to customers request for modifications to product design, product dimensions, product arrangement or normal product specifications
- Natural variations in color, grain, or texture of wood and other covering materials over which Inwood has no control
- Wearing or cuts to covering materials
- Customer's Own Materials (COM)

Inwood does not make any other warranties except as expressly set forth above, either expressed or implied, including any warranty of merchantability or fitness for any particular purpose. Inwood shall not be liable for consequential or incidental damages under this warranty.

Further, Inwood makes no warranties, expressed or implied, for improper assembly and/or installation of its products.

order procedure

Inwood does not accept orders verbally. Orders may be faxed, e-mailed or mailed directly to:

Inwood Office Invironments PO Box 646 Jasper, IN 47546 Fax: 812.482.9732 E-mail: inwood@inwood.net

All orders from authorized & credit-approved Inwood Office Invironments dealers must be in writing and must include the following information:

Date

Purchase Order Number Bill to Address Ship to Address Special Shipping Instructions (delivery notification, special ship dates, ship complete or split shipments, and tags if applicable) Complete Model Numbers (include finish & fabric numbers) Net Price Requested Delivery Date (if applicable)

order confirmation

All complete orders will be entered and acknowledged promptly with approximate shipping date(s), transit times, and other pertinent information. This acknowledgement is the final agreement between

Inwood and the customer, superseding all previous communications regarding the order. NOTE It is the customer's responsibility to check the acknowledgment for accuracy. Please advise Inwood immediately of any discrepancies.

changes and cancellations

Because many of our casegood products and all of our seating products are made to order, we must limit customer changes and cancellations. We regret that changes and cancellations are not possible once production has begun. Production normally begins 48 hours after receipt of order. Orders for standard casegood products with in-stock finishes may be cancelled for a 30% restocking fee. Any non-stock finish is considered made to order and cannot be changed or cancelled.

delivery information

Shipments are FOB destination for the 48 contiguous states. Orders are priced by destination zone as listed by state.



zone 1 🗌

Alabama, Arkansas, Connecticut, Delaware, Florida, Georgia, Illinois, indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Nebraska, New Hampshire, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, Tennessee, Texas, Virginia, West Virginia and Wisconsin.

zone 2 🔲

Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, North Dakota, Oregon, South Dakota, Utah, Washington and Wyoming.

Orders of less than 500 lbs will be assessed a handling charge of \$100.00 net per order. Inwood reserves the right to select the most appropriate carrier and routing on all shipments. Any charge arising from failure to receive a shipment, rerouting while in transit or carrier storage charges are not included in prices shown and will be billed to the 'sold to' account on the order.

Any order requiring special delivery services will incur additional charges at the time of invoicing. All such requirements must be noted on the purchase order. These are services that are billed to Inwood by the freight company or require the usage of specialized carriers, and not included in the standard price of the product. Examples of such services include:

- delivery notification or call ahead requests
- \$10 Net Charge
- ¬ inside delivery minimum \$100 Net Charge
- ¬ non dock deliverv
- minimum \$100 Net Charge
- weekend delivery (friday after 4:00pm-sunday night) minimum \$500 Net Charge
- residential delivery
- Customer Service may assist you in determining your special delivery requirements and any additional charges that may apply
- ¬ fuel surcharges
- We will continue to do our best to absorb the increased cost from our transportation vendors; however, if the price

of fuel increases above the normal rates, it may require us to pass on the increased costs. We will address this situation with a fuel surcharge rather than a price increase so that we can eliminate it as appropriate.

Contact Customer Service if you are unsure if your order requires one or more of the above services. We will make every attempt to avoid additional charges by giving options on what we can do within our standard delivery prices.

All prepaid shipments by Inwood Office Invironments will be on carriers of our choice. If you choose to order product FOB Factory, please specify the carrier you require. Product will ship Freight Collect and Inwood's responsibility will cease upon delivery to the carrier.

order postponements and delivery changes

Changes may be made to delivery address no later than 5 days before the acknowledged ship date of an order. Contact Customer Service for charges which may be incurred for delivery charges within 5 days of the acknowledged ship date. If it becomes necessary to postpone an order after production has begun, the order will be completed, stored and invoiced to the customer with normal terms. Storage fees of \$2.00 per 100 lbs or \$5.00 minimum per day will occur on all orders that are not picked up or released for shipment after 10 working days from the acknowledged ship date.

claim process for merchandise damage/shortage/carrier delay

All products produced by Inwood are carefully inspected and properly packed prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortage, or delivery has been delayed by the carrier, the following steps must be taken:

- Before signing for any merchandise, make notation of all visible damage, shortages, and/or time of truck arrival on the freight bill (bill of lading).
- Contact Inwood Customer Service within 15 calendar days of goods receipt to report issue. Legal title to merchandise passes to the buyer upon acceptance by the carrier. We will work with you to file any necessary claims when reported to us within the 15 day time frame.
- Retain all packing materials/cartons for inspection by the carrier agent.

Failure to make any claims against Inwood Office Invironments within 15 days shall constitute acceptance of the merchandise and a waiver of any errors or shortages discovered upon inspection.

repairs and returns

No repairs or returns will be considered without first obtaining our written permission. Such requests must be made in writing within 15 days of the invoice. Authorization must be obtained from Customer Service prior to repairs being made if Inwood is expected to pay these charges. Charges will be approved only after an estimate has been provided. Credit will be issued only after receipt of repair bills.

Made to order items are not returnable. This includes upholstered seating, special items, special finishes, and any non-stock finish. Authorized returns of stock items will be charged a minimum 30% restocking fee. All returns are subject to an attempted pick-up charge of \$200. Please insure that all goods are packed and tagged correctly before calling Inwood for pick up. All RMA's (Return Materials Authorization) will expire within 30 days of notification. Once expired, a new authorization is required for any return. Upon receipt of returned goods, Inwood will inspect and assess responsibility for any defects. If damage of the merchandise was caused by abuse, alteration, or unauthorized repair, we may offer to repair the merchandise for a fee. The final responsibility for determining damage remains with Inwood.

All merchandise must be shipped freight prepaid or we will not accept. All merchandise being returned must be properly packed and protected to insure that no further damage is incurred during transportation back to Inwood.

special construction agreement

When requested that Inwood Office invironments Inc. modify, change or alter its standard product in order to meet the specific needs of Customer, Inwood shall exercise its best efforts to modify its standard product to incorporate the modifications and changes requested by Customer. Inwood Office Invironments disclaims any warranty with respect to the modifications or changes requested by Customer and its standard warranty shall not apply to said modifications or changes. Customer shall have no right to rescind its order of this product after production of the product has begun. Customer assumes the risk of the use of Inwood Office invironments product containing the modifications or changes requested by Customer. In no event shall the product containing the modifications or changes requested by Customer be returnable to Inwood Office invironments.

replacement parts

Contact Inwood Customer Service for item numbers and pricing on replacement parts.

dimensions


All dimensions referenced in this book are nominal.

terms

1% 15 days, 30 days net.

Payments are accepted in US Dollars. Payment is also accepted by Visa & Mastercard credit cards, and is posted prior to shipment. When payment is made with a credit card, no additional discounts may be taken.





minimum order \$10 US Dollars list price.

standard special upcharges

Inwood Office invironments provides the following standard special modifications to its product. Simply specify the request and add the associated price to list.

to make standard top size shorter or narrower	\$248
to change file drawer pedestal in desks, credenzas	
and modular cabinets to box drawers	\$218
to change 2 box drawers in desk to file drawer	\$140
to change position of file drawer in desks	\$106
to add locks where not standard	
¬ box, file drawer or center drawer	\$56
¬ hinged door, single	\$56
¬ hinged door, double	
to key items alike from factory per unit	
to add extra lock per set (including set of keys)	
extra set of keys (two)	
to add grommets in any special location	
to move standard placement of grommet on unit	
grommets (cover only)	
to add extra shelf for bookcase	
to make shelves solid wood (per shelf)	
for typing height return	\$197
for non-standard Inwood pulls	A- 4
(to change to another series per unit)	\$/1
special finishes (6 item minimum)	
¬ non-Inwood finishes	
¬ standard Inwood finishes	15%



dlh pointman series specifications

materials:

All wood is thoroughly air and kiln dried to a moisture content not to exceed 8% at the time of assembly

veneers:

All exposed surfaces are plain sliced Cherry, American Black Walnut or White Maple Veneer. Walnut veneers are carefully book-matched. Cherry and Maple veneers are slip-matched. All drawer fronts, doors, end panels, and modesty panels are vertical grain.

top work surfaces:

Laminate tops are 1 1/4" thick, 3-ply construction; consisting of a highpressure laminate work surface and a 45 lb density flake board core. The under side of the top has a smooth surface Gator-Ply backing sheet. Top rims are 3/4" hardwood with a choice of top edge shape on all four sides.

modesty panels:

3/4" thick, 3-ply construction with a vertical book matched veneer on exposed surfaces and a 45 lb density flake board core. Desk modesty panels are full to the floor.

construction:

Uses a mortise & tenon and glue to join panels and modesty panels. All joints are reinforced with glue blocks. Each desk pedestal has an easy slide out dictation arm/mousing slide mounted above the drawers for more work surface area. All pedestals have a side route finger drawer pulls.

drawers:

Drawer fronts are 3/4" thick, 3-ply construction with vertical book matched veneer. Drawer edges are veneered on top and sides with matching wood veneers. All drawer sides and backs are plywood, dovetailed front and back with 3-ply drawer bottoms. Drawer bottoms are framed on four sides and stapled from the bottom side. Drawer interiors are finished with a clear coat sealer to prevent swelling or shrinkage. Box drawers have a high grade Sterling metal ball-bearing drawer suspension. File drawers have a high grade Sterling metal ball bearing full progressive suspension and are equipped with metal rods for hanging file folders. All drawers have smooth quiet operation.

locking:

Each pedestal has its own lock and is keyed alike for each unit. Each unit is equipped with two keys. Units may be keyed alike in groups (per office, if requested) for an additional charge of \$31 list per unit.

finish:

All Inwood finishes are catalyzed varnish and have excellent durability. Our multi-step satin finishes leave a beautiful natural look to the furniture, and are available in the following finishes: (3L) walnut, (2KL) walnut, (25M) mahogany, (4L) dark mahogany, (25C) cherry, (2ML) natural maple, (3ML) light maple, (4ML) medium maple, (5ML) cherry finish on maple, (6LC) Light Cherry, (7MC) Medium Cherry, (8DC) Dark Cherry.

dlh pointman lift system:

The lift system is driven by two linear actuators, which have 180 lbs of thrust each. These are powered by a 120 volt electric control box which supplies a smooth quiet travel at 1.5"/second. The lift system is located in the kneespace area and is secured by a lockable hinged access panel. The control switch is secured inside the CPU pedestal. With the touch of a button, the DLH Pointman Organizer ascends from the unit to reveal the storage compartment. Another touch of a button descends the DLH Pointman back into the unit. The down stroke has an anti-collision function which will stop the descent if there is an obstruction.

dlh pointman series dimensions 36" x 72" desks:

height of unit when fully open......19 1/2"h overall height when fully open48 1/2"h

36" x 66" desks:

height of unit when fully open......19 1/2"h overall height when fully open48 1/2"h

30" x 66" desks:

left/right bay area dimensions.....open height of unit when fully open......19 1/2"h overall height when fully open48 1/2"h

72" wide credenzas:

left/right bay area dimensions.....open height of unit when fully open......19 1/2"h overall height when fully open48 1/2"h

66" wide credenzas:

left/right bay area dimensions.....open height of unit when fully open......19 1/2"h overall height when fully open48 1/2"h

dlh pointman additions

contact the customs department to inquire about installing the DLH Pointman Organizer in other Inwood units.

	model number PDFBT2372RCFP PDFBT2172RCFP 	description double pedestal bow front desk left box/box/file pedestal right cpu pedestal	d w h 42 72 29 APPROACH: 6'' KNEESPACE: 40''	freight class 125 cwt 455 lb cu ft 55	list \$ zone 1 5,797 W 5,215 P	list \$ zone : 6,169 W 5,695 P
	PDFBT2372LCFP PDFBT2172LCFP 	double pedestal bow front desk left cpu pedestal right box/box/file pedestal	42 72 29 APPROACH: 6'' KNEESPACE: 40''	class 125 cwt 455 lb cu ft 55	5,797 W 5,215 P	6,169 W 5,695 P
	PDF2372RCFP PDF2172RCFP 	double pedestal desk left box/box/file pedestal right cpu pedestal	36 72 29 KNEESPACE: 40''	class 125 cwt 450 lb cu ft 53	4,268 W 3,937 P	4,520 W 4,166 P
	PDF2372LCFP PDF2172LCFP 	double pedestal desk left cpu pedestal right box/box/file pedestal	36 72 29 KNEESPACE: 40''	class 125 cwt 450 lb cu ft 53	4,268 ₩ 3,937 ₽	4,520 ₩ 4,166 ₽
	PDF2366RCFP PDF2166RCFP 	double pedestal desk left box/box/file pedestal right cpu pedestal	36 66 29 KNEESPACE: 34''	class 125 cwt 420lb cu ft 48	4,184 W 3,905 P	4,432 W 4,131 P
	PDF2366LCFP PDF2166LCFP 	double pedestal desk left cpu pedestal right box/box/file pedestal	36 66 29 KNEESPACE: 34''	class 125 cwt 420lb cu ft 48	4,184 W 3,905 P	4,432 W 4,131 P
	PDF236630RCFP PDF216630RCFP 	double pedestal desk left box/box/file pedestal right cpu pedestal	30 66 29 KNEESPACE: 34''	class 125 cwt 405 lb cu ft 40	3,822 W 3,749 P	4,043 ₩ 3,964 ₽
	PDF236630LCFP PDF216630LCFP 	double pedestal desk left cpu pedestal right box/box/file pedestal	30 66 29 KNEESPACE: 34''	class 125 cwt 405 lb cu ft 40	3,822 W 3,749 P	4,043 W 3,964 P
	PCCR237224RCFP PCCR217224RCFP 	kneespace credenza left file/file pedestal right cpu pedestal	24 72 29 KNEESPACE: 31.5''	class 125 cwt 355 lb cu ft 34	3,644 W 3,547 P	3,969 W 3,855 P
laminate tops only	 3L-P walnut 4L-P dark mahogan 25G-P cherry on wal 25B-P ebony on wal 	walnut chassis 4L-W dark nut finish 25M-W mah		8	MC-W medium che DC-W dark cherry BC-W burgundy ch	on cherry

190

- 25B-P ebony on wair 2ML-P natural maple 3ML-P light maple 4ML-P medium maple 5ML-P cherry on maple
- 6LC-P light cherry on cherry 7MC-P medium cherry on cherry
- 8DC-P dark cherry on cherry



3L-W	walnut
2KL-W	walnut
4L-W	dark mahogany on walnut
25M-W	ebony on walnut
25B-W	ebony on walnut
25C-W	cherry on walnut
2ML-W	natural maple
3ML-W	light maple
5ML-W	medium maple
6I C-W	cherry on maple
6LC-W	light cherry on cherry

dlh pointman 2300/2100




dlh pointman

unit identification (type), top dimension, chassis option - chassis & top finish - top material - edge trim

model number d freight list \$ zone 1 list \$ zone 2 description w h PCCR237224LCFP-72 29 class 125 3,644 W 3,969 W kneespace credenza 24 left file/file pedestal cwt 355 lb _---right cpu pedestal KNEESPACE: 31.5" cuft 34 PCCR217224LCFP-3,547 P 3,855 P _ - _ - _ class 125 3,764 W PCCR236624RCFP-3,527 W 24 66 29 kneespace credenza right file/file pedestal cwt 340 lb _--_-KNEESPACE: 25.5" left cpu pedestal cu ft 30 3,472 P PCCR216624RCFP-3,735 P _--_-PCCR236624LCFP-24 66 29 class 125 3.527 W 3,764 W kneespace credenza cwt 340 lb left cpu pedestal _--_right file/file pedestal KNEESPACE: 25.5" cuft 30 PCCR216624LCFP-**3,472** P 3,735 P _----PDDBT2372RCFP-42 72 29 class 125 5,188 W 5,518 W bow front single pedestal desk cwt 380 lb right cpu pedestal -_--APPROACH: 6" cuft 55 PDDBT2172RCFP-4.560 P 4.839 P _--_ PDDBT2372LCFPbow front single pedestal desk 42 72 29 class 125 5,188 W 5,518 W cwt 380 lb left cpu pedestal -_--APPROACH: 6" cuft 55 PDDBT2172LCFP-4,560 P **4,839** P _--PDD2372RCFPsingle pedestal desk 36 72 29 class 125 3,790 W 4,008 W right cpu pedestal cwt 375 lb -_-_ cu ft 53 PDD2172RCFP-3,282 P 3,459 P · _ - _ PDD2372LCFPsingle pedestal desk 36 72 29 class 125 3,790 W 4,008 W left cpu pedestal cwt 375 lb · _ · _ cu ft 53 PDD2172LCFP-**3,282** P 3,459 P _--_ PDD2366RCFP-36 66 29 class 125 3,635 W 3,838 W single pedestal desk right cpu pedestal cwt 350 lb ·_-_ cu ft 48 3,258 P PDD2166RCFP-**3,433** P _--_ class 125 PDD2366LCFPsingle pedestal desk 36 66 29 3,635 W 3,838 W left cpu pedestal cwt 350 lb -_-cuft 48 PDD2166LCFP-3,258 P **3,433** P _--

> Р laminate top w veneer top A B C D E G H I J K L

model number PDD236630RCFP PDD216630RCFP 	description single pedestal desk right cpu pedestal	d 30	w 66	h 29	freight class 125 cwt 340 lb cu ft 40	list \$ zone 1 3,509 W 2,892 P	list \$ zone 2 3,705 W 3,037 P
PDD236630LCFP PDD216630LCFP 	single pedestal desk left cpu pedestal	30	66	29	class 125 cwt 340 lb cu ft 40	3,509 W 2,892 P	3,705 W 3,037 P
PCC2372RCFP PCC2172RCFP 	single pedestal credenza right cpu pedestal	24	72	29	class 125 cwt 150 lb cu ft 28	3,113 W 2,858 P	3,276 W 3,001 P
PCC2372LCFP PCC2172LCFP 	single pedestal credenza left cpu pedestal	24	72	29	class 125 cwt 150 lb cu ft 28	3,113 W 2,858 P	3,276 ₩ 3,001 P
PCC2366RCFP PCC2166RCFP 	single pedestal credenza right cpu pedestal	24	66	29	class 125 cwt 150 lb cu ft 26	2,958 ₩ 2,706 ₽	3,110 W 2,837 P
PCC2366LCFP PCC2166LCFP 	single pedestal credenza left cpu pedestal	24	66	29	class 125 cwt 150 lb cu ft 26	2,958 W 2,706 P	3,110 W 2,837 P





 Iaminate
 3L-P
 walnut

 tops only
 4L-P
 dark mahogany on walnut

 25M-P
 mahogany on walnut

 25C-P
 cherry on walnut
 veneer dark mahogany on walnut top and chassis finish 25C-P cherry on walnut 25B-P ebony on walnut 2ML-P natural maple 3ML-P light maple 4ML-P medium maple
 SML-P
 cherry on maple

 6LC-P
 light cherry on cherry

 7MC-P
 medium cherry on cherry
 5ML-P 8DC-P dark cherry on cherry

top

edge



7MC-W medium cherry on cherry **8DC-W** dark cherry on cherry **9BC-W** burgundy cherry on cherry

dlh pointman 2300/2100



unit identification (type), top dimension, chassis option - chassis & top finish - top material - edge trim

returns custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length.

A B C D E G H I J K L

dlh pointman

model number PDMBT2372RC-EHFP PDMBT2172RC-EHFP 	description executive "I" unit	d w h 90 72 29	freight class 125 cwt 555 lb cu ft 76	list \$ zone 6,666 W 5,805 P	1 list \$ zone 2 7,115 W 6,184 P	model numberdescriptionPDM2372LC-EHFP-executive "I" unitPDM2172LC-EHFP
	P b le R s	DDBT2372LCFP/PDDBT2 bw front single pedestal of ft cpu pedestal 2348R-EHFP/R2148R-EH ngle pedestal return ght box/box/file pedestal	2172LCFP , desk , FP ;	d w h 42 72 29 APPROACH: 6'' KNEESPACE: 32'' 24 48 29 KNEESPACE: 32''	quantity 1	
model number PDMBT2372LC-EHFP PDMBT2172LC-EHFP 	description executive "I" unit	d w h 90 72 29	freight class 125 cwt 555 lb cu ft 76	list \$ zone 6,666 W 5,805 P	1 list \$ zone 2 7,115 W 6,184 P	model numberdescriptionPDM2366RC-EHFPexecutive "I" unitPDM2166RC-EHFP
	P b ri R s	DDBT2372RCFP/PDDBT w front single pedestal of ght cpu pedestal 2348L-EHFP/R2148L-EHf ngle pedestal return ft box/box/file pedestal	2172RCFP	d w h 42 72 29 APPROACH: 6'' KINEESPACE: 32'' 24 48 29 KINEESPACE: 32''	quantity 1 1	
model number PDM2372RC-EHFP PDM2172RC-EHFP 	description executive "I" unit	d w h 84 72 29	freight class 125 cwt 550 lb cu ft 74	list \$ zone 5,268 W 4,527 P	1 list \$ zone 2 5,605 W 4,804 P	model numberdescriptionPDM2366LC-EHFP-executive "I" unitPDM2166LC-EHFP
	P s le R s	DD2372LCFP/PDD2172L ngle pedestal desk ft cpu pedestal 2348R-EHFP/R2148R-EH ngle pedestal return ght box/box/file pedestal	CFP	d w h 36 72 29 KNEESPACE: 32'' 24 48 29 KNEESPACE: 32''	quantity 1	

 Iaminate tops only
 3L-P 4L-P
 walnut
 veneer

 dark mahogany on walnut 25M-P
 dark mahogany on walnut charsis
 top and chassis

 25B-P
 ebony on walnut
 tip and chassis

 25B-P
 ebony on walnut
 tinish

 25B-P
 ebony on walnut
 tinish

 25B-P
 light maple
 tinish

 3ML-P
 natural maple
 tinish

 3ML-P
 medium maple
 top reduct the provided the provided

top

edge

P laminate top W veneer top



	d 84	w 72	h 29	freight class 125 cwt 550 cu ft 74	lb	5,26	list \$ zone 1 5,268 W 4,527 P		list \$ zone 2 5,605 W 4,804 P		
consist PDD237 single pr right cpu R2348L- single pr left box/	2RCF edesta u pede EHFP edesta	al desl estal /R214 al retu	k 8L-EHFI rn		24	W 72 3PACE: 3 48 3PACE: 3	29	qu :	antity		
	d 84	w 66	h 29	freight class 125 cwt 530 cu ft 71	lb	list 5,11 4,50		e 1	list \$ zone 2 5,435 W 4,778 P		
PDD236 single po left cpu R2348R single po	consists of: PDD2366LCFP/PDD2166LCFP single pedestal desk eft cpu pedestal R2348R-EHFP/R2148R-EHFP single pedestal return right box/box/file pedestal					d w h qu 36 66 29 1 XNEESPACE: 26'' 1 24 48 29 1 KNEESPACE: 32'' 1			antity		
	d 84	w 66	h 29	freight class 125 cwt 530 cu ft 71	lb	list 5,11 4,50		e 1	list \$ zone 2 5,435 W 4,778 P		
PDD236 single po right cpu R2348L- single po	DD2366RCFP/PDD2166RCFP gle pedestal desk int cpu pedestal 2348L-EHFP/R2148L-EHFP ngle pedestal return t box/box/file pedestal				24	w 66 ;pace: 2 48 ;pace: 3	29	qu : 1 1	antity		

dlh pointman 2300/2100

 3L-W
 walnut

 2KL-W
 walnut

 4L-W
 dark mahogany on walnut

 25B-W
 ebony on walnut

 25C-W
 cherry on walnut

 2ML-W
 light maple

 3ML-W
 identi maple

 5ML-W
 cherry on maple

 6LC-W
 light cherry on cherry

7MC-Wmedium cherry on cherry8DC-Wdark cherry on cherry9BC-Wburgundy cherry on cherry



unit identification (type), top dimension, chassis option - chassis & top finish - top material - edge trim

dlh pointman

model number PDM236630RC-EHFP PDM216630RC-EHFP 	PDD23 single left cpu R2348 single	d w h freight 78 66 29 class 125 cwt 525 cwt 525 cuft 640 sts of: 86630LCFP/PDD216630LCFP pedestal desk u pedestal R-EHFP/R2148R-EHFP pedestal return ox/box/file pedestal	4,987 W 5,30	t\$ zone 2 302 W 383 P ty	model number PDUMBT2372LC-EHFP PDUMBT2172LC-EHFP
model number PDM236630LC-EHFP PDM216630LC-EHFP 	description executive "I" unit	d w h freight 78 66 29 class 125 cwt 525 cwt 525 cu ft 640	4,987 W 5,30	t\$ zone 2 302 W 383 P	model number PCUMBT2372RC-EHFP PCUMBT2I72RC-EHFP
	PDD23 single right cj R2348 single	sts of: 6630RCFP/PDD216630RCFP pedestal desk pu pedestal L-EHFP/R2148L-EHFP pedestal return x/box/file pedestal	d w quantit 30 66 29 1 <i>KNEESPACE:</i> 26'' 1 24 48 29 1 <i>KNEESPACE:</i> 32'' 1	ty	
model number PDUMBT2372RC-EHFP PDUMBT2172RC-EHFP	PDDB1	d w h freight 110 72 29 class 125 cwt 670 cu ft 84 sts of: "2372LCFP/PDDBT2172LCFP ont single pedestal desk	lb i i i i i i i i i i i i i i i i i i i	396 W 297 P	model number PCUMBT2372LC-EHFP PCUMBT2172LC-EHFP

20 48 29

20 72 29

KNEESPACE: 32"

KNEESPACE: 48"

1

	_		

top

edge

P laminate top

W veneer top

bridges custom length return and bridge sizes are available up to 65" with the grain direction	
running lengthwise (opposite the desk grain), add \$410 list and specify length.	

B2348-EH/B2148-EH

C2372R-FP/C2172R-FP

single pedestal credenza

right box/box/file pedestal

bridge with open kneespace





	d 110	w 72	h 29	freight class 125 cwt 670 cu ft 84	lb	list \$ z 8,133 W 6,835 P		ə 1	list \$ zone 2 8,696 W 7,297 P	
consists of: PDDBT2372RCFP/PDDBT2172RCFP bow front single pedestal desk right cpu pedestal B2348-EH/B2148-EH bridge with open kneespace C2372L-FP/C2172L-FP single pedestal credenza left box/box/file pedestal						d w h quantity 42 72 29 1 APPROACH: 6'' 1 1 KNEESPACE: 36'' 1 1 20 48 29 1 KNEESPACE: 48'' 1 1 20 72 29 1 KNEESPACE: 32'' 1 1				
	d 110	w 72	h 29	freight class 125 cwt 670 cu ft 84	lb	list \$ 8,13\$ 6,83\$		e 1	list \$ zone 2 8,696 W 7,297 P	
DBT237 bow fro left file/f B2348-E bridge v PCC237	consists of: DBT2372L-FP/DBT2172L-FP bow front single pedestal desk left file/file pedestal B2348-EH/B2148-EH bridge with open kneespace PCC2372RCFP/PCC2172RCFP single pedestal credenza						h 29 3'' 16'' 29 18'' 29 18'' 29 12''	antity		
consis	d 110 ts of:	w 72	h 29	freight class 125 cwt 670 cu ft 84	lb	list \$ 8,133 6,835		ł	list \$ zone 2 8,696 W 7,297 P	
DBT237 bow froi right file B2348-E bridge v PCC237 single p	consists of: DBT2372R-FP/DBT2172R-FP bow front single pedestal desk right file/file pedestal B2348-EH/B2148-EH bridge with open kneespace PCC2372LCFP/PCC2172LCFP single pedestal credenza left cpu pedestal					42 72 29 1 APPROACH: 13" KNEESPACE: 36" 20 48 29 1 KNEESPACE: 48" 20 72 29 1 KNEESPACE: 32"				

3L-W walnut 2KL-W walnut 4L-W dark mahogany on walnut 25B-W mahogany on walnut 25E-W cherry on walnut 2ML-W natural maple 3ML-W light maple 4ML-W cherry on maple 5ML-W cherry on cherry

 Iaminate tops only
 3L-P 4L-P
 walnut dark mahogany on walnut cherry on walnut 25C-P
 veneer top and chassis cherry on walnut ebony on walnut maple

 2ML-P
 natural maple

 3ML-P
 intimaple

 3ML-P
 intimaple

 3ML-P
 redum maple

 3ML-P
 redum maple

 5ML-P
 cherry on cherry

 6LC-P
 light cherry on cherry

 7MC-P
 medium cherry on cherry

 8DC-P
 dark cherry on cherry

7MC-Wmedium cherry on cherry8DC-Wdark cherry on cherry9BC-Wburgundy cherry on cherry

dlh pointman 2300/2100



PDFBT2372RCFP-3L-W-A

unit identification (type), top dimension, chassis option - chassis & top finish - top material - edge trim

dlh pointman

model numberdescriptionPDUM2372RC-EHFP-executive "u" unitPDUM2172RC-EHFP	d w h 104 72 29	freight class 125 cwt 680 cu ft 82		list \$ zone 2 7,186 W 5,916 P	model numberdescriptionPCUM2372LC-EHFP- - - - - - - - - - - -executive "u" unit executive "u" unit
	consists of: PDD2372LCFP/PDD217 single pedestal desk left cpu pedestal B2348-EH/B2148-EH bridge with open kneesp C2372R-FP/C2172R-FP single pedestal credenza right box/box/file pedest	pace	d w h c 36 72 29 1 KNEESPACE: 36'' 1 20 48 29 1 KNEESPACE: 48'' 1 20 72 29 1 KNEESPACE: 32'' 1	uantity	
model numberdescriptionPDUM2372LC-EHFP-executive "u" unitPDUM2172LC-EHFP	d w h 104 72 29	freight class 125 cwt 680 cu ft 82		list \$ zone 2 7,186 W 5,916 P	model numberdescriptionPDUM2366RC-EHFPexecutive "u" unitPDUM2166RC-EHFP
	consists of: PDD2372RCFP/PDD217 single pedestal desk right cpu pedestal B2348-EH/B2148-EH bridge with open kneesp C2372L-FP/C2172L-FP single pedestal credenza left box/box/file pedestal	pace	d w h c 36 72 29 1 KNEESPACE: 36'' 1 20 48 29 1 KNEESPACE: 48'' 1 20 72 29 1 KNEESPACE: 32'' 1	juantity	
model numberdescriptionPCUM2372RC-EHFPexecutive "u" unitPCUM2I72RC-EHFP	d w h 104 72 29	freight class 125 cwt 680 cu ft 82	5 6,735 W	list \$ zone 2 7,186 W 5,916 P	model numberdescriptionPDUM2366LC-EHFPexecutive "u" unitPDUM2166LC-EHFP
	consists of: D2372L-FP/D2172L-FP single pedestal desk left file/file pedestal B2348-EH/B2148-EH bridge with open kneesp PCC2372RCFP/PCC217 single pedestal credenza right cpu pedestal	2RCFP	d w h c 36 72 29 1 APPROACH: 7" 1 KNEESPACE: 36" 1 20 48 29 1 KNEESPACE: 48" 1 20 72 29 1 KNEESPACE: 32" 1	juantity	
topPlaminate topbridgescustom length bridWveneer toplengthwise (opposite	dge sizes are available up to ite the desk grain), add \$410	65" with the gr list and specit	ain direction running fy length.		 Iaminate 3L-P walnut veneer tops only 4L-P dark mahogany on walnut top and 25M-P cherry on walnut chassis 25B-P ebony on walnut finish 25B-P ebony on walnut gatwall

edge

<mark>dlh pointman</mark> 2300/2100



	d	w	h	freig	ht		list	\$ zone	1	list \$ zone 2	
it	104 72 29 class 125 cwt 680		6,735 W				7,186 W				
				cu ft 82		U)	5,55	7 P		5,916 P	
	I										
consis	ts of:					d	w	h	qua	antity	
D2372R-FP/D2172R-FP single pedestal desk right file/file pedestal							36 72 29 1 APPROACH: 7'' KNEESPACE: 36''				
B2348-I bridge v		20 ĸnees	20 48 29 1 KNEESPACE: 48''								
bridge with open kneespace PCC2372LCFP/PCC2172LCFP single pedestal credenza left cpu pedestal							20 72 29 1 KNEESPACE: 32''				
	d	w	h	freig	ht		list	\$ zone	1	list \$ zone 2	
it	104	66	29	class cwt	125 670	lb	6,42	4 W		6,851 W	
				cu ft		U	5,38	0 P		5,726 P	
	I			l							
1						•					
consis						d 36	w 66	h	quantity		
single p	PDD2366LCFP/PDD2166LCFP single pedestal desk left cpu pedestal							29 30''			
	B2348-EH/B2148-EH bridge with open kneespace							29 48''	1		
C2366F						20	66	29	1		
single p right bo						KNEES	PACE:	26''			
	1			1							
	d	w	h	freig				\$ zone	1	list \$ zone 2	
it	104	66	29	class cwt	670					6,851 W	
				cu ft	77		5,38	0 P		5,726 P	
consis	ts of:					d	w	h	au	antity	
PDD236	6RCFI	P/PDI	D2166R0	CFP		36	66	29	1		
single p right cp			k			KNEES	PACE:	30''			
B2348-I	B2348-EH/B2148-EH bridge with open kneespace						20 48 29 1 KNEESPACE: 48''				
C2366L-FP/C2166L-FP						20 66 29			1		
single p left box						KNEES	PACE:	26''			
r 3L-W walnut 2KL-W walnut 4L-W dark mahogany on walnut 25B-W ebony on walnut 25C-W cherry on walnut 2ML-W natural maple 3ML-W light maple 4ML-W cherry on maple 5ML-W light cherry on cherry							C-W	dark che	erry c	ry on cherry in cherry erry on cherry 15	

9BC-W burgundy cherry on cherry

199



unit identification (type), top dimension, chassis option - chassis & top finish - top material - edge trim

dlh pointman

	model number PCUM2366RC-EHFP PCUM2166RC-EHFP 	description executive "u" unit	d w 104 66	29	freight class 125 cwt 670 cu ft 77			list \$ zone 2 6,851 W 5,726 P		model numberdescriptionPDUM236630LC-EHFP-executive "u" unitPDUM216630LC-EHFP
		D2: sin left B2: bri PC sin	nsists of: 366L-FP/D2166L gle pedestal desk file/file pedestal 348-EH/B2148-EH ge with open kn C2366RCFP/PCC gle pedestal cred it cpu pedestal	K H Jeespace C2166RC		d w h 36 66 29 APPROACH: 7'' KNEESPACE: 30'' 20 48 29 KNEESPACE: 48'' 24 66 29 KNEESPACE: 26''	1	Intity		
	model number PCUM2366LC-EHFP PCUM2166LC-EHFP 	description executive "u" unit	d w 104 66	29	freight class 125 cwt 670 cu ft 77			list \$ zone 2 6,851 W 5,726 P		model number description PCUM236630RC-EHFP executive "u" unit PCUM216630RC-EHFP
		D2: sin rigt B2: bric sin	nsists of: 366R-FP/D2166F gle pedestal desk it file/file pedesta 348-EH/B2148-EH ge with open kn C2366LCFP/PCC gle pedestal cred cpu pedestal	k al H eespace		d w h 36 66 29 APPROACH: 7" 7" KNEESPACE: 30" 20 20 48 29 KNEESPACE: 48" 24 66 29 KNEESPACE: 26" 26" 24" 24" 24"	1	Intity		
	model number PDUM236630RC-EHFP PDUM216630RC-EHFP 	description executive "u" unit	d w 98 66	29	freight class 125 cwt 660 cu ft 69	6,298 W		list \$ zone 2 6,718 W 5,330 P		model number description PCUM236630LC-EHFP executive "u" unit PCUM216630LC-EHFP
		PD sin left bri C2: sin	nsists of: D236630LCFP/P gle pedestal desk cpu pedestal 348-EH/B2148-EH ge with open kn 366R-FP/C2166R gle pedestal cred it box/box/file pe	K H eespace R-FP Henza		d w h 30 66 29 KNEESPACE: 30'' 20 48 29 KNEESPACE: 48'' 20 66 29 KNEESPACE: 26''	1	Intity		
top edge		custom length bridge size lengthwise (opposite the o					ing		lami tops o	Mate 3L-P walnut veneer 4L-P dark mahogany on walnut top and 25M-P cherry on walnut chassis 25B-P cherry on walnut finish 2ML-P natural maple finish 3ML-P light maple finish 4ML-P medium maple finish 5ML-P light cherry on cherry medium cherry on cherry 7MC-P medium cherry on cherry 8DC-P dark cherry on cherry



<mark>dlh pointman</mark> 2300/2100



	d	w	h	freight		list \$ zone 1			list \$ zone 2		
	98	66	29	class 125 cwt 660	b	6,298	98 W		6,718 W		
				cu ft 69		5,014	P		5,330 P		
consist PDD236 single per right cpu B2348-E	630RC edesta u pede EH/B21	l desk stal 48-EH	1		20	w 66 <i>PACE:</i> 3	29	quantity 1			
bridge with open kneespace C2366L-FP/C2166L-FP single pedestal credenza left box/box/file pedestal						KNEESPACE: 48'' 20 66 29 1 KNEESPACE: 26''					
	d	w	h	freight		list \$	zone	1	list \$ zone 2		
	98	66	29	class 125 cwt 660	lh	6,298	W		6,718 W		
				cwt 660 cuft 77	D	5,014 P			5,330 P		
single p left file/f B2348-E bridge v	•	20	KNEESPACE: 30'' 20 48 29 1 KNEESPACE: 48''								
PCC2366RCFP/PCC2166RCFP single pedestal credenza right cpu pedestal						20 66 29 1 KNEESPACE: 26"					
	d	w	h	freight		list \$	zone	1	list \$ zone 2		
	98	66	29	class 125 cwt 660	lb	6,298 W			6,718 W		
				cu ft 77	~	5,014 P			5,330 P		
consist D236630 single po right file	5	d 30 ĸnees	•			quantity 1					
B2348-EH/B2148-EH bridge with open kneespace						20 48 29 1 KNEESPACE: 48''					
PCC236 single p left cpu	FP	20 66 29 1 KNEESPACE: 26''									

dlh pointman 2300/2100

walnut walnut dark mahogany on walnut ebony on walnut ebony on walnut cherry on walnut natural maple light maple cherry on maple cherry on maple
cherry on maple light cherry on cherry

7MC-Wmedium cherry on cherry8DC-Wdark cherry on cherry9BC-Wburgundy cherry on cherry