

product warranty

Inwood Office Environments warrants its products to be free from defects in materials and workmanship given normal use and proper care, for a period of ten (10) years of single shift service.

Specific components are warranted to be free from defects in materials and workmanship for the following periods of time from the date of initial shipment:

| | |
|------------------------------|-----------------|
| electrical components | two (2) years |
| pneumatic cylinders | three (3) years |
| control mechanisms | three (3) years |
| casters | three (3) years |

Fabrics will be covered only by the warranty of the original manufacturer.

Inwood tenders this warranty only to original purchasers acquiring our products through those parties specifically authorized by Inwood to sell our products. Repair and/or replacement, at our option, will be made on any part or parts found to be defective within the terms of the warranty. The warranty shall not include any labor or shipping costs for replacement of any such parts or materials.

This warranty does not cover

- Damage(s) caused by a transportation company
- Damage(s) resulting from user modification, alterations, misuse, abuse or negligent use of our product
- Damage(s), defect(s), or product failure(s) due to customers request for modifications to product design, product dimensions, product arrangement or normal product specifications
- Natural variations in color, grain, or texture of wood and other covering materials over which Inwood has no control
- Wearing or cuts to covering materials
- Customer's Own Materials (COM)

Inwood does not make any other warranties except as expressly set forth above, either expressed or implied, including any warranty of merchantability or fitness for any particular purpose. Inwood shall not be liable for consequential or incidental damages under this warranty.

Further, Inwood makes no warranties, expressed or implied, for improper assembly and/or installation of its products.

order procedure

Inwood does not accept orders verbally. Orders may be faxed, e-mailed or mailed directly to:

Inwood Office Environments
PO Box 646
Jasper, IN 47546
Fax: 812.482.9732
E-mail: inwood@inwood.net

All orders from authorized & credit-approved Inwood Office Environments dealers must be in writing and must include the following information:

- Date
- Purchase Order Number
- Bill to Address
- Ship to Address
- Special Shipping Instructions (delivery notification, special ship dates, ship complete or split shipments, and tags if applicable)
- Complete Model Numbers (include finish & fabric numbers)
- Net Price
- Requested Delivery Date (if applicable)

order confirmation

All complete orders will be entered and acknowledged promptly with approximate shipping date(s), transit times, and other pertinent information. This acknowledgement is the final agreement between


Inwood and the customer, superseding all previous communications regarding the order. **NOTE It is the customer's responsibility to check the acknowledgment for accuracy. Please advise Inwood immediately of any discrepancies.**

changes and cancellations

Because many of our casegood products and all of our seating products are made to order, we must limit customer changes and cancellations. We regret that changes and cancellations are not possible once production has begun. Production normally begins 48 hours after receipt of order. Orders for standard casegood products with in-stock finishes may be cancelled for a 30% restocking fee. Any non-stock finish is considered made to order and cannot be changed or cancelled.

delivery information

Shipments are FOB destination for the 48 contiguous states. Orders are priced by destination zone as listed by state.



zone 1

Alabama, Arkansas, Connecticut, Delaware, Florida, Georgia, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Nebraska, New Hampshire, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, Tennessee, Texas, Virginia, West Virginia and Wisconsin.

zone 2

Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, North Dakota, Oregon, South Dakota, Utah, Washington and Wyoming.

Orders of less than 500 lbs will be assessed a handling charge of \$100.00 net per order. Inwood reserves the right to select the most appropriate carrier and routing on all shipments. Any charge arising from failure to receive a shipment, rerouting while in transit or carrier storage charges are not included in prices shown and will be billed to the 'sold to' account on the order.

Any order requiring special delivery services will incur additional charges at the time of invoicing. All such requirements must be noted on the purchase order. These are services that are billed to Inwood by the freight company or require the usage of specialized carriers, and not included in the standard price of the product. Examples of such services include:

- **delivery notification or call ahead requests**
\$10 Net Charge
- **inside delivery**
minimum \$100 Net Charge
- **non dock delivery**
minimum \$100 Net Charge
- **weekend delivery (friday after 4:00pm-sunday night)**
minimum \$500 Net Charge
- **residential delivery**
Customer Service may assist you in determining your special delivery requirements and any additional charges that may apply
- **fuel surcharges**
We will continue to do our best to absorb the increased cost from our transportation vendors; however, if the price

of fuel increases above the normal rates, it may require us to pass on the increased costs. We will address this situation with a fuel surcharge rather than a price increase so that we can eliminate it as appropriate.

Contact Customer Service if you are unsure if your order requires one or more of the above services. We will make every attempt to avoid additional charges by giving options on what we can do within our standard delivery prices.

All prepaid shipments by Inwood Office Environments will be on carriers of our choice. If you choose to order product FOB Factory, please specify the carrier you require. Product will ship Freight Collect and Inwood's responsibility will cease upon delivery to the carrier.

order postponements and delivery changes

Changes may be made to delivery address no later than 5 days before the acknowledged ship date of an order. Contact Customer Service for charges which may be incurred for delivery changes within 5 days of the acknowledged ship date. If it becomes necessary to postpone an order after production has begun, the order will be completed, stored and invoiced to the customer with normal terms. Storage fees of \$2.00 per 100 lbs or \$5.00 minimum per day will occur on all orders that are not picked up or released for shipment after 10 working days from the acknowledged ship date.

claim process for merchandise damage/shortage/carrier delay

All products produced by Inwood are carefully inspected and properly packed prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortage, or delivery has been delayed by the carrier, the following steps must be taken:

- Before signing for any merchandise, make notation of all visible damage, shortages, and/or time of truck arrival on the freight bill (bill of lading).
- Contact Inwood Customer Service within 15 calendar days of goods receipt to report issue. Legal title to merchandise passes to the buyer upon acceptance by the carrier. We will work with you to file any necessary claims when reported to us within the 15 day time frame.
- Retain all packing materials/cartons for inspection by the carrier agent.

Failure to make any claims against Inwood Office Environments within 15 days shall constitute acceptance of the merchandise and a waiver of any errors or shortages discovered upon inspection.

repairs and returns

No repairs or returns will be considered without first obtaining our written permission. Such requests must be made in writing within 15 days of the invoice. Authorization must be obtained from Customer Service prior to repairs being made if Inwood is expected to pay these charges. Charges will be approved only after an estimate has been provided. Credit will be issued only after receipt of repair bills.

Made to order items are not returnable. This includes upholstered seating, special items, special finishes, and any non-stock finish. Authorized returns of stock items will be charged a minimum 30% restocking fee. All returns are subject to an attempted pick-up charge of \$200. Please insure that all goods are packed and tagged correctly before calling Inwood for pick up. All RMA's (Return Materials Authorization) will expire within 30 days of notification. Once expired, a new authorization is required for any return. Upon receipt of returned goods, Inwood will inspect and assess responsibility for any defects. If damage of the merchandise was caused by abuse, alteration, or unauthorized repair, we may offer to repair the merchandise for a fee. The final responsibility for determining damage remains with Inwood.

All merchandise must be shipped freight prepaid or we will not accept. All merchandise being returned must be properly packed and protected to insure that no further damage is incurred during transportation back to Inwood.

special construction agreement

When requested that Inwood Office Environments Inc. modify, change or alter its standard product in order to meet the specific needs of Customer, Inwood shall exercise its best efforts to modify its standard product to incorporate the modifications and changes requested by Customer. Inwood Office Environments disclaims any warranty with respect to the modifications or changes requested by Customer and its standard warranty shall not apply to said modifications or changes. Customer shall have no right to rescind its order of this product after production of the product has begun. Customer assumes the risk of the use of Inwood Office Environments product containing the modifications or changes requested by Customer. In no event shall the product containing the modifications or changes requested by Customer be returnable to Inwood Office Environments.

replacement parts

Contact Inwood Customer Service for item numbers and pricing on replacement parts.

dimensions

All dimensions referenced in this book are nominal.

terms

1% 15 days, 30 days net.

Payments are accepted in US Dollars. Payment is also accepted by Visa & Mastercard credit cards, and is posted prior to shipment.

When payment is made with a credit card, no additional discounts may be taken.



Prices are effective with the date printed on this price list and supersede all other prices. Orders are accepted at the price in effect on the date the order is received. Possession of this price list does not constitute an offer to sell. Inwood sells to authorized and approved dealers only. Any or all prices, product, and line art are subject to change without notification. Internet or software packages, which support the sale of Inwood products, furnished to the customer either by Inwood or any other source are superseded by revised price lists.

minimum order

\$10 US Dollars list price.

standard special upcharges

Inwood Office Environments provides the following standard special modifications to its product. Simply specify the request and add the associated price to list.

| | |
|---|--------------|
| to make standard top size shorter or narrower | \$248 |
| to change file drawer pedestal in desks, credenzas and modular cabinets to box drawers | \$218 |
| to change 2 box drawers in desk to file drawer | \$140 |
| to change position of file drawer in desks | \$106 |
| to add locks where not standard | |
| - box, file drawer or center drawer | \$56 |
| - hinged door, single | \$56 |
| - hinged door, double | \$58 |
| to key items alike from factory per unit | \$31 |
| to add extra lock per set (including set of keys) | \$21 |
| extra set of keys (two) | \$21 |
| to add grommets in any special location | \$128 |
| to move standard placement of grommet on unit | \$56 |
| grommets (cover only) | \$21 |
| to add extra shelf for bookcase | \$77 |
| to make shelves solid wood (per shelf) | \$23 |
| for typing height return | \$197 |
| for non-standard Inwood pulls | |
| (to change to another series per unit) | \$71 |
| special finishes (6 item minimum) | |
| - non-Inwood finishes | 20% |
| - standard Inwood finishes | 15% |



ashton 800 series specifications

materials:

All wood is thoroughly air and kiln dried to a moisture content not to exceed 8% at the time of assembly.

veneers:

All exposed surfaces are plain sliced American Black Walnut. Veneers are carefully book-matched and balanced. All drawer fronts, doors, end panels, and modesty panels are vertical grain.

top work surfaces:

Laminate tops are 1 1/4", 3-ply construction; consisting of a high-pressure laminate work surface and a 45 lb density flake board core. The under side of the top has a smooth surface Gator-Ply backing sheet. Top rims are laminate self-edge on all four sides.

modesty panels:

3/4" thick, 3-ply construction with a vertical Walnut book matched veneer on exposed surfaces and a 45 lb density flake board core. Available modesty panels options are full to the floor or 3/4 modesty panels.

construction:

Uses a mortise and tenon and glue to join panels and modesty panels. All joints are reinforced with glue blocks. All pedestals have a box drawer and file drawer, with side route finger drawer pulls. Each pedestal has a lock and is keyed alike.

drawers:

Drawer fronts are 3/4" thick, 3-ply construction with vertical book matched Walnut or Oak veneer. Drawer edges are veneered on top and sides with matching Walnut or Oak. All drawer sides and backs are plywood, dovetailed front and back with 3-ply drawer bottoms. Drawer bottoms are framed on four sides and stapled from the bottom side. Drawer interiors are finished with a clear coat sealer to prevent swelling or shrinkage. Box drawers have a high grade Sterling metal ball-bearing drawer suspension. File drawers have a high grade Sterling metal ball bearing full progressive suspension and are equipped with metal rods for hanging file folders. All drawers have smooth quiet operation.

NOTE: *Optional center drawers available.*

locking:

Each pedestal has its own lock and is keyed alike on each unit. Each unit is equipped with two keys. Units may be keyed alike in groups (per office, if requested) for an additional charge of \$31 list per unit.


finish:

All Inwood finishes are catalyzed varnish and have excellent durability. Our multi-step satin finishes leave an open grain natural look to the furniture, and is available in the following finishes: (25C) cherry, (25M) mahogany, (4L) dark mahogany and (3L) walnut.


ashton

desks


letter
front to back



letter
side to side




letter/legal
combination




**returns
and
credenzas**


letter
front to back



letter
side to side




legal
side to side




lateral files


letter
front to back




legal
front to back



letter
side to side



legal
side to side





















F872-FM-25M-P

unit identification (type), top dimension - chassis option - chassis & top finish

ashton | 800 series | laminate self edge top, veneer chassis, veneer drawer fronts



| | model number | description | d w h | freight | list \$ zone 1 | list \$ zone 2 |
|---|-------------------|----------------------|--|-------------------------------------|----------------|----------------|
|  | F872-FM - _ - _ | double pedestal desk | 36 72 29 APPROACH: 7" KNEESPACE: 40" | class 125 cwt 295 lb cu ft 53 | 1,946 | 2,100 |
|  | F872-FP - _ - _ | double pedestal desk | 36 72 29 APPROACH: 7" KNEESPACE: 40" | class 125 cwt 415 lb cu ft 53 | 2,595 | 2,806 |
|  | F866-FM - _ - _ | double pedestal desk | 36 66 29 APPROACH: 7" KNEESPACE: 34" | class 125 cwt 300 lb cu ft 48 | 1,939 | 2,096 |
|  | F866-FP - _ - _ | double pedestal desk | 36 66 29 APPROACH: 7" KNEESPACE: 34" | class 125 cwt 405 lb cu ft 48 | 2,588 | 2,795 |
|  | F86630-FM - _ - _ | double pedestal desk | 30 66 29 KNEESPACE: 34" | class 125 cwt 290 lb cu ft 40 | 1,804 | 1,949 |
|  | F86630-FP - _ - _ | double pedestal desk | 30 66 29 KNEESPACE: 34" | class 125 cwt 395 lb cu ft 40 | 2,289 | 2,472 |
|  | F860-FM - _ - _ | double pedestal desk | 30 60 29 APPROACH: 6" KNEESPACE: 28" | class 125 cwt 245 lb cu ft 40 | 1,601 | 1,728 |
|  | F860-FP - _ - _ | double pedestal desk | 30 60 29 APPROACH: 6" KNEESPACE: 34" | class 125 cwt 335 lb cu ft 40 | 2,085 | 2,252 |
|  | CR872-FM - _ - _ | credenza | 20 72 29 KNEESPACE: 31.5" | class 125 cwt 230 lb cu ft 28 | 1,508 | 1,628 |

| | model number | description | d w h | freight | list \$ zone 1 | list \$ zone 2 |
|---|---------------------|---|------------------------------|---|----------------|----------------|
|  | CR872-FP - _ - _ | credenza | 20 72 29 KNEESPACE: 31.5" | class 125 cwt 275 lb cu ft 28 | 2,023 | 2,185 |
|  | CR872-KB-FM - _ - _ | credenza - keyboard | 20 72 29 KNEESPACE: 31.5" | class 125 cwt 225 lb cu ft 28 ARTICULATING KEYBOARD HEIGHT ADJUSTMENT FROM 26.5 - 29" | 1,809 | 1,955 |
|  | CR872-KB-FP - _ - _ | credenza - keyboard | 20 72 29 KNEESPACE: 31.5" | class 125 cwt 285 lb cu ft 28 ARTICULATING KEYBOARD HEIGHT ADJUSTMENT FROM 26.5 - 29" | 2,324 | 2,509 |
|  | CR872D-FM - _ - _ | storage credenza double sliding door center with adjustable shelf | 20 72 29 | class 125 cwt 265 lb cu ft 28 | 1,879 | 2,027 |
|  | CR872D-FP - _ - _ | storage credenza double hinged door center with adjustable shelf | 20 72 29 | class 125 cwt 315 lb cu ft 28 ADDITIONAL SHELVES \$77 EACH | 2,497 | 2,697 |
|  | CR866-FM - _ - _ | credenza | 20 66 29 | class 125 cwt 210 lb cu ft 26 | 1,350 | 1,483 |
|  | CR866-FP - _ - _ | credenza | 20 66 29 | class 125 cwt 260 lb cu ft 26 | 1,840 | 1,987 |
|  | CR866KB-FM - _ - _ | credenza - keyboard | 20 66 29 KNEESPACE: 25.5" | class 125 cwt 225 lb cu ft 26 ARTICULATING KEYBOARD HEIGHT ADJUSTMENT FROM 26.5 - 29" | 1,653 | 1,810 |
|  | CR866KB-FP - _ - _ | credenza - keyboard | 20 66 29 KNEESPACE: 25.5" | class 125 cwt 270 lb cu ft 26 ARTICULATING KEYBOARD HEIGHT ADJUSTMENT FROM 26.5 - 29" | 2,142 | 2,313 |

top P laminate top ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP).
\$191 list upcharge for (TH) Typing Height

edge



laminate 3L-P walnut / laminate
4L-P dark mahogany on walnut / laminate
25M-P mahogany on walnut / laminate
25C-P cherry on walnut / laminate
tops only

F872-FM-25M-P

unit identification (type), top dimension - chassis option - chassis & top finish

ashton | 800 series | laminate self edge top, veneer chassis, veneer drawer fronts



| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--|--------------------|---|----|----|----|-------------------------------------|----------------|----------------|
| | CR866D-FM - _ - _ | storage credenza double sliding door center with adjustable shelf | 20 | 66 | 29 | class 125 cwt 250 lb cu ft 26 | 1,721 | 1,859 |
| | CR866D-FP - _ - _ | storage credenza double hinged door center with adjustable shelf <i>ADDITIONAL SHELVES \$77 EACH</i> | 20 | 66 | 29 | class 125 cwt 268 lb cu ft 26 | 2,313 | 2,499 |
| | D872R-FM - _ - _ | single pedestal desk right box/file pedestal | 36 | 72 | 29 | class 125 cwt 270 lb cu ft 53 | 1,773 | 1,914 |
| | D872L-FM - _ - _ | single pedestal desk left box/file pedestal | 36 | 72 | 29 | class 125 cwt 270 lb cu ft 53 | 1,773 | 1,914 |
| | D872R-FP - _ - _ | single pedestal desk right file/file pedestal | 36 | 72 | 29 | class 125 cwt 290 lb cu ft 53 | 2,153 | 2,323 |
| | D872L-FP - _ - _ | single pedestal desk left file/file pedestal | 36 | 72 | 29 | class 125 cwt 290 lb cu ft 53 | 2,153 | 2,323 |
| | D872R-FP3D - _ - _ | single pedestal desk right box/box/file pedestal | 36 | 72 | 29 | class 125 cwt 290 lb cu ft 53 | 2,371 | 2,561 |
| | D872L-FP3D - _ - _ | single pedestal desk left box/box/file pedestal | 36 | 72 | 29 | class 125 cwt 290 lb cu ft 53 | 2,371 | 2,561 |
| | D866R-FM - _ - _ | single pedestal desk right box/file pedestal | 36 | 66 | 29 | class 125 cwt 260 lb cu ft 48 | 1,755 | 1,896 |

| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-----------------------|--------------------|---|----|----|----|-------------------------------------|----------------|----------------|
| | D866L-FM - _ - _ | single pedestal desk left box/file pedestal | 36 | 66 | 29 | class 125 cwt 260 lb cu ft 48 | 1,755 | 1,896 |
| | D866R-FP - _ - _ | single pedestal desk right file/file pedestal | 36 | 66 | 29 | class 125 cwt 280 lb cu ft 48 | 2,133 | 2,305 |
| | D866L-FP - _ - _ | single pedestal desk left file/file pedestal | 36 | 66 | 29 | class 125 cwt 280 lb cu ft 48 | 2,133 | 2,305 |
| | D86630R-FM - _ - _ | single pedestal desk right box/file pedestal | 30 | 66 | 29 | class 125 cwt 245 lb cu ft 40 | 1,450 | 1,566 |
| | D86630L-FM - _ - _ | single pedestal desk left box/file pedestal | 30 | 66 | 29 | class 125 cwt 245 lb cu ft 40 | 1,450 | 1,566 |
| | D86630R-FP - _ - _ | single pedestal desk right file/file pedestal | 30 | 66 | 29 | class 125 cwt 265 lb cu ft 40 | 1,828 | 1,975 |
| | D86630L-FP - _ - _ | single pedestal desk left file/file pedestal | 30 | 66 | 29 | class 125 cwt 265 lb cu ft 40 | 1,828 | 1,975 |
| | D848R-FM - _ - _ | single pedestal desk right box/file pedestal grommet in top for wire management | 24 | 48 | 29 | class 125 cwt 150 lb cu ft 24 | 1,114 | 1,202 |
| <i>KNEESPACE: 30"</i> | | | | | | | | |
| | D848L-FM - _ - _ | single pedestal desk left box/file pedestal grommet in top for wire management | 24 | 48 | 29 | class 125 cwt 150 lb cu ft 24 | 1,114 | 1,202 |
| <i>KNEESPACE: 30"</i> | | | | | | | | |

top P laminate top
ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP).
\$191 list upcharge for (TH) Typing Height

edge













laminate tops only
3L-P walnut / laminate
4L-P dark mahogany on walnut / laminate
25M-P mahogany on walnut / laminate
25C-P cherry on walnut / laminate

F872-FM-25M-P

unit identification (type), top dimension - chassis option - chassis & top finish



| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|---|-------------------|---|----|----|----|--|----------------|----------------|
|  | D848R-FP - _ - _ | single pedestal desk right box/box/file pedestal grommet in top for wire management | 24 | 48 | 29 | class 125 cwt 225 lb cu ft 24 <i>KNEESPACE: 30"</i> | 1,482 | 1,602 |
|  | D848L-FP - _ - _ | single pedestal desk left box/box/file pedestal grommet in top for wire management | 24 | 48 | 29 | class 125 cwt 225 lb cu ft 24 <i>KNEESPACE: 30"</i> | 1,482 | 1,602 |
|  | BT866R - _ - _ | bullet top desk - right | 36 | 66 | 29 | class 125 cwt 140 lb cu ft 8 | 1,399 | 1,510 |
|  | BT866L - _ - _ | bullet top desk- left | 36 | 66 | 29 | class 125 cwt 140 lb cu ft 8 | 1,399 | 1,510 |
|  | PT866R - _ - _ | "p" top desk- right | 40 | 66 | 29 | class 125 cwt 165 lb cu ft 8 | 1,420 | 1,534 |
|  | PT866L - _ - _ | "p" top desk- left | 40 | 66 | 29 | class 125 cwt 165 lb cu ft 8 | 1,420 | 1,534 |
|  | CU842 - _ - _ | angled corner | 42 | 42 | 29 | class 125 cwt 168 lb cu ft 7 | 1,549 | 1,672 |
|  | CU838 - _ - _ | angled corner | 38 | 38 | 29 | class 125 cwt 150 lb cu ft 7 | 1,402 | 1,514 |
|  | RA866R-EH - _ - _ | right angled return kneespace open | 30 | 66 | 29 | class 125 cwt 140 lb cu ft 8 | 1,630 | 1,762 |

| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|---|-------------------|--|----|----|----|-------------------------------------|----------------|----------------|
|  | RA866L-EH - _ - _ | left angled return kneespace open | 30 | 66 | 29 | class 125 cwt 140 lb cu ft 8 | 1,630 | 1,762 |
|  | R824R-FM - _ - _ | right return right box/file pedestal <i>FOR USE WITH CU842</i> | 24 | 48 | 29 | class 125 cwt 140 lb cu ft 25 | 1,089 | 1,176 |
|  | R824L-FM - _ - _ | left return left box/file pedestal <i>FOR USE WITH CU842</i> | 24 | 48 | 29 | class 125 cwt 140 lb cu ft 25 | 1,089 | 1,176 |
|  | R824R-2D - _ - _ | right return right file/file pedestal <i>FOR USE WITH CU842</i> | 24 | 48 | 29 | class 125 cwt 140 lb cu ft 25 | 1,240 | 1,338 |
|  | R824L-2D - _ - _ | left return left file/file pedestal <i>FOR USE WITH CU842</i> | 24 | 48 | 29 | class 125 cwt 140 lb cu ft 25 | 1,240 | 1,338 |
|  | R824R-3D - _ - _ | right return right box/box/file pedestal <i>FOR USE WITH CU842</i> | 24 | 48 | 29 | class 125 cwt 140 lb cu ft 25 | 1,375 | 1,485 |
|  | R824L-3D - _ - _ | left return left box/box/file pedestal <i>FOR USE WITH CU842</i> | 24 | 48 | 29 | class 125 cwt 140 lb cu ft 25 | 1,375 | 1,485 |
|  | R820R-FM - _ - _ | right return right box/file pedestal <i>FOR USE WITH CU838</i> | 20 | 48 | 29 | class 125 cwt 120 lb cu ft 21 | 1,022 | 1,103 |
|  | R820L-FM - _ - _ | left return left box/file pedestal <i>FOR USE WITH CU838</i> | 20 | 48 | 29 | class 125 cwt 120 lb cu ft 21 | 1,022 | 1,103 |

| | | |
|------|----------------|--|
| top | P laminate top | ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP). \$191 list upcharge for (TH) Typing Height |
| edge | G | returns custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. |










| | |
|--------------------|---|
| laminate tops only | 3L-P walnut / laminate 4L-P dark mahogany on walnut / laminate 25M-P mahogany on walnut / laminate 25C-P cherry on walnut / laminate |
|--------------------|---|










F872-FM-25M-P

unit identification (type), top dimension - chassis option - chassis & top finish - top material

ashton | 800 series | laminate self edge top, veneer chassis, veneer drawer fronts



| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|---|------------------|--|----|----|----|-------------------------------------|----------------|----------------|
|  | R820R-2D - - - | right return right file/file pedestal <i>FOR USE WITH CU838</i> | 20 | 48 | 29 | class 125 cwt 120 lb cu ft 21 | 1,173 | 1,267 |
|  | R820L-2D - - - | left return left file/file pedestal <i>FOR USE WITH CU838</i> | 20 | 48 | 29 | class 125 cwt 120 lb cu ft 21 | 1,173 | 1,267 |
|  | R820R-3D - - - | right return right box/box/file pedestal <i>FOR USE WITH CU838</i> | 20 | 48 | 29 | class 125 cwt 120 lb cu ft 21 | 1,308 | 1,413 |
|  | R820L-3D - - - | left return left box/box/file pedestal <i>FOR USE WITH CU838</i> | 20 | 48 | 29 | class 125 cwt 120 lb cu ft 21 | 1,308 | 1,413 |
|  | R848REH-FM - - | right return right box/file pedestal <i>FOR USE WITH SINGLE PEDESTAL DESKS</i> | 24 | 48 | 29 | class 125 cwt 145 lb cu ft 25 | 1,217 | 1,315 |
|  | R848LEH-FM - - | left return left box/file pedestal <i>FOR USE WITH SINGLE PEDESTAL DESKS</i> | 24 | 48 | 29 | class 125 cwt 145 lb cu ft 25 | 1,217 | 1,315 |
|  | R848REH-FP - - | right return right box/box/file pedestal <i>FOR USE WITH SINGLE PEDESTAL DESKS</i> | 24 | 48 | 29 | class 125 cwt 165 lb cu ft 25 | 1,504 | 1,624 |
|  | R848LEH-FP - - - | left return left box/box/file pedestal <i>FOR USE WITH SINGLE PEDESTAL DESKS</i> | 24 | 48 | 29 | class 125 cwt 165 lb cu ft 25 | 1,504 | 1,624 |
|  | B848EH - - - | bridge kneespace open | 20 | 48 | 29 | class 125 cwt 65 lb cu ft 3 | 448 | 484 |

| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|---|------------------|---|----|----|----|-------------------------------------|----------------|----------------|
|  | C872R-FM - - - | single pedestal credenza right box/file pedestal | 20 | 72 | 29 | class 125 cwt 215 lb cu ft 28 | 1,346 | 1,454 |
|  | C872L-FM - - - | single pedestal credenza left box/file pedestal | 20 | 72 | 29 | class 125 cwt 215 lb cu ft 28 | 1,346 | 1,454 |
|  | C872R-FP - - - | single pedestal credenza right box/box/file pedestal | 20 | 72 | 29 | class 125 cwt 225 lb cu ft 28 | 1,633 | 1,764 |
|  | C872L-FP - - - | single pedestal credenza left box/box/file pedestal | 20 | 72 | 29 | class 125 cwt 225 lb cu ft 28 | 1,633 | 1,764 |
|  | C872R-FM2F - - - | single pedestal credenza right lateral file pedestal | 20 | 72 | 29 | class 125 cwt 295 lb cu ft 28 | 1,971 | 2,131 |
|  | C872L-FM2F - - - | single pedestal credenza left lateral file pedestal | 20 | 72 | 29 | class 125 cwt 295 lb cu ft 28 | 1,971 | 2,131 |
|  | C872R-FM5D - - | single pedestal credenza right multi-file pedestal | 20 | 72 | 29 | class 125 cwt 295 lb cu ft 28 | 2,020 | 2,152 |
|  | C872L-FM5D - - | single pedestal credenza left multi-file pedestal | 20 | 72 | 29 | class 125 cwt 295 lb cu ft 28 | 2,020 | 2,152 |
|  | C866R-FM - - - | single pedestal credenza right box/file pedestal | 20 | 66 | 29 | class 125 cwt 205 lb cu ft 26 | 1,329 | 1,435 |

| | | |
|------|----------------|--|
| top | P laminate top | ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP). \$191 list upcharge for (TH) Typing Height |
| edge | G | returns custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. |

| | |
|--------------------|---|
| laminate tops only | 3L-P walnut / laminate 4L-P dark mahogany on walnut / laminate 25M-P mahogany on walnut / laminate 25C-P cherry on walnut / laminate |
|--------------------|---|

F872-FM-25M-P

unit identification (type), top dimension - chassis option - chassis & top finish



| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--|------------------|---|----|----|-------|--|----------------|----------------|
| | C866L-FM - _ - _ | single pedestal credenza left box/file pedestal | 20 | 66 | 29 | class 125 cwt 205 lb cu ft 26 | 1,329 | 1,435 |
| | C866R-FP - _ - _ | single pedestal credenza right box/box/file pedestal | 20 | 66 | 29 | class 125 cwt 215 lb cu ft 26 | 1,617 | 1,746 |
| | C866L-FP - _ - _ | single pedestal credenza left box/box/file pedestal | 20 | 66 | 29 | class 125 cwt 215 lb cu ft 26 | 1,617 | 1,746 |
| | WH66 - _ | 66" wide wall hung unit overhead four hinged doors | 16 | 66 | 16 | class 125 cwt 110 lb cu ft 13 | 1,805 | 1,939 |
| | WH48 - _ | 48" wide wall hung unit overhead three hinged doors | 16 | 48 | 16 | class 125 cwt 90 lb cu ft 10 | 1,282 | 1,348 |
| | WH36 - _ | 36" wide wall hung unit overhead two hinged doors | 16 | 36 | 16 | class 125 cwt 75 lb cu ft 7 | 839 | 906 |
| | OU872 - _ | overhead storage unit four touch-latch hinged doors three wire management grommets | 17 | 71 | 43.25 | class 125 cwt 190 lb cu ft 38 <i>OPENING: 25.6"</i> | 2,213 | 2,382 |
| | OU866 - _ | overhead storage unit four touch-latch hinged doors three wire management grommets | 17 | 65 | 43.25 | class 125 cwt 180 lb cu ft 38 <i>OPENING: 25.6"</i> | 2,138 | 2,304 |
| | OD872 - _ | overhead storage unit with open center and one touch-latch door on each end three wire management grommets | 17 | 71 | 43.25 | class 125 cwt 185 lb cu ft 40 <i>OPENING: 25.6"</i> | 1,997 | 2,105 |

| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--|--------------------------|---|------|------|-------|---|----------------|----------------|
| | OD866 - _ | overhead storage unit with open center and one touch-latch door on each end three wire management grommets | 17 | 65 | 43.5 | class 125 cwt 175 lb cu ft 38 <i>OPENING: 25.6"</i> | 1,854 | 2,004 |
| | OO872 - _ | open overhead storage unit three wire management grommets | 17 | 71 | 43.5 | class 125 cwt 180 lb cu ft 40 <i>OPENING: 25.6"</i> | 1,604 | 1,781 |
| | 00866 - _ | open overhead storage unit three wire management grommets | 17 | 65 | 43.5 | class 125 cwt 170 lb cu ft 380 <i>OPENING: 25.6"</i> | 1,588 | 1,716 |
| | WD872 - _ | wardrobe two hinged doors, hanging rod and three adjustable shelves | 24 | 36 | 72 | class 125 cwt 275 lb cu ft 42 <i>INSIDE DIMENSIONS:</i> 21 33 68 <i>ADDITIONAL SHELVES \$77 EACH</i> | 3,100 | 3,349 |
| | WD872-18 - _ (L or R) | wardrobe | 24 | 18 | 72 | class 125 cwt 170 lb cu ft 23 <i>INSIDE DIMENSIONS:</i> 21 16.5 68 <i>ADDITIONAL SHELVES \$77 EACH</i> | 2,230 | 2,442 |
| | 4FD837 - _ - _ | lateral file with four drawers drawers have letter and legal capacity no-tip locking system | 20 | 36 | 54.75 | class 125 cwt 265 lb cu ft 29 | 3,504 | 2,674 |
| | 3FD837 - _ - _ | lateral file with three drawers drawers have letter and legal capacity no-tip locking system | 20 | 36 | 46 | class 125 cwt 240 lb cu ft 25 | 2,070 | 2,230 |
| | 2FD837 - _ - _ | lateral file with two drawers drawers have letter and legal capacity no-tip locking system | 20 | 36 | 29 | class 125 cwt 160 lb cu ft 16 | 1,457 | 1,605 |
| | MP2F - _ - | mobile pedestal file/file drawers with locking casters for use under any 29" surface black tray top | 18.8 | 15.6 | 27.3 | class 125 cwt 75 lb cu ft 6 | 901 | 974 |

| | | |
|------|----------------|--|
| top | P laminate top | ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP). \$191 list upcharge for (TH) Typing Height |
| edge | G | returns custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. |








| | |
|--------------------|---|
| laminate tops only | 3L-P walnut / laminate 4L-P dark mahogany on walnut / laminate 25M-P mahogany on walnut / laminate 25C-P cherry on walnut / laminate |
|--------------------|---|

F872-FM-25M-P

unit identification (type), top dimension - chassis option - chassis & top finish

ashton | 800 series | laminate self edge top, veneer chassis, veneer drawer fronts



| | model number | description | d w h | freight | list \$ zone 1 | list \$ zone 2 |
|---|-------------------|---|-------------------------------|--------------------------------------|----------------|----------------|
|  | MP3D - _ - | mobile pedestal box/box/file drawers with locking casters for use under any 29" surface black tray top | 18.8 15.6 27.3 | class 125 cwt 75 lb cu ft 6 | 1,068 | 1,152 |
|  | CRP848FM - _ - _ | computer printer stand one fixed shelf ADD \$151 LIST AND SPECIFY FOR LOCKING DUAL WHEEL CASTERS FOR UNIT HEIGHT OF 26.25" ADD \$96 LIST AND SPECIFY FOR LOCKING DUAL WHEEL CASTERS FOR UNIT HEIGHT OF 28.25" | 24 48 26.25 KNEESPACE: 45" | class 150 cwt 145 lb cu ft 22 | 1,320 | 1,427 |
|  | CRP848FM-29 - _ - | computer printer stand one fixed shelf | 24 48 29 KNEESPACE: 45" | class 150 cwt 145 lb cu ft 22 | 1,320 | 1,427 |
|  | CRP836FM - _ - _ | computer printer stand one fixed shelf ADD \$151 LIST AND SPECIFY FOR LOCKING DUAL WHEEL CASTERS FOR UNIT HEIGHT OF 26.25" ADD \$96 LIST AND SPECIFY FOR LOCKING DUAL WHEEL CASTERS FOR UNIT HEIGHT OF 28.25" | 24 36 26.25 KNEESPACE: 33" | class 150 cwt 115 lb cu ft 17 | 930 | 1,004 |
|  | CRP836FM-29 - _ - | computer printer stand one fixed shelf | 24 36 29 KNEESPACE: 33" | class 150 cwt 115 lb cu ft 17 | 930 | 1,004 |
|  | LT848 - _ - _ | coffee table CAN SHIP UPS | 18 48 15 | class 150 kd cwt 65 lb cu ft 6 | 703 | 761 |
|  | LT830 - _ - _ | lamp table CAN SHIP UPS | 18 30 22 | class 150 kd cwt 60 lb cu ft 3 | 483 | 534 |

| | model number | description | d w h | freight | list \$ zone 1 | list \$ zone 2 |
|---|--------------------|--------------------|----------|-------------------------------------|----------------|----------------|
|  | M872R-EHFM - _ - _ | executive "I" unit | 84 72 29 | class 125 cwt 420 lb cu ft 74 | 2,990 | 3,229 |

| consists of: | | d w h | quantity |
|---|---|-------|----------|
| D872L-FM single pedestal desk left box/file pedestal | 36 72 29 APPROACH: 10" KNEESPACE: 32" | 1 | |
| R848R-EHFM single pedestal return right box/file pedestal | 24 48 29 KNEESPACE: 32" | 1 | |

| | model number | description | d w h | freight | list \$ zone 1 | list \$ zone 2 |
|---|--------------------|--------------------|----------|-------------------------------------|----------------|----------------|
|  | M872L-EHFM - _ - _ | executive "I" unit | 84 72 29 | class 125 cwt 420 lb cu ft 74 | 2,990 | 3,229 |

| consists of: | | d w h | quantity |
|--|---|-------|----------|
| D872R-FM single pedestal desk right box/file pedestal | 36 72 29 APPROACH: 10" KNEESPACE: 32" | 1 | |
| R848L-EHFM single pedestal return left box/file pedestal | 24 48 29 KNEESPACE: 32" | 1 | |

| | model number | description | d w h | freight | list \$ zone 1 | list \$ zone 2 |
|---|--------------------|--------------------|----------|-------------------------------------|----------------|----------------|
|  | M872R-EHFP - _ - _ | executive "I" unit | 84 72 29 | class 125 cwt 460 lb cu ft 74 | 3,657 | 3,947 |

| consists of: | | d w h | quantity |
|---|---|-------|----------|
| D872L-FP single pedestal desk left file/file pedestal | 36 72 29 APPROACH: 10" KNEESPACE: 32" | 1 | |
| R848R-EHFP single pedestal return right box/box/file pedestal | 24 48 29 KNEESPACE: 32" | 1 | |


| | | |
|------|----------------|--|
| top | P laminate top | ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP). \$191 list upcharge for (TH) Typing Height |
| edge | G | returns custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. |

| | |
|--------------------|---|
| laminate tops only | 3L-P walnut / laminate 4L-P dark mahogany on walnut / laminate 25M-P mahogany on walnut / laminate 25C-P cherry on walnut / laminate |
|--------------------|---|

F872-FM-25M-P

unit identification (type), top dimension - chassis option - chassis & top finish - top material


| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| M872L-EHFP - _ - _ | executive "I" unit | 84 | 72 | 29 | class 125 cwt 460 lb cu ft 74 | 3,657 | 3,947 |



| consists of: | | d | w | h | quantity |
|--|--|----|----|----|----------|
| D872R-FP single pedestal desk right file/file pedestal | | 36 | 72 | 29 | 1 |
| R848L-EHFP single pedestal return left box/box/file pedestal | | 24 | 48 | 29 | 1 |




| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| M866R-EHFP - _ - _ | executive "I" unit | 84 | 66 | 29 | class 125 cwt 450 lb cu ft 69 | 3,637 | 3,929 |




| consists of: | | d | w | h | quantity |
|---|--|----|----|----|----------|
| D866L-FP single pedestal desk left file/file pedestal | | 36 | 66 | 29 | 1 |
| R848R-EHFP single pedestal return right box/box/file pedestal | | 24 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| M866R-EHFM - _ - _ | executive "I" unit | 84 | 66 | 29 | class 125 cwt 405 lb cu ft 69 | 2,973 | 3,212 |




| consists of: | | d | w | h | quantity |
|---|--|----|----|----|----------|
| D866L-FM-P single pedestal desk left box/file pedestal | | 36 | 66 | 29 | 1 |
| R848R-EHFM-P single pedestal return right box/file pedestal | | 24 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| M866L-EHFP - _ - _ | executive "I" unit | 84 | 66 | 29 | class 125 cwt 450 lb cu ft 69 | 3,637 | 3,929 |




| consists of: | | d | w | h | quantity |
|--|--|----|----|----|----------|
| D866R-FP single pedestal desk right file/file pedestal | | 36 | 66 | 29 | 1 |
| R848L-EHFP single pedestal return left box/box/file pedestal | | 24 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| M866L-EHFM - _ - _ | executive "I" unit | 84 | 66 | 29 | class 125 cwt 405 lb cu ft 69 | 2,973 | 3,212 |



| consists of: | | d | w | h | quantity |
|--|--|----|----|----|----------|
| D866R-FM-P single pedestal desk right box/file pedestal | | 36 | 66 | 29 | 1 |
| R848L-EHFM-P single pedestal return left box/file pedestal | | 24 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| M86630R-EHFM - _ - _ | executive "I" unit | 78 | 66 | 29 | class 125 cwt 395 lb cu ft 65 | 2,667 | 2,881 |



| consists of: | | d | w | h | quantity |
|---|--|----|----|----|----------|
| D86630L-FM single pedestal desk left box/file pedestal | | 30 | 66 | 29 | 1 |
| R848R-EHFM single pedestal return right box/file pedestal | | 24 | 48 | 29 | 1 |


| | | |
|------|----------------|--|
| top | P laminate top | ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP). \$191 list upcharge for (TH) Typing Height |
| edge | G | returns custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. |

| | |
|--------------------|---|
| laminate tops only | 3L-P walnut / laminate 4L-P dark mahogany on walnut / laminate 25M-P mahogany on walnut / laminate 25C-P cherry on walnut / laminate |
|--------------------|---|

F872-FM-25M-P


unit identification (type), top dimension - chassis option - chassis & top finish - top material

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| M86630L-EHFM - _ - _ | executive "I" unit | 78 | 66 | 29 | class 125 cwt 395 lb cu ft 65 | 2,667 | 2,881 |




| consists of: | | d | w | h | quantity |
|--|----------------|----|----|---|----------|
| D86630R-FM single pedestal desk right box/file pedestal | 30 | 66 | 29 | 1 | |
| R848L-EHFM single pedestal return left box/file pedestal | 24 | 48 | 29 | 1 | |
| | KNEESPACE: 26" | | | | |
| | KNEESPACE: 32" | | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| M86630R-EHFP - _ - _ | executive "I" unit | 78 | 66 | 29 | class 125 cwt 440 lb cu ft 65 | 3,332 | 3,599 |



| consists of: | | d | w | h | quantity |
|---|----------------|----|----|---|----------|
| D86630L-FP single pedestal desk left file/file pedestal | 30 | 66 | 29 | 1 | |
| R848R-EHFP single pedestal return right box/box/file pedestal | 24 | 48 | 29 | 1 | |
| | KNEESPACE: 26" | | | | |
| | KNEESPACE: 32" | | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| M86630L-EHFP - _ - _ | executive "I" unit | 78 | 66 | 29 | class 125 cwt 440 lb cu ft 65 | 3,332 | 3,599 |




| consists of: | | d | w | h | quantity |
|--|----------------|----|----|---|----------|
| D86630R-FP single pedestal desk right file/file pedestal | 30 | 66 | 29 | 1 | |
| R848L-EHFP single pedestal return left box/box/file pedestal | 24 | 48 | 29 | 1 | |
| | KNEESPACE: 26" | | | | |
| | KNEESPACE: 32" | | | | |

| | | |
|------|----------------|--|
| top | P laminate top | ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP). \$191 list upcharge for (TH) Typing Height |
| edge | G | returns custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. |




| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| MA866R-EHFM - _ - _ | executive "I" unit | 102 | 66 | 29 | class 125 cwt 410 lb cu ft 54 | 3,385 | 3,659 |




| consists of: | | d | w | h | quantity |
|--|----------------|----|----|---|----------|
| D866L-FM single pedestal desk left box/file pedestal | 36 | 66 | 29 | 1 | |
| RA866R-EH right angled return closed end support open kneespace | 30 | 66 | 29 | 1 | |
| | APPROACH: 10" | | | | |
| | KNEESPACE: 30" | | | | |
| | KNEESPACE: 46" | | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| MA866L-EHFM - _ - _ | executive "I" unit | 102 | 66 | 29 | class 125 cwt 410 lb cu ft 54 | 3,385 | 3,659 |



| consists of: | | d | w | h | quantity |
|---|----------------|----|----|---|----------|
| D866R-FM single pedestal desk right box/file pedestal | 36 | 66 | 29 | 1 | |
| RA866L-EH left angled return closed end support open kneespace | 30 | 66 | 29 | 1 | |
| | APPROACH: 10" | | | | |
| | KNEESPACE: 30" | | | | |
| | KNEESPACE: 46" | | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| MA866R-EHFP - _ - _ | executive "I" unit | 102 | 66 | 29 | class 125 cwt 410 lb cu ft 54 | 3,763 | 4,067 |




| consists of: | | d | w | h | quantity |
|--|----------------|----|----|---|----------|
| D866L-FP single pedestal desk left file/file pedestal | 36 | 66 | 29 | 1 | |
| RA866R-EH right angled return closed end support open kneespace | 30 | 66 | 29 | 1 | |
| | APPROACH: 10" | | | | |
| | KNEESPACE: 30" | | | | |
| | KNEESPACE: 46" | | | | |

| | |
|--------------------|---|
| laminate tops only | 3L-P walnut / laminate 4L-P dark mahogany on walnut / laminate 25M-P mahogany on walnut / laminate 25C-P cherry on walnut / laminate |
|--------------------|---|

F872-FM-25M-P


unit identification (type), top dimension - chassis option - chassis & top finish - top material

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| MA866L-EHFP - __ - __ | executive "I" unit | 102 | 66 | 29 | class 125 cwt 450 lb cu ft 54 | 3,763 | 4,067 |




| consists of: | | d | w | h | quantity |
|---|----|----------------|----|---|----------|
| D866R-FM single pedestal desk right file/file pedestal | 36 | 66 | 29 | 1 | |
| | | APPROACH: 10" | | | |
| | | KNEESPACE: 30" | | | |
| RA866L-EH left angled return closed end support open kneespace | 30 | 66 | 29 | 1 | |
| | | KNEESPACE: 46" | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| MA86630R-EHFM - __ - __ | executive "I" unit | 96 | 66 | 29 | class 125 cwt 400 lb cu ft 46 | 3,080 | 3,328 |



| consists of: | | d | w | h | quantity |
|--|----|----------------|----|---|----------|
| D86630L-FM single pedestal desk left box/file pedestal | 30 | 66 | 29 | 1 | |
| | | KNEESPACE: 30" | | | |
| RA866R-EH right angled return closed end support open kneespace | 30 | 66 | 29 | 1 | |
| | | KNEESPACE: 46" | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| MA86630L-EHFM - __ - __ | executive "I" unit | 96 | 66 | 29 | class 125 cwt 400 lb cu ft 46 | 3,080 | 3,328 |




| consists of: | | d | w | h | quantity |
|---|----|----------------|----|---|----------|
| D86630R-FM single pedestal desk right box/file pedestal | 30 | 66 | 29 | 1 | |
| | | KNEESPACE: 30" | | | |
| RA866L-EH left angled return closed end support open kneespace | 30 | 66 | 29 | 1 | |
| | | KNEESPACE: 46" | | | |

| | | |
|------|-----------------------|---|
| top | P laminate top | ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP). \$191 list upcharge for (TH) Typing Height |
| edge | G | returns custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. |




| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| MA86630R-EHFP - __ - __ | executive "I" unit | 96 | 66 | 29 | class 125 cwt 400 lb cu ft 46 | 3,458 | 3,737 |




| consists of: | | d | w | h | quantity |
|--|----|----------------|----|---|----------|
| D86630L-FP single pedestal desk left file/file pedestal | 30 | 66 | 29 | 1 | |
| | | KNEESPACE: 30" | | | |
| RA866R-EH right angled return closed end support open kneespace | 30 | 66 | 29 | 1 | |
| | | KNEESPACE: 46" | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| MA86630L-EHFP - __ - __ | executive "I" unit | 96 | 66 | 29 | class 125 cwt 400 lb cu ft 46 | 3,458 | 3,737 |



| consists of: | | d | w | h | quantity |
|---|----|----------------|----|---|----------|
| D86630R-FP single pedestal desk right file/file pedestal | 30 | 66 | 29 | 1 | |
| | | KNEESPACE: 30" | | | |
| RA866L-EH left angled return closed end support open kneespace | 30 | 66 | 29 | 1 | |
| | | KNEESPACE: 46" | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| MAB866R-EH - __ - __ | executive "I" unit | 96 | 66 | 29 | class 125 cwt 280 lb cu ft 16 | 3,029 | 3,272 |



| consists of: | | d | w | h | quantity |
|--|----|----------------|----|---|----------|
| BT866R bullet top | 30 | 66 | 29 | 1 | |
| | | KNEESPACE: 46" | | | |
| RA866R-EH right angled return closed end support open kneespace | 30 | 66 | 29 | 1 | |
| | | KNEESPACE: 46" | | | |


| | |
|--------------------|---|
| laminate tops only | 3L-P walnut / laminate 4L-P dark mahogany on walnut / laminate 25M-P mahogany on walnut / laminate 25C-P cherry on walnut / laminate |
|--------------------|---|

F872-FM-25M-P

unit identification (type), top dimension - chassis option - chassis & top finish - top material




| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| MAB866L-EH - __ - __ | executive "I" unit | 96 | 66 | 29 | class 125 cwt 280 lb cu ft 16 | 3,029 | 3,272 |




| consists of: | | d | w | h | quantity |
|---|--|----|----|----|---------------------|
| BT866L bullet top | | 30 | 66 | 29 | 1 KNEESPACE: 46" |
| RA866L-EH left angled return closed end support open kneespace | | 36 | 66 | 29 | 1 KNEESPACE: 46" |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| MAP866R-EH - __ - __ | executive "I" unit | 106 | 66 | 29 | class 125 cwt 305 lb cu ft 16 | 3,050 | 3,296 |




| consists of: | | d | w | h | quantity |
|--|--|----|----|----|---------------------|
| PT866R "p" top | | 40 | 66 | 29 | 1 KNEESPACE: 46" |
| RA866R-EH right angled return closed end support open kneespace | | 30 | 66 | 29 | 1 KNEESPACE: 46" |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| MAP866L-EH - __ - __ | executive "I" unit | 106 | 66 | 29 | class 125 cwt 305 lb cu ft 16 | 3,050 | 3,296 |




| consists of: | | d | w | h | quantity |
|---|--|----|----|----|---------------------|
| PT866L "p" top | | 40 | 66 | 29 | 1 KNEESPACE: 46" |
| RA866L-EH left angled return closed end support open kneespace | | 30 | 66 | 29 | 1 KNEESPACE: 46" |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-------------------|-------------|----|----|----|-------------------------------------|----------------|----------------|
| CS824FM - __ - __ | corner unit | 90 | 90 | 29 | class 125 cwt 425 lb cu ft 50 | 3,727 | 4,024 |




| consists of: | | d | w | h | quantity |
|---|--|----|----|----|----------|
| CU842 corner unit | | 42 | 42 | 29 | 1 |
| R824L-FM single pedestal return left box/file pedestal | | 24 | 48 | 29 | 1 |
| R824R-FM single pedestal return right box/file pedestal | | 24 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------|-------------|----|----|----|-------------------------------------|----------------|----------------|
| CS824FP-FF - __ - __ | corner unit | 90 | 90 | 29 | class 125 cwt 435 lb cu ft 50 | 4,029 | 4,348 |



| consists of: | | d | w | h | quantity |
|--|--|----|----|----|----------|
| CU842 corner unit | | 42 | 42 | 29 | 1 |
| R824L-2D single pedestal return left file/file pedestal | | 24 | 48 | 29 | 1 |
| R824R-2D single pedestal return right file/file pedestal | | 24 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------|-------------|----|----|----|-------------------------------------|----------------|----------------|
| CS824FP-BR - __ - __ | corner unit | 90 | 90 | 29 | class 125 cwt 435 lb cu ft 50 | 4,164 | 4,495 |



| consists of: | | d | w | h | quantity |
|---|--|----|----|----|----------|
| CU842 corner unit | | 42 | 42 | 29 | 1 |
| R824R-3D single pedestal return right box/box/file pedestal | | 24 | 48 | 29 | 1 |
| R824L-2D single pedestal return left file/file pedestal | | 24 | 48 | 29 | 1 |

| | | |
|------|-----------------------|--|
| top | P laminate top | ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP). \$191 list upcharge for (TH) Typing Height |
| edge | G | returns custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. |


| | |
|--------------------|---|
| laminate tops only | 3L-P walnut / laminate 4L-P dark mahogany on walnut / laminate 25M-P mahogany on walnut / laminate 25C-P cherry on walnut / laminate |
|--------------------|---|

F872-FM-25M-P

unit identification (type), top dimension - chassis option - chassis & top finish - top material




| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------|-------------|----|----|----|-------------------------------------|----------------|----------------|
| CS824FP-BL - _ - _ | corner unit | 90 | 90 | 29 | class 125 cwt 435 lb cu ft 50 | 4,164 | 4,495 |




| consists of: | | d | w | h | quantity |
|--------------|--|----|----|----|----------|
| CU842 | corner unit | 42 | 42 | 29 | 1 |
| R824L-3D | single pedestal return left box/box/file pedestal | 24 | 48 | 29 | 1 |
| R824R-2D | single pedestal return right file/file pedestal | 24 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------|-------------|----|----|----|-------------------------------------|----------------|----------------|
| CS820FP-BR - _ - _ | corner unit | 86 | 86 | 29 | class 125 cwt 390 lb cu ft 50 | 3,883 | 4,194 |




| consists of: | | d | w | h | quantity |
|--------------|---|----|----|----|----------|
| CU838 | corner unit | 38 | 38 | 29 | 1 |
| R820R-3D | single pedestal return right box/box/file pedestal | 20 | 48 | 29 | 1 |
| R820L-2D | single pedestal return left file/file pedestal | 20 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|-----------------|-------------|----|----|----|-------------------------------------|----------------|----------------|
| CS820FM - _ - _ | corner unit | 86 | 86 | 29 | class 125 cwt 380 lb cu ft 50 | 3,446 | 3,720 |




| consists of: | | d | w | h | quantity |
|--------------|---|----|----|----|----------|
| CU838 | corner unit | 38 | 38 | 29 | 1 |
| R820L-FM | single pedestal return left box/file pedestal | 20 | 48 | 29 | 1 |
| R820R-FM | single pedestal return right box/file pedestal | 20 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------|-------------|----|----|----|-------------------------------------|----------------|----------------|
| CS820FP-BL - _ - _ | corner unit | 86 | 86 | 29 | class 125 cwt 390 lb cu ft 50 | 3,883 | 4,194 |




| consists of: | | d | w | h | quantity |
|--------------|--|----|----|----|----------|
| CU838 | corner unit | 38 | 38 | 29 | 1 |
| R820L-3D | single pedestal return left box/box/file pedestal | 20 | 48 | 29 | 1 |
| R820R-2D | single pedestal return right file/file pedestal | 20 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------|-------------|----|----|----|-------------------------------------|----------------|----------------|
| CS820FP-FF - _ - _ | corner unit | 86 | 86 | 29 | class 125 cwt 390 lb cu ft 50 | 3,748 | 4,048 |



| consists of: | | d | w | h | quantity |
|--------------|--|----|----|----|----------|
| CU838 | corner unit | 38 | 38 | 29 | 1 |
| R820L-2D | single pedestal return left file/file pedestal | 20 | 48 | 29 | 1 |
| R820R-2D | single pedestal return right file/file pedestal | 20 | 48 | 29 | 1 |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|---------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM872R-EHFM - _ - _ | executive "u" unit | 104 | 72 | 29 | class 125 cwt 510 lb cu ft 82 | 3,567 | 3,852 |



| consists of: | | d | w | h | quantity |
|--------------|---|----|----|----|----------|
| D872L-FM | single pedestal desk left box/file pedestal | 36 | 72 | 29 | 1 |
| B848-EH | bridge with open kneespace | 20 | 48 | 29 | 1 |
| C872R-FM | single pedestal credenza right box/file pedestal | 20 | 72 | 29 | 1 |

| | | |
|------|-----------------------|---|
| top | P laminate top | ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP). \$191 list upcharge for (TH) Typing Height |
| edge | G | returns custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. |


| | |
|--------------------|---|
| laminate tops only | 3L-P walnut / laminate 4L-P dark mahogany on walnut / laminate 25M-P mahogany on walnut / laminate 25C-P cherry on walnut / laminate |
|--------------------|---|

F872-FM-25M-P

unit identification (type), top dimension - chassis option - chassis & top finish - top material




| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM872L-EHFM - __ - __ | executive "u" unit | 104 | 72 | 29 | class 125 cwt 510 lb cu ft 82 | 3,567 | 3,852 |




| consists of: | | d | w | h | quantity |
|--|----|----|----|---|----------|
| D872R-FM single pedestal desk right box/file pedestal | 36 | 72 | 29 | 1 | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C872L-FM single pedestal credenza left box/file pedestal | 20 | 72 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM872R-EHFM2F - __ - __ | executive "u" unit | 104 | 72 | 29 | class 125 cwt 680 lb cu ft 82 | 4,192 | 4,529 |




| consists of: | | d | w | h | quantity |
|---|----|----|----|---|----------|
| D872L-FM single pedestal desk left box/file pedestal | 36 | 72 | 29 | 1 | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C872R-FM2F single pedestal credenza right lateral file pedestal | 20 | 72 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM872R-EHFP - __ - __ | executive "u" unit | 104 | 72 | 29 | class 125 cwt 610 lb cu ft 82 | 4,234 | 4,571 |




| consists of: | | d | w | h | quantity |
|---|----|----|----|---|----------|
| D872L-FP single pedestal desk left file/file pedestal | 36 | 72 | 29 | 1 | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C872R-FP single pedestal credenza right box/box/file pedestal | 20 | 72 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM872L-EHFM2F - __ - __ | executive "u" unit | 104 | 72 | 29 | class 125 cwt 680 lb cu ft 82 | 4,192 | 4,529 |




| consists of: | | d | w | h | quantity |
|--|----|----|----|---|----------|
| D872R-FM single pedestal desk right box/file pedestal | 36 | 72 | 29 | 1 | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C872L-FM2F single pedestal credenza left lateral file pedestal | 20 | 72 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM872L-EHFP - __ - __ | executive "u" unit | 104 | 72 | 29 | class 125 cwt 610 lb cu ft 82 | 4,234 | 4,571 |



| consists of: | | d | w | h | quantity |
|--|----|----|----|---|----------|
| D872R-FP single pedestal desk right file/file pedestal | 36 | 72 | 29 | 1 | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C872L-FP single pedestal credenza left box/box/file pedestal | 20 | 72 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM872R-EHFP2F - __ - __ | executive "u" unit | 104 | 72 | 29 | class 125 cwt 715 lb cu ft 82 | 4,790 | 5,176 |



| consists of: | | d | w | h | quantity |
|---|----|----|----|---|----------|
| D872L-FP3D single pedestal desk left box/box/file pedestal | 36 | 72 | 29 | 1 | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C872R-FM2F single pedestal credenza right lateral file pedestal | 20 | 72 | 29 | 1 | |

| | | |
|------|-----------------------|---|
| top | P laminate top | ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP). \$191 list upcharge for (TH) Typing Height |
| edge | G | returns custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. |

| | |
|--------------------|---|
| laminate tops only | 3L-P walnut / laminate 4L-P dark mahogany on walnut / laminate 25M-P mahogany on walnut / laminate 25C-P cherry on walnut / laminate |
|--------------------|---|


F872-FM-25M-P

unit identification (type), top dimension - chassis option - chassis & top finish - top material

ashton | 800 series | laminate self edge top, veneer chassis, veneer drawer fronts




| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM872L-EHFP2F - _ - _ - | executive "u" unit | 104 | 72 | 29 | class 125 cwt 715 lb cu ft 82 | 4,790 | 5,176 |




| consists of: | | d | w | h | quantity |
|--|----|----|----|---|----------|
| D872R-FP3D single pedestal desk right box/box/file pedestal | 36 | 72 | 29 | 1 | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C872L-FM2F single pedestal credenza left lateral file pedestal | 20 | 72 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM872R-EHFP5D - _ - | executive "u" unit | 104 | 72 | 29 | class 125 cwt 715 lb cu ft 82 | 4,621 | 4,958 |




| consists of: | | d | w | h | quantity |
|---|----|----|----|---|----------|
| D872L-FP single pedestal desk left file/file pedestal | 36 | 72 | 29 | 1 | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C872R-FM5D single pedestal credenza right multi-file pedestal | 20 | 72 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM872R-EHFM5D - _ - | executive "u" unit | 104 | 72 | 29 | class 125 cwt 680 lb cu ft 82 | 4,241 | 4,550 |




| consists of: | | d | w | h | quantity |
|---|----|----|----|---|----------|
| D872L-FM single pedestal desk left box/file pedestal | 36 | 72 | 29 | 1 | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C872R-FM5D single pedestal credenza right multi-file pedestal | 20 | 72 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM872L-EHFM5D - _ - | executive "u" unit | 104 | 72 | 29 | class 125 cwt 715 lb cu ft 82 | 4,241 | 4,550 |




| consists of: | | d | w | h | quantity |
|--|----|----|----|---|----------|
| D872R-FM single pedestal desk right box/file pedestal | 36 | 72 | 29 | 1 | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C872L-FM5D single pedestal credenza left multi-file pedestal | 20 | 72 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM872L-EHFP5D - _ - | executive "u" unit | 104 | 72 | 29 | class 125 cwt 715 lb cu ft 82 | 4,621 | 4,958 |



| consists of: | | d | w | h | quantity |
|--|----|----|----|---|----------|
| D872R-FP single pedestal desk right file/file pedestal | 36 | 72 | 29 | 1 | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C872L-FM5D single pedestal credenza left multi-file pedestal | 20 | 72 | 29 | 1 | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM866R-EHFM - _ - _ - | executive "u" unit | 104 | 66 | 29 | class 125 cwt 560 lb cu ft 77 | 3,532 | 3,815 |



| consists of: | | d | w | h | quantity |
|---|----|----|----|---|----------|
| D866L-FM single pedestal desk left box/file pedestal | 36 | 66 | 29 | 1 | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| C866R-FM single pedestal credenza right box/file pedestal | 20 | 66 | 29 | 1 | |


| | | | |
|------|----------------|---------|---|
| top | P laminate top | ashton | \$197 list upcharge for (TH) Typing Height full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP). |
| edge | G | returns | \$191 list upcharge for (TH) Typing Height custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. |

| | |
|--------------------|---|
| laminate tops only | 3L-P walnut / laminate 4L-P dark mahogany on walnut / laminate 25M-P mahogany on walnut / laminate 25C-P cherry on walnut / laminate |
|--------------------|---|

F872-FM-25M-P


unit identification (type), top dimension - chassis option - chassis & top finish - top material

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM866L-EHFM - __ - __ | executive "u" unit | 104 | 66 | 29 | class 125 cwt 560 lb cu ft 77 | 3,532 | 3,815 |




| consists of: | | d | w | h | quantity |
|--|----|----------------|----|----------------|----------|
| D866R-FM single pedestal desk right box/file pedestal | 36 | 66 | 29 | 1 | |
| | | APPROACH: 10" | | KNEESPACE: 30" | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| | | KNEESPACE: 48" | | | |
| C866L-FM single pedestal credenza left box/file pedestal | 20 | 66 | 29 | 1 | |
| | | KNEESPACE: 26" | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM866R-EHFP - __ - __ | executive "u" unit | 104 | 66 | 29 | class 125 cwt 600 lb cu ft 77 | 4,198 | 4,535 |



| consists of: | | d | w | h | quantity |
|---|----|----------------|----|----------------|----------|
| D866L-FP single pedestal desk left file/file pedestal | 36 | 66 | 29 | 1 | |
| | | APPROACH: 10" | | KNEESPACE: 30" | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| | | KNEESPACE: 48" | | | |
| C866R-FP single pedestal credenza right box/box/file pedestal | 20 | 66 | 29 | 1 | |
| | | KNEESPACE: 26" | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------------|--------------------|-----|----|----|-------------------------------------|----------------|----------------|
| UM866L-EHFP - __ - __ | executive "u" unit | 104 | 66 | 29 | class 125 cwt 600 lb cu ft 77 | 4,198 | 4,535 |




| consists of: | | d | w | h | quantity |
|--|----|----------------|----|----------------|----------|
| D866R-FP single pedestal desk right file/file pedestal | 36 | 66 | 29 | 1 | |
| | | APPROACH: 10" | | KNEESPACE: 30" | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| | | KNEESPACE: 48" | | | |
| C866L-FP single pedestal credenza left box/box/file pedestal | 20 | 66 | 29 | 1 | |
| | | KNEESPACE: 26" | | | |

top **P** laminate top
ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP).
\$191 list upcharge for (TH) Typing Height

edge **G**
returns custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length.




| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| UM86630R-EHFM - __ - __ | executive "u" unit | 98 | 66 | 29 | class 125 cwt 550 lb cu ft 69 | 3,227 | 3,484 |




| consists of: | | d | w | h | quantity |
|---|----|----------------|----|---|----------|
| D86630L-FM single pedestal desk left box/file pedestal | 30 | 66 | 29 | 1 | |
| | | KNEESPACE: 30" | | | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| | | KNEESPACE: 48" | | | |
| C866R-FM single pedestal credenza right box/file pedestal | 20 | 66 | 29 | 1 | |
| | | KNEESPACE: 30" | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| UM86630L-EHFM - __ - __ | executive "u" unit | 98 | 66 | 29 | class 125 cwt 550 lb cu ft 69 | 3,227 | 3,484 |



| consists of: | | d | w | h | quantity |
|--|----|----------------|----|---|----------|
| D86630R-FM single pedestal desk box/file pedestal | 30 | 66 | 29 | 1 | |
| | | KNEESPACE: 30" | | | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| | | KNEESPACE: 48" | | | |
| C866L-FM single pedestal credenza left box/file pedestal | 20 | 66 | 29 | 1 | |
| | | KNEESPACE: 30" | | | |

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|----------------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| UM86630R-EHFP - __ - __ | executive "u" unit | 98 | 66 | 29 | class 125 cwt 550 lb cu ft 69 | 3,893 | 4,204 |




| consists of: | | d | w | h | quantity |
|---|----|----------------|----|---|----------|
| D86630L-FP single pedestal desk left file/file pedestal | 30 | 66 | 29 | 1 | |
| | | KNEESPACE: 30" | | | |
| B848-EH bridge with open kneespace | 20 | 48 | 29 | 1 | |
| | | KNEESPACE: 48" | | | |
| C866R-FP single pedestal credenza right box/box/file pedestal | 20 | 66 | 29 | 1 | |
| | | KNEESPACE: 30" | | | |

laminate
tops only
3L-P walnut / laminate
4L-P dark mahogany on walnut / laminate
25M-P mahogany on walnut / laminate
25C-P cherry on walnut / laminate

F872-FM-25M-P

unit identification (type), top dimension - chassis option - chassis & top finish - top material

| model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--------------------------|--------------------|----|----|----|-------------------------------------|----------------|----------------|
| UM86630L-EHFP - _ - _ | executive "u" unit | 98 | 66 | 29 | class 125 cwt 550 lb cu ft 69 | 3,893 | 4,204 |



| consists of: | | d | w | h | quantity |
|--|--|----|----|----|----------|
| D86630R-FP single pedestal desk right file/file pedestal | | 30 | 66 | 29 | 1 |
| B848-EH bridge with open kneespace | | 20 | 48 | 29 | 1 |
| C866L-FP single pedestal credenza left box/box/file pedestal | | 20 | 66 | 29 | 1 |

ashton | 800 series | laminate self edge top, veneer chassis, veneer drawer fronts



| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--|------------------|---|-----------------|----------|-------------|-----------------------------------|----------------|----------------|
| | TD872 - _ - _ | desk top transaction counter for use with 72" desk only | 12 | 72 | 15.25 | class 85 cwt 90 lb cu ft 6 | 930 | 999 |
| | TD866 - _ - _ | desk top transaction counter for use with 66" desk only | 12 | 66 | 15.25 | class 85 cwt 84 lb cu ft 6 | 930 | 999 |
| | TD86630 - _ - _ | desk top transaction counter for use with 30" x 66" desk only | 12 | 66 | 15.25 | class 85 cwt 84 lb cu ft 6 | 930 | 999 |
| | TM872R - _ - _ | desk top transaction/reception gallery for use with executive height 72" "I" unit | 12 TOP 84 | 72 72 | 15.25 14 | class 85 cwt 100 lb cu ft 6 | 1,375 | 1,478 |
| | TM872L - _ - _ | desk top transaction/reception gallery for use with executive height 72" "I" unit | 12 TOP 84 | 72 72 | 15.25 14 | class 85 cwt 100 lb cu ft 6 | 1,375 | 1,478 |
| | TM866R - _ - _ | desk top transaction/reception gallery for use with executive height 66" "I" unit | 12 TOP 84 | 66 66 | 15.25 14 | class 85 cwt 94 lb cu ft 6 | 1,375 | 1,478 |
| | TM866L - _ - _ | desk top transaction/reception gallery for use with executive height 66" "I" unit | 12 TOP 84 | 66 66 | 15.25 14 | class 85 cwt 94 lb cu ft 6 | 1,375 | 1,478 |
| | TM86630R - _ - _ | desk top transaction/reception gallery for use with 30" x 66" "I" unit | 12 TOP 78 | 66 66 | 15.25 14 | class 85 cwt 94 lb cu ft 6 | 1,375 | 1,478 |
| | TM86630L - _ - _ | desk top transaction/reception gallery for use with 30" x 66" "I" unit | 12 TOP 78 | 66 66 | 15.25 14 | class 85 cwt 94 lb cu ft 6 | 1,375 | 1,478 |

| | | |
|------|----------------|--|
| top | P laminate top | ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP). \$191 list upcharge for (TH) Typing Height |
| edge | G | returns custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length. |

laminate tops only
3L-P walnut / laminate
4L-P dark mahogany on walnut / laminate
25M-P mahogany on walnut / laminate
25C-P cherry on walnut / laminate

F872-FM-25M-P

unit identification (type), top dimension - chassis option - chassis & top finish - top material



| | model number | description | d | w | h | freight | list \$ zone 1 | list \$ zone 2 |
|--|------------------|--|---------------------|----|-------|-----------------------------------|----------------|----------------|
| | TU872R - _ - _ | desk top transaction/reception gallery for use with 72" right "u" unit | 12 TOP 104 | 72 | 15.25 | class 85 cwt 150 lb cu ft 8 | 1,858 | 2,001 |
| | | | GALLERY PANELS | | | | | |
| | TU872L - _ - _ | desk top transaction/reception gallery for use with 72" left "u" unit | 12 TOP 104 | 72 | 15.25 | class 85 cwt 150 lb cu ft 8 | 1,858 | 2,001 |
| | | | GALLERY PANELS | | | | | |
| | TU866R - _ - _ | desk top transaction/reception gallery for use with 66" right "u" unit | 12 TOP 104 | 66 | 15.25 | class 85 cwt 145 lb cu ft 8 | 1,858 | 2,001 |
| | | | GALLERY PANELS | | | | | |
| | TU866L - _ - _ | desk top transaction/reception gallery for use with 66" left "u" unit | 12 TOP 104 | 66 | 15.25 | class 85 cwt 145 lb cu ft 8 | 1,858 | 2,001 |
| | | | GALLERY PANELS | | | | | |
| | TU86630R - _ - _ | desk top transaction/reception gallery for use with 30" x 66" "u" unit | 12 GALLERY 98 | 66 | 15.25 | class 85 cwt 145 lb cu ft 8 | 1,858 | 2,001 |
| | | | GALLERY PANELS | | | | | |
| | TU86630L - _ - _ | desk top transaction/reception gallery for use with 30" x 66" "u" unit | 12 GALLERY 98 | 66 | 15.25 | class 85 cwt 145 lb cu ft 8 | 1,858 | 2,001 |
| | | | GALLERY PANELS | | | | | |

ashton
800

ashton
800

top P laminate top ashton full modesty panel and 3/4 drawer pedestal (FM) or full to the floor pedestal and full modesty panel (FP).

edge G

laminate tops only 3L-P walnut / laminate
4L-P dark mahogany on walnut / laminate
25M-P mahogany on walnut / laminate
25C-P cherry on walnut / laminate