

product warranty

Inwood Office Invironments warrants its products to be free from defects in materials and workmanship given normal use and proper care, for a period of ten (10) years of single shift service.

Specific components are warranted to be free from defects in materials and workmanship for the following periods of time from the date of initial shipment:

electrical components two (2) years pneumatic cylinders three (3) years control mechanisms three (3) years casters three (3) years

Fabrics will be covered only by the warranty of the original manufacturer.

Inwood tenders this warranty only to original purchasers acquiring our products through those parties specifically authorized by Inwood to sell our products. Repair and/or replacement, at our option, will be made on any part or parts found to be defective within the terms of the warranty. The warranty shall not include any labor or shipping costs for replacement of any such parts or materials.

This warranty does not cover

- Damage(s) caused by a transportation company
- Damage(s) resulting from user modification, alterations, misuse, abuse or negligent use of our product
- Damage(s), defect(s), or product failure(s) due to customers request for modifications to product design, product dimensions, product arrangement or norma product specifications
- Natural variations in color, grain, or texture of wood and other covering materials over which Inwood has no control
- Wearing or cuts to covering materials
- Customer's Own Materials (COM)

Inwood does not make any other warranties except as expressly set forth above, either expressed or implied, including any warranty of merchantability or fitness for any particular purpose. Inwood shall not be liable for consequential or incidental damages under this warranty.

Further, Inwood makes no warranties, expressed or implied, for improper assembly and/or installation of its products.

order procedure

Inwood does not accept orders verbally. Orders may be faxed, e-mailed or mailed directly to:

Inwood Office Invironments PO Box 646 Jasper, IN 47546 Fax: 812.482.9732 E-mail: inwood@inwood.net

All orders from authorized & credit-approved Inwood Office Invironments dealers must be in writing and must include the following information:

Purchase Order Number Bill to Address Ship to Address

Special Shipping Instructions (delivery notification, special ship dates, ship complete or split shipments, and tags

if applicable)

Complete Model Numbers (include finish & fabric numbers)

Requested Delivery Date (if applicable)

order confirmation

All complete orders will be entered and acknowledged promptly with approximate shipping date(s), transit times, and other pertinent information. This acknowledgement is the final agreement between

Inwood and the customer, superseding all previous communications regarding the order. NOTE It is the customer's responsibility to check the acknowledgment for accuracy. Please advise Inwood immediately of any discrepancies.

changes and cancellations

Because many of our casegood products and all of our seating products are made to order, we must limit customer changes and cancellations. We regret that changes and cancellations are not possible once production has begun. Production normally begins 48 hours after receipt of order. Orders for standard casegood products with in-stock finishes may be cancelled for a 30% restocking fee. Any non-stock finish is considered made to order and cannot be changed or cancelled.

delivery information

Shipments are FOB destination for the 48 contiguous states. Orders are priced by destination zone as listed by state.



Alabama, Arkansas, Connecticut, Delaware, Florida, Georgia, Illinois, indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Nebraska, New Hampshire, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, Tennessee, Texas, Virginia, West Virginia and Wisconsin.

zone 2 🔲

Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, North Dakota, Oregon, South Dakota, Utah, Washington and Wyoming.

Orders of less than 500 lbs will be assessed a handling charge of \$100.00 net per order. Inwood reserves the right to select the most appropriate carrier and routing on all shipments. Any charge arising from failure to receive a shipment, rerouting while in transit or carrier storage charges are not included in prices shown and will be billed to the 'sold to' account on the order.

Any order requiring special delivery services will incur additional charges at the time of invoicing. All such requirements must be noted on the purchase order. These are services that are billed to Inwood by the freight company or require the usage of specialized carriers, and not included in the standard price of the product. Examples of such services include:

- delivery notification or call ahead requests
- \$10 Net Charge inside delivery
- minimum \$100 Net Charge
- non dock delivery
- minimum \$100 Net Charge
- weekend delivery (friday after 4:00pm-sunday night) minimum \$500 Net Charge
- residential delivery

Customer Service may assist you in determining your special delivery requirements and any additional charges that may apply

fuel surcharges

We will continue to do our best to absorb the increased cost from our transportation vendors; however, if the price of fuel increases above the normal rates, it may require us to pass on the increased costs. We will address this situation with a fuel surcharge rather than a price increase so that we can eliminate it as appropriate.

Contact Customer Service if you are unsure if your order requires one or more of the above services. We will make every attempt to avoid additional charges by giving options on what we can do within our standard delivery prices.

All prepaid shipments by Inwood Office Invironments will be on carriers of our choice. If you choose to order product FOB Factory, please specify the carrier you require. Product will ship Freight Collect and Inwood's responsibility will cease upon delivery to the carrier.

order postponements and delivery changes

Changes may be made to delivery address no later than 5 days before the acknowledged ship date of an order. Contact Customer Service for charges which may be incurred for delivery changes within 5 days of the acknowledged ship date. If it becomes necessary to postpone an order after production has begun, the order will be completed, stored and invoiced to the customer with normal terms. Storage fees of \$2.00 per 100 lbs or \$5.00 minimum per day will occur on all orders that are not picked up or released for shipment after 10 working days from the acknowledged ship date.

claim process for merchandise damage/shortage/carrier delay

All products produced by Inwood are carefully inspected and properly packed prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortage, or delivery has been delayed by the carrier, the following steps must be taken:

- Before signing for any merchandise, make notation of all visible damage, shortages, and/or time of truck arrival on the freight bill (bill of lading).
- Contact Inwood Customer Service within 15 calendar days of goods receipt to report issue. Legal title to merchandise passes to the buyer upon acceptance by the carrier. We will work with you to file any necessary claims when reported to us within the 15 day time frame.
- Retain all packing materials/cartons for inspection by the carrier agent.

Failure to make any claims against Inwood Office Invironments within 15 days shall constitute acceptance of the merchandise and a waiver of any errors or shortages discovered upon inspection.

repairs and returns

No repairs or returns will be considered without first obtaining our written permission. Such requests must be made in writing within 15 days of the invoice. Authorization must be obtained from Customer Service prior to repairs being made if Inwood is expected to pay these charges. Charges will be approved only after an estimate has been provided. Credit will be issued only after receipt of repair bills.

Made to order items are not returnable. This includes upholstered seating, special items, special finishes, and any non-stock finish. Authorized returns of stock items will be charged a minimum 30% restocking fee. All returns are subject to an attempted pick-up charge of \$200. Please insure that all goods are packed and tagged correctly before calling Inwood for pick up. All RMA's (Return Materials Authorization) will expire within 30 days of notification. Once expired, a new authorization is required for any return. Upon receipt of returned goods, Inwood will inspect and assess responsibility for any defects. If damage of the merchandise was caused by abuse, alteration, or unauthorized repair, we may offer to repair the merchandise for a fee. The final responsibility for determining damage remains with Inwood.

All merchandise must be shipped freight prepaid or we will not accept. All merchandise being returned must be properly packed and protected to insure that no further damage is incurred during transportation back to Inwood.

special construction agreement

When requested that Inwood Office invironments Inc. modify, change or alter its standard product in order to meet the specific needs of Customer, Inwood shall exercise its best efforts to modify its standard product to incorporate the modifications and changes requested by Customer. Inwood Office Invironments disclaims any warranty with respect to the modifications or changes requested by Customer and its standard warranty shall not apply to said modifications or changes. Customer shall have no right to rescind its order of this product after production of the product has begun. Customer assumes the risk of the use of Inwood Office invironments product containing the modifications or changes requested by Customer. In no event shall the product containing the modifications or changes requested by Customer be returnable to Inwood Office invironments.

replacement parts

Contact Inwood Customer Service for item numbers and pricing on replacement parts.

dimensions

All dimensions referenced in this book are nominal.

terms

1% 15 days, 30 days net.

Payments are accepted in US Dollars. Payment is also accepted by Visa & Mastercard credit cards, and is posted prior to shipment. When payment is made with a credit card, no additional discounts may be taken.





Prices are effective with the date printed on this price list and supersede all other prices. Orders are accepted at the price in effect on the date the order is received. Possession of this price list does not constitute an offer to sell. Inwood sells to authorized and approved dealers only. Any or all prices, product, and line art are subject to change without notification. Internet or software packages, which support the sale of Inwood products, furnished to the customer either by Inwood or any other source are superseded by revised price lists.

minimum order

\$10 US Dollars list price.

standard special upcharges

Inwood Office invironments provides the following standard special modifications to its product. Simply specify the request and add the associated price to list.

to make standard top size shorter or narrower to change file drawer pedestal in desks, credenzas	\$248
and modular cabinets to box drawers	\$218
to change 2 box drawers in desk to file drawer	\$140
to change position of file drawer in desks	\$106
to add locks where not standard	
¬ box, file drawer or center drawer	\$56
¬ hinged door, single	\$56
¬ hinged door, double	\$58
to key items alike from factory per unit	\$31
to add extra lock per set (including set of keys)	\$21
extra set of keys (two)	\$21
to add grommets in any special location	\$128
to move standard placement of grommet on unit	\$56
grommets (cover only)	
to add extra shelf for bookcase	
to make shelves solid wood (per shelf)	\$23
for typing height return	
for non-standard Inwood pulls	•
(to change to another series per unit)	\$71
special finishes (6 item minimum)	
¬ non-Inwood finishes	20%
¬ standard Inwood finishes	

monticello 1900 series specifications empire 1800 series specifications

materials:

All wood is thoroughly air and kiln dried to a moisture content not to exceed 8% at time of assembly.

veneers:

All exposed surfaces are plain sliced american black walnut. Veneers are carefully book-matched and balanced. All drawer fronts, doors, end panels, and modesty panels are vertical grain genuine walnut.

top work surfaces:

- ¬ wood veneer tops are 1 1/4" thick, 5-ply construction, consisting of 1/40" thick cherry veneer work surfaces and poplar veneer backing. The top core material is a 45 lb density particleboard, with a traditional shape solid wood rim on all four sides.
- ¬ high pressure laminate tops are 1 1/4", 3-ply construction; consisting of a high-pressure laminate work surface and a 45 lb density particle board core. The under side of the top has a smooth surface Gator-Ply backing sheet. Top rims are solid hardwood with a traditional edge shape.

pedestal construction:

3/4" thick 3-ply construction; consisting of american black walnut veneer on all exposed surfaces and a 45 lb density particle board core. Each pedestal in desk units has a 3-ply dictation arm slide mounted above the drawers. In the desk and credenza units each pedestal has one file drawer over one box drawer. The base is constructed and shaped in veneer wrapped MDF; adjustable leveling glides are mounted in each corner of the base (Bases are available with bracket style base at no additional charge). All joints are reinforced with concealed wood glue blocks. All trim molding is solid hardwood. A full mortise and tenon and glue join the cabinet sides.

drawers:

Drawer fronts are 3/4" thick, 3-ply construction with vertical book matched walnut veneer. Drawer edges are veneered on top with matching walnut. All drawer sides and backs are solid hardwood, dovetailed front and back with 3-ply drawer bottoms. Drawer bottoms are framed on four sides and stapled from the bottom side. Drawer interiors are finished with a clear sealer to prevent swelling or shrinkage. Box drawers have a high grade sterling metal ball-bearing drawer suspension. File drawers have a high grade sterling metal ball bearing full progressive suspension and are equipped with metal rods for hanging file folders. All drawers have smooth quiet operation. Pedestals have one file drawer and on box drawer each. Each desk is standard with a felt lined center drawer with a high grade sterling suspension and a solid wood pen pencil tray.

locking:

Monticello/Empire has central locking with a center drawer activated lock mechanism. Each unit is equipped with two keys. Units may be keyed alike in groups (per office, if requested) for an additional charge of \$31 list per unit.

All Inwood finishes are catalyzed varnish and have excellent durability. Our multi-step satin finishes leave an open grain natural look to the furniture, and an available in the following finishes: (3L) walnut, (2KL) walnut, (25M) mahogany, (4L) dark mahogany, and (25C) cherry.


Drawer hardware is an Antique Brass English bail pull for monticello. Pull styles are different for 1900 and 1800 series furniture.





bracket base:


Standard pedestal base for Monticello/Empire may be specified as a bracket base at no additional upcharge. Add (BB) after complete model number.




molding:


Monticello 1900 series furniture is shipped with picture frame molding; Empire 1800 series ships without molding.

monticello/empire





lateral files



288



CF1976-2KL-W

unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding I 1800 series without molding

monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts

description

square legs

table desk

on right

queen anne legs

cloth-lined center drawer

cloth-lined center drawer

file drawer on left with box/box

computer depth credenza

open kneespace in center

kneespace credenza

storage credenza

with adjustable shelf

FROM 26.5 - 29"

open kneespace in center

left and right file/box pedestals

left and right file/box pedestals

left and right file/box pedestals

kneespace credenza with keyboard

ARTICULATING KEYBOARD HEIGHT ADJUSTMENT

file/box pedestal on each side

computer depth credenza

open kneespace in center

storage credenza

FROM 26.5 - 29"

left and right file/box pedestals

left and right file/box pedestals

kneespace credenza with keyboard

ARTICULATING KEYBOARD HEIGHT ADJUSTMENT

file/box pedestal on each side

open kneespace in center

double hinged door center

ADDITIONAL SHELVES \$77 EACH

table desk

model number

T1960 - __ - __

T1860 - __ - __

DT1966 - __ - __

DT1866 - __ - __

CR197224 - __ - __

CR187224 -- _ -

CR1972 - __ - __

CR1872 - __ - __

CR1972D - __ - __

CR1872D - __ - __

CR1972KB - __ - __

CR1872KB - __ - __

CR196624 - __ - __

CR186624 - __ - __

CR1966 - __ - __

CR1866 - __ - __

CR1966KB - __ - __

CR1866KB - __ - __

d

30 60 29

36

w h

66 29

KNEESPACE: 54"

KNEESPACE: 34"

24 72 29

KNEESPACE: 40"

20 72 29

KNEESPACE: 40"

20 72 29

20 72 29

KNEESPACE: 40"

24 66

KNEESPACE: 34"

20 66 29

KNEESPACE: 34"

20 66 29

KNEESPACE: 34"

29

freight

cu ft 9

class 125

cuft 27

class 125

class 125

cu ft 28

class 125

cu ft 28

class 125

cu ft 28

class 125

cu ft 30

class 125

cu ft 26

class 125

cuft 26

cwt 204 lb

cwt 194 lb

cwt 200 lb

cwt 225 lb

cwt 255 lb

cwt 215 lb

cwt 235 lb cu ft 34

cwt 225 lb

class 85 kd

cwt 110 lb



list \$ zone 2

1.649 W

1,649 W

1,212 P

3,148 W

2.672 P

3.062 W

2,584 P

3.117 W

2.958 W

2,520 P

2,713 W

2,334 P

2.554 W

3,040 W

2,641 P

2,908 W 2,422 P

3,040 W

2,660 P

2,881 W

3,092 W

2,668 P

2,869 W

2,442 P

2,698 W

2,231 P

2,538 W

2,161 P

3.026 W

2,557 P

2,864 W

2,487 P

2,502 P

2,175 P

3.710 P

1,212 P

list \$ zone 1

1,530 W

1,124 P

1,530 W

1,124 P

2,915 W

2.834 W

2.893 W

2,481 P

2.747 W

2,518 W

2,162 P

2.371 W

2,015 P

2,815 W

2,445 P

2,700 W

2,343 P

2,820 W

2,465 P

2,673 W

2,318 P

2,872 W

2,471 P

2,662 W

2,262 P

2.365 W

2,065 P

2,357 W

2,002 P

2.802 W

2,368 P

2,657 W

2,304 P

2,334 P

2.393 P

2.474 P

	model number CF1976 CF1876 CF1972	description conference desk double pedestal desk with cloth-lined center drawer each pedestal has a file drawer styled as two box drawers over a box drawer. conference desk double pedestal desk with cloth-lined center drawer each pedestal has a file drawer styled	d w h 42 76 29 APPROACH: 6" KNEESPACE: 34" 36 72 29 APPROACH: 12" KNEESPACE: 28"	class 125 cwt 350 lb cu ft 64	3,541 W 3,030 P 3,417 W 2,905 P 3,417 W 2,664 P 3,054 W	Iist \$ zone 2 3,817 W 3,270 P 3,680 W 3,136 P 3,388 W 2,876 P 3,293 W
	CFBT1972 CFBT1872	bow front conference desk double pedestal desk with cloth-lined center drawer each pedestal has a file drawer styled as two box drawers over a box drawer. desk double pedestal desk with cloth-lined	42 72 29 APPROACH: 6" KNEESPACE: 28"	class 125 cwt 275 lb cu ft 53	4,520 W 4,061 P 4,453 W 3,995 P	4,867 W 4,386 P 4,809 W 4,316 P
	F1866 F196630 - F186630 -	center drawer each pedestal has a file drawer styled as two box drawers over a box drawer. desk double pedestal desk with cloth-lined center drawer each pedestal has a file drawer styled as two box drawers over a box drawer.	30 66 29 KNEESPACE: 34''	cu ft 48 class 125 cwt 285 lb cu ft 40	3,042 W 2,584 P 3,024 W 2,609 P 2,987 W 2,525 P	3,280 W 2,791 P 3,257 W 2,808 P 3,225 W 2,726 P
CICION	F1960 F1860	desk double pedestal desk with cloth-lined center drawer each pedestal has a file drawer styled as two box drawers over a box drawer. table desk cloth-lined center drawer	30 60 29 KNEESPACE: 28''	class 125 cwt 255 lb cu ft 37	2,813 W 2,404 P 2,714 W 2,306 P	3,030 W 2,597 P 2,924 W 2,491 P 2,004 W 1,537 P
	T1872 T1972TL	table desk cloth-lined center drawer turned legs	36 72 29 KNEESPACE: 66''	class 85 kd cwt 135 lb cu ft 14	1,421 P 1,862 W 1,421 P 1,994 W 1,536 P 1,994 W	2,004 W 1,537 P 2,208 W 1,660 P 2,208 W
	T1960TL	table desk cloth-lined center drawer turned legs	30 60 29 KNEESPACE: 54''	class 85 kd cwt 105 lb cu ft 9	1,754 W 1,346 P 1,754 W 1,346 P	1,889 W 1,453 P 1,889 W 1,453 P

laminate tops only 4L-P dark mahogany on walnut 25M-P 25C-P walnut cherry on walnut

veneer

3L-W walnut 2KL-W walnut 4L-W dark mahogany on walnut 25M-W mahogany on walnut 25C-W cherry on walnut

edge

laminate top veneer top

289

monticello/empire 1900/1800



unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding I 1800 series without molding

monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts

model number

D1966L - __ - __

D1866L - __ - __

D196630R - __ - __

D186630R - __ - __

D196630L - __ - __

D186630L - __ - __

D1960R - __ - __

D1860R - __ - __

D1960L - __ - __

D1860L - __ - __

D1948R - __ - __

D1848R - __ - __

D1948L - __ - __

D1848L - __ - __

R1948R-EH - __ - _

R1848R-EH - __ - __

R1948L-EH - __ - __

R1848L-EH - __ - __

description

single pedestal desk

left file/box pedestal

includes center drawer

single pedestal desk

right file/box pedestal

includes center drawer

single pedestal desk

left file/box pedestal

includes center drawer

single pedestal desk right file/box pedestal

includes center drawer

single pedestal desk

left file/box pedestal

single pedestal desk

right file/box pedestal

CG1848 COMPUTER

single pedestal desk

left file/box pedestal

CG1848 COMPUTER

right file/box pedestal

left file/box pedestal

right return

left return

DESIGNED FOR USE WITH CG1948 OR

DESIGNED FOR USE WITH CG1948 OR

includes center drawer

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts

d

36 66 29

30

30 66 29

30

60 29

29

24 48 29

KNEESPACE: 30"

24 48

KNEESPACE: 30"

24 48 29

24 48 29

29

w h

66 29

freight

class 125

cu ft 48

class 125

cu ft 40

class 125

cuft 40

class 125

cu ft 37

class 125

cu ft 37

class 125

cu ft 24

class 125

cu ft 24

class 125

cu ft 25

class 125

cwt 165 lb

cwt 165 lb

cwt 157 lb

cwt 157 lb

cwt 185 lb

cwt 185 lb

cwt 195 lb

cwt 195 lb

cwt 210 lb



list \$ zone 2

3,208 W

2,779 P

2,910 W

2,544 P

2,899 W

2,767 W

2,115 P

2.899 W

2,177 P

2.767 W **2,115** P

2,791 W

2,408 P

2.512 W 2,215 P

2,791 W

2,512 W

1,829 W

1,566 P

1,752 W

1,829 W

1,566 P

1,752 W

1,489 P

1.560 W

1,333 P

1,520 W

1,560 W

1,333 P

1,520 W

1,223 P

1,223 P

1,489 P

2,215 P

2,408 P

2.177 P

list \$ zone 1

2,971 W

2,694 W

2,358 P

2,684 W

2.561 W **1,958** P

2.684 W

2,016 P

2.561 W

1,958 P

2,580 W

2,228 P

2.336 W

2,051 P

2,580 W

2,228 P

2,336 W

1,693 W

1,450 P

1,622 W

1,693 W

1,450 P

1,622 W

1,378 P

1,446 W

1,234 P

1,408 W

1,131 P

1,446 W 1,234 P

1,408 W

1,131 P

1,378 P

2,051 P

2.016 P

2,568 P

	model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
	DBT1972R	bow top single pedestal desk right file/box pedestal includes center drawer	42	72	29	class 125 cwt 255 lb cu ft 55	4,428 W 3,985 P	4,782 W 4,303 P
333	DBT1872R	includes center drawer				- Cu ii - 33	4,349 W 3,970 P	4,680 W 4,288 P
	DBT1972L	bow top single pedestal desk left file/box pedestal includes center drawer	42	72	29	class 125 cwt 255 lb cu ft 55	4,428 W 3,985 P	4,782 W 4,303 P
20	DBT1872L	includes center drawer				Cu ii 33	4,349 W 3,970 P	4,680 W 4,288 P
	CFD1972R	single pedestal desk right file/box pedestal	36	72	29	class 125 cwt 225 lb	3,030 W 2,596 P	3,274 W 2,792 P
100	CFD1872R	includes center drawer				cu ft 53	2,952 W 2,575 P	3,173 W 2,779 P
	CFD1972L	single pedestal desk left file/box pedestal	36	72	29	class 125 cwt 225 lb	3,030 W 2,596 P	3,274 W 2,792 P
	CFD1872L	includes center drawer				cu ft 53	2,952 W 2,575 P	3,173 W 2,779 P
	CFD1966R	single pedestal desk	36	66	29	class 125	2,971 W	3,208 W
	CFD1866R	right file/box pedestal includes center drawer				cwt 200 lb cu ft 48	2,568 P 2,694 W	2,779 P 2,910 W
							2,358 P	2,544 P
	CFD1966L	single pedestal desk left file/box pedestal includes center drawer	36	66	29	class 125 cwt 200 lb cu ft 48	2,971 W 2,568 P	3,208 W 2,779 P
000	CFD1866L	includes center drawer				Cu it 40	2,694 W 2,358 P	2,910 W 2,544 P
	D1972R	single pedestal desk right file/box pedestal	36	72	29	class 125 cwt 235 lb	3,030 W 2,596 P	3,274 W 2,792 P
	D1872R	includes center drawer				cu ft 53	2,952 W 2,575 P	3,173 W 2,779 P
	D1972L	single pedestal desk	36	72	29	class 125	3,030 W	3,274 W
1000		left file/box pedestal includes center drawer	30	12	29	cwt 235 lb cu ft 53	2,596 P	2,792 P
	D1872L						2,952 W 2,575 P	3,173 W 2,779 P
	D1966R	single pedestal desk right file/box pedestal	36	66	29	class 125 cwt 210 lb	2,971 W 2,568 P	3,208 W 2,779 P
	D1866R	includes center drawer				cu ft 48	2,694 W 2,358 P	2,910 W 2,544 P

laminate
Acces and the

4L-P walnut dark mahogany on walnut mahogany on walnut cherry on walnut

veneer

3L-W walnut 2KL-W walnut 4L-W dark mahogany on walnut 25M-W mahogany on walnut 25C-W cherry on walnut

laminate top veneer top

edge



unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding I 1800 series without molding

model number

C1972R - _ - _

C1872R - __ - __

description

single pedestal credenza

right file/box pedestal

monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts

d w h

20 72 29

freight

class 125

cu ft 28

cwt 190 lb



list \$ zone 1 list \$ zone 2

2,606 W

2,254 P

2,193 W

1,751 P

2,421 W

2,031 W

1,621 P

2,087 P

٥	model number R194820R-EH R184820R-EH	description right return right file/box pedestal	d w h 20 48 29	freight class 125 cwt 160 lb cu ft 25	list \$ zone 1 1,446 W 1,234 P 1,408 W 1,131 P	list \$ zone 2 1,560 W 1,333 P 1,520 W 1,223 P
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	R194820L-EH R184820L-EH 	left return left file/box pedestal FOR USE WITH D1960 AND D1860	20 48 29	class 125 cwt 160 lb cu ft 25	1,446 W 1,234 P 1,408 W 1,131 P	1,560 W 1,333 P 1,520 W 1,223 P
	CU1942 CU1842	corner unit	42 42 29 KNEESPACE: 26"	class 125 cwt 188 lb cu ft 8	1,755 W 1,499 P 1,700 W 1,467 P	1,895 W 1,619 P 1,835 W 1,560 P
اداداد	R1924R R1824R	right return right file/box pedestal	24 48 29	class 125 cwt 165 lb cu ft 25	1,446 W 1,234 P 1,408 W 1,131 P	1,560 W 1,333 P 1,520 W 1,223 P
1000	R1924L R1824L	left return left file/box pedestal FOR USE WITH 42" CORNER UNITS	24 48 29	class 125 cwt 165 lb cu ft 25	1,446 W 1,234 P 1,408 W 1,131 P	1,560 W 1,333 P 1,520 W 1,223 P
	CU1938 CU1838	corner unit FOR USE WITH 2FD1937 AND HW1937 OR 2FD1837 AND HW1837	38 38 29 KNEESPACE: 26"	class 125 cwt 170 lb cu ft 8	1,587 W 1,355 P 1,539 W 1,308 P	1,710 W 1,465 P 1,662 W 1,411 P
	R1920R R1820R	right return right file/box pedestal	20 48 29	class 125 cwt 160 lb cu ft 25	1,446 W 1,234 P 1,408 W 1,131 P	1,560 W 1,333 P 1,520 W 1,223 P
	R1920L R1820L	left return left file/box pedestal FOR USE WITH 38" CORNER UNITS	20 48 29	class 125 cwt 160 lb cu ft 25	1,446 W 1,234 P 1,408 W 1,131 P	1,560 W 1,333 P 1,520 W 1,223 P
•	B1948-EH B1848-EH	bridge open kneespace	20 48 29	class 125 cwt 65 lb cu ft 3	723 W 644 P 693 W 573 P	782 W 696 P 748 W 617 P

	C1972L C1872L	single pedestal credenza left file/box pedestal	20	72 29	class 125 cwt 190 lb cu ft 28	2,421 W 2,087 P 2,031 W 1,621 P	2,606 W 2,254 P 2,193 W 1,751 P
	C1972R-2F C1872R-2F	single pedestal credenza right lateral file pedestal	20	72 29	class 125 cwt 240 lb cu ft 28	2,753 W 2,425 P 2,370 W 2,041 P	2,972 W 2,617 P 2,533 W 2,205 P
	C1972L-2F C1872L-2F	single pedestal credenza left lateral file pedestal	20	72 29	class 125 cwt 240 lb cu ft 28	2,753 W 2,425 P 2,370 W 2,041 P	2,972 W 2,617 P 2,533 W 2,205 P
	C1966R C1866R	single pedestal credenza right file/box pedestal	20	66 29	class 125 cwt 180 lb cu ft 26	2,002 W 1,700 P 1,834 W 1,509 P	2,161 W 1,838 P 2,132 W 1,630 P
	C1966L	single pedestal credenza left file/box pedestal	20	66 29	class 125 cwt 180 lb cu ft 26	2,002 W 1,700 P 1,834 W 1,509 P	2,161 W 1,838 P 2,132 W 1,630 P
	WH1966 WH1866	66" wide wall hung overhead unit four hinged doors	16	66 16	class 125 cwt 110 lb cu ft 13	1,805 1,805	1,939
	WH1948 WH1848	48" wide wall hung overhead unit three hinged doors	16	48 16	class 125 cwt 90 lb cu ft 10	1,361 1,361	1,461
v	WH1936 WH1836	36" wide wall hung overhead unit two hinged doors	16	36 16	class 125 cwt 75 lb cu ft 7	923 923	990

P laminate top W veneer top

edge



laminate tops only 4L-P walnut dark mahogany on walnut mahogany on walnut cherry on walnut

veneer

unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding I 1800 series without molding

monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts

model number

OU1948 - __ - __

OU1848 - _ - _

CUH - _ - _

H1948 - __ - __

H1848 - _ - _

HO1971 - __ - __

HO1871 - __ - __

HO1936 - __ - __

HO1836 - __ - __

HW1971 - __ - __

HW1871 - __ - __

HW1936 - __ - __

HW1836 - __ - __

HW1918 - __ - __

HW1818 - __ - __ (L or R)

HW1937 - __ - __

HW1837 - __ - __

(L or R)

description

corner hutch

hutch

PRINTER STAND ADDITIONAL SHELVES \$77 EACH

or 4FD1874

hutch

2FD1837

or 4FD1874

2FD1837

FOR USE WITH CU1938 OR CU1838

with wire management grommets

TO SET ON 4HW1974, 4FD1974, 4HW1874

то set on HW1937, 2FD1937, HW1837 ог

two adjustable shelves in each side

two adjustable shelves in each side TO SET ON HW1937, 2FD1937, HW1837 OR

TO SET ON 4HW1974, 4FD1974, 4HW1874

with two adjustable shelves CAN BE USED WITH A 48" DESK OR COMPUTER

ADDITIONAL SHELVES \$77 EACH

ADDITIONAL SHELVES \$77 EACH

ADDITIONAL SHELVES \$77 EACH

ADDITIONAL SHELVES \$77 EACH

hinged door cabinet

two adjustable shelves

ADDITIONAL SHELVES \$77 EACH

(bracket base unit not available)

ADDITIONAL SHELVES \$77 EACH

hinged door cabinet

wood doors one adjustable shelf

wood doors

hinged door cabinet wood doors

hinged door cabinet wood doors

(MUST BE ORDERED SEPARATELY)

with three doors

overhead

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts



list \$ zone 1 | list \$ zone 2

1,989

1,863

1,658

1,010

973

2,962

2,740

1,466

1,370

3,326

3,179

1,778

1,629

1,554

1,480

1,710 W

1,534 W

1,306 P

1,452 P

1,847

1,721

1,506

902

2,602

2,394

1,288

1,197

3,080

2,943

1,646

1,509

1,448

1,317

1.587 W

1,345 P

1,422 W

1,209 P

freight

cwt 150 lb

class 85 kd

cwt 105 lb

cu ft 20

class 125

cwt 82 lb

cwt 200 lb

cwt 220 lb

cwt 115 lb

cwt 125 lb cu ft 11

class 125

cwt 160 lb

cu ft 21

cu ft 34

cu ft 34

cu ft 12

16.5 71 43.25 class 125

16.5 36 43.25 class 125

17 71 43.25 class 125

17 36 43.25 class 125

17.5 18 43.25 class 125

20 37 29

cu ft 26

17.25 48 43.25 class 125

38 38 32

	model number FH1972 FH1872	description 72" wide overhead storage unit two full hinged doors two half hinged doors wire management grommet	d w h 17.5 70.75 43.25 OPENING: 25.63"	freight class 125 cwt 260 lb cu ft 40	list \$ zone 1 2,909 2,447	list \$ zone 2 3,326 3,196
0	FH1966 FH1866	66" wide overhead storage unit two full hinged doors two half hinged doors wire management grommet	17.5 65 43.25 OPENING: 25.63''	class 125 cwt 245 lb cu ft 38	2,477 2,356	3,213 3,082
	OU1972 OU1872	72" wide overhead storage unit four hinged doors three wire management grommets	17.5 70.75 43.25 OPENING: 25.63''	class 125 cwt 190 lb cu ft 40	2,487 2,366	2,687 2,556
	OU1966 OU1866	66" wide overhead storage unit four hinged doors three wire management grommets	17.5 65 43.25 OPENING: 25.63''	class 125 cwt 180 lb cu ft 38	2,279 2,073	2,464 2,445
	OD1972 OD1872	72" wide overhead storage unit with open center one hinged door on each end three wire management grommets	17.5 70.8 43.25 OPENING: 25.63''	class 125 cwt 185 lb cu ft 40	2,204 2,122	2,380 2,292
	OD1966 OD1866	66" wide storage unit with open center one hinged door on each end three wire management grommets	17.5 64.3 43.25 OPENING: 25.63"	class 125 cwt 175 lb cu ft 38	1,988 1,902	2,148 2,055
	001972 001872	72"wide open overhead storage unit with open center three wire management grommets	17.5 70.8 43.25 OPENING: 25.63''	class 125 cwt 180 lb cu ft 40	1,783 1,668	1,925
	OO1966 OO1866	66" wide open overhead storage unit with open center three wire management grommets	17.5 64.3 43.25 OPENING: 25.63''	class 125 cwt 170 lb cu ft 38	1,774 1,658	1,803
	OU1936 OU1836	overhead with two doors	17.5 36 43.25	class 125 cwt 115 lb cu ft 19	1,633 1,507	1,760 1,634

laminate
tops only

4L-P dark mahogany on walnut mahogany on walnut cherry on walnut

veneer

3L-W walnut 2KL-W walnut 4L-W dark mahogany on walnut 25M-W mahogany on walnut 25C-W cherry on walnut

laminate top veneer top

edge



unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding I 1800 series without molding

monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts

model number

(L or R)

WD1972-18 - __ - __

WD1872-18 - _ - _ (L or R)

WD1972 - __ - __

WD1872 - __ - __

4HW1974D-36 - __

4HW1874D-36 - __

4FD1974 - __ - __

4FD1874 - __ - __

4HW1974 - __ - __

4HW1874 - __ - __

4FD1937 - __ - __

4FD1837 - __ - __

3FD1937 - __ - __

3FD1837 - __ - __

2FD1937 - __ - __

2FD1837 - __ - __

19MP2F - __ - __

18MP2F - __ - __

description

wardrobe

wardrobe

two hinged doors, hanging rod,

two sets of hinged doors with one

adjustable shelf on each side

(bracket base not available)

ADDITIONAL SHELVES \$77 EACH

lateral file/four drawers

common top

two drawers side by side under

2-hinged door cabinets under common 20

top with one adjustable shelf each

(bracket base not available)

(bracket base not available)

ADDITIONAL SHELVES \$77 EACH

lateral file with four drawers

(bracket base not available)

lateral file with three drawers standard with no-tip locking system

(bracket base not available)

lateral file with two drawers

use under any 29" surface

mobile pedestal

black tray top

standard with no-tip locking system (bracket base not available)

file/file drawers with locking casters for

standard with no-tip locking system

three adjustable shelves

ADDITIONAL SHELVES \$77 EACH

serving height credenza

two drawers above

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts

d

24

w h

18 72

24 36 72

INSIDE DIMENSIONS:

21 33 69

20 73 36

INSIDE DIMENSIONS

19 34.5 25.8

20 37 54

20 37 41

20 37 29

18.8 15.6 27.25 class 125

EACH CABINET:

freight

class 125

class 125

cu ft 42

class 125

cu ft 37

class 125

cu ft 30

cu ft 32

class 125

cu ft 25

class 125

cu ft 25

class 125

cu ft 16

cwt 75 lb

cuft 6

cwt 160 lb

cwt 225 lb

cwt 265 lb

cwt 310 lb

cwt 405 lb

cwt 285 lb

cwt 170 lb cu ft 23



list \$ zone 1 | list \$ zone 2

2,848

2,442

3,774

3,349

3,995 W

3,724 W

3,337 P

3,775 W

3,386 P

3,319 W

3,421 W

3,029 P

3,130 W

3,672 W

3,115 P

3,464 W

2,890 P

3,064 W

2,838 P

2,394 W

2,209 P

2,076 W

1,805 P

1,735 W **1,477** P

1.016

1,016

2,735 P

2,920 P

3,608 P

2,636

2,230

3,556

3,100

3,719 W

3,361 P

3,449 W

3,090 P

3,135 P

3,074 W

2,703 P

2,805 P

2,904 W

2,533 P

3,357 W

2,883 P

3,149 W

2,677 P

2,866 W

2,629 P

2,272 W

2,046 P

1,923 W

1,610 W

1,368 P

940

940

1,672 P

	model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
	HG1971 HG1871	hinged door cabinet wire grill doors two adjustable shelves in each side TO SET ON 4HW1974, 4FD1974, 4HW1874 OR 4FD1874 ADDITIONAL SHELVES \$77 EACH	17	71	43.25	class 125 cwt 220 lb cu ft 34	3,816 3,554	4,122 3,872
	HG1936 HG1836	hinged door cabinet wire grill doors two adjustable shelves in each side TO SET ON HW1937, 2FD1937, HW1837 OR 2FD1837 ADDITIONAL SHELVES \$77 EACH	17	36	43.25	class 125 cwt 115 lb cu ft 34	1,997 1,854	2,156 2,003
	HD1971 HD1871	hinged door cabinets glass doors two adjustable shelves in each side TO SET ON 4HW1974, 4FD1974, 4HW1874 OR 4FD1874 ADDITIONAL SHELVES \$77 EACH	17	71	43.25	class 125 cwt 220 lb cu ft 34	3,221 3,084	3,478 3,331
	HD1936 HD1836	hinged door cabinets glass doors two adjustable shelves in each side TO SET ON HW1937, 2FD1937, HW1837 OR 2FD1837 ADDITIONAL SHELVES \$77 EACH	17	36	43.25	class 125 cwt 115 lb cu ft 21	1,714 1,579	1,850 1,773
	HD1918 (L or R) HD1818 (L or R)	hinged door cabinet glass doors two adjustable shelves	17.5	18	43.25	class 125 cwt 115 lb cu ft 21	1,518 1,387	1,681 1,550
2 2 2	AV19722F AV18722F	tv cabinet pocket doors with pull-out swivel tv tray upper lateral file below	24	36	72	class 125 cwt 340 lb cu ft 43	4,953 4,953	5,349 5,349
	AV1972HW AV1872HW	tv cabinet pocket doors with pull-out swivel tv tray upper hinged doors below ADDITIONAL SHELVES \$77 EACH	24	36	72	class 125 cwt 270 lb cu ft 43	4,785 4,785	5,170 5,170
	HW19722F HW18722F	storage cabinet hinged doors with adjustable shelf upper lateral file below ADDITIONAL SHELVES \$77 EACH	24	36	72	class 125 cwt 320 lb cu ft 43	4,323 4,323	4,669 4,669
	HW1972HW HW1872HW	storage cabinet hinged doors with adjustable shelving upper and lower cabinets ADDITIONAL SHELVES \$77 EACH	24	36	72	class 125 cwt 270 lb cu ft 43	4,140 4,140	4,477 4,477

laminate tops only 4L-P dark mahogany on walnut 25M-P 25C-P walnut cherry on walnut

veneer

3L-W walnut 2KL-W walnut 4L-W dark mahogany on walnut 25M-W mahogany on walnut 25C-W cherry on walnut

laminate top veneer top

edge



296

298



CF1976-2KL-W

unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding I 1800 series without molding

monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts

model number

HDHW1937 - __ - __

HDHW1837 - __ - _

HO2FD1937 - __ - _

HO2FD1837 - __ - __

HOHW1937 - __ - __

HOHW1837 - __ - __

P1930 - __ - __

P1830 - __ - __

CRP1948-29- __ - _

CRP1848-29 - __ -

CRP1948 - __ - __

CRP1848 - __ - __

CRP1936-29 - __ -

CRP1836-29 - __ - _

CRP1936 - __ - __

CRP1836 - __ - __

BW1971 - __ - __

BW1871 - __ - __

description

system

hutch and hinged door cabinet

cabinet has one adjustable shelf

ADDITIONAL SHELVES \$77 EACH

open hutch and lateral file

ADDITIONAL SHELVES \$77 EACH

ADDITIONAL SHELVES \$77 EACH

one adjustable shelf

computer printer stand

computer printer stand

computer printer stand

computer printer stand

WHEEL CASTERS FOR UNIT HEIGHT OF 26.25"

ADD \$96 LIST AND SPECIFY FOR LOCKING DUAL

WHEEL CASTERS FOR UNIT HEIGHT OF 28.25"

two adjustable shelves in each side

WHEEL CASTERS FOR UNIT HEIGHT OF 26.25"

ADD \$96 LIST AND SPECIFY FOR LOCKING DUAL

WHEEL CASTERS FOR UNIT HEIGHT OF 28.25"

ADD \$151 LIST AND SPECIFY FOR LOCKING DUAL KNEESPACE: 44.5"

ADD \$151 LIST AND SPECIFY FOR LOCKING DUAL KNEESPACE: 32.5"

COMPUTER GROUP.

one fixed shelf

one fixed shelf

one fixed shelf

one fixed shelf

double bookcase

four wood doors

freestanding with base (bracket base not available)

ADDITIONAL SHELVES \$77 EACH

printer stand with paper slot

DESIGNED TO FIT CG1948 OR CG1848

hutch with hinged glass doors and two

adjustable shelves, hinged wood door

two adjustable shelves, two drawer lat-

eral file with standard no-tip locking

open hutch and hinged door cabinet

two adjustable shelves, hinged wood

door cabinet has one adjustable shelf

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts



list \$ zone 2

3,542 W

3,270 P

3,104 W

3,542 W **3,270** P

3,104 W

2,847 P

3,175 W

2,918 P

2,904 W **2,676** P

1,090 W

1,030 W

1,638 W

1,402 P

1,594 W 1,355 P

1,638 W

1,402 P

1,594 W

1,355 P

1,183 W

1,014 P

1,129 W **968** P

1.183 W

1,014 P

1,129 W

968 P

3.953 W

3,326 P

3,810 W

3,179 P

933 P

876 P

2,847 P

list \$ zone 1

3,301 W

3,059 P

3,001 W

2,788 P

3,211 W

2,959 P

2,807 W

2,875 W

2,633 P

2,619 W

2,406 P

1,009 W

864 P

955 W

811 P

1,521 W

1,299 P

1,480 W

1,258 P

1,299 P

1,480 W

1,099 W

940 P

1,045 W

1,099 W

940 P

1,045 W

897 P

3.661 W

3,524 W

2,943 P

3,080 P

1,258 P

2,565 P

freight

cwt 300 lb

cwt 300 lb

class 125

class 125

cu ft 13

class 125

cu ft 22

class 125

cu ft 17

cu ft 17

cwt 235 lb

cu ft 41

26.25 class 125

cwt 115 lb

cwt 300 lb

72.5 class 125

72.5 class 125

SHIPS AS TWO PIECES CU ft 37

SHIPS AS TWO PIECES CU ft 37

SHIPS AS TWO PIECES CU ft 37

20 30 29

24 48 29

KNEESPACE: 44.5"

24 36 29

KNEESPACE: 32.5"

24 36 26.25 class 125

17 71 47.5 class 125

20 37

v v v v v v v v v v	model number 19MP3D 18MP3D	description mobile pedestal box/box/file drawers with locking casters for use under any 29" surface black tray top	d w h	freight class 125 cwt 75 lb cu ft 6	list \$ zone 1 1,140 1,140	list \$ zone 2 1,232 1,232
	HWCR1972D	hutch and credenza hutch with four hinged doors and four adjustable shelves; credenza has file/box on each side of hinged door cabinet with adjustable shelf ADDITIONAL SHELVES \$77 EACH	17 71 43.25 HUTCH 20 72 29 CREDENZA SHIPS AS TWO PIECES	cwt 535 lb cu ft 68	5,895 W 5,525 P 5,642 W 5,471 P	6,365 W 5,967 P 6,086 W 5,600 P
	HW2FD1937 HW2FD1837	hutch and lateral file wood doors and two adjustable shelves, two drawer lateral file with standard no-tip locking system ADDITIONAL SHELVES \$77 EACH	20 37 72.5 SHIPS AS TWO PIECES	class 125 cwt 300 lb cu ft 37	3,569 W 3,318 P 3,119 W 2,877 P	3,854 W 3,582 P 3,364 W 3,106 P
	HWHW1937 HWHW1837	hutch and hinged door cabinet wood doors and two adjustable shelves, hinged wood door cabinet has one adjustable shelf ADDITIONAL SHELVES \$77 EACH	20 37 72.5 SHIPS AS TWO PIECES	class 125 cwt 300 lb cu ft 37	3,233 W 2,991 P 2,931 W 2,718 P	3,488 W 3,230 P 3,163 W 2,936 P
1000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	HGCR1972D HGCR1872D	hutch and credenza hutch with four hinged wire grill doors and four adjustable shelves; credenza has file/box on each side of hinged door cabinet with adjustable shelf. ADDITIONAL SHELVES \$77 EACH	17 71 43.25 HUTCH 20 72 29 CREDENZA SHIPS AS TWO PIECES	cwt 535 lb cu ft 68	6,631 W 6,262 P 6,253 W 5,897 P	7,162 W 6,763 P 6,780 W 6,293 P
	HG2FD1937 HG2FD1837	hutch and lateral file hinged wire grill doors and two adjustable shelves, two drawer lateral file with standard no-tip locking system ADDITIONAL SHELVES \$77 EACH	20 37 72.5 SHIPS AS TWO PIECES	class 125 cwt 300 lb cu ft 37	3,920 W 3,668 P 3,463 W 3,221 P	4,233 W 3,961 P 3,737 W 3,480 P
	HGHW1937 HGHW1837	hutch with hinged door cabinet hutch with hinged wire grill doors, two adjustable shelves, hinged wood door cabinet has one adjustable shelf ADDITIONAL SHELVES \$77 EACH	20 37 72.5 SHIPS AS TWO PIECES	class 125 cwt 300 lb cu ft 37	3,584 W 3,342 P 3,276 W 3,063 P	3,866 W 3,609 P 3,537 W 3,309 P
	HDCR1972D HDCR1872D	hutch and credenza hutch with four glass hinged doors and four adjustable shelves, credenza has file/box on each side of hinged door cabinet with adjustable shelf ADDITIONAL SHELVES \$77 EACH	17 71 43.25 HUTCH 20 72 29 CREDENZA SHIPS AS TWO PIECES	cwt 535 lb cu ft 68	6,036 W 5,666 P 5,783 W 5,427 P	6,518 W 6,119 P 6,239 W 5,753 P
	HD2FD1937 HD2FD1837	hutch and lateral file hutch with hinged glass doors and two adjustable shelves, two drawer lateral file with standard no-tip locking system ADDITIONAL SHELVES \$77 EACH	20 37 72.5 SHIPS AS TWO PIECES	class 125 cwt 320 lb cu ft 37	3,637 W 3,386 P 3,189 W 2,947 P	3,926 W 3,654 P 3,507 W 3,250 P

laı	minate
top	s only

4L-P walnut dark mahogany on walnut mahogany on walnut cherry on walnut

veneer

3L-W walnut 2KL-W walnut 4L-W dark mahogany on walnut 25M-W mahogany on walnut 25C-W cherry on walnut

edge

laminate top veneer top

unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding | 1800 series without molding

monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts



model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
BC1936	bookcase two adjustable shelves	12	36	36	class 125 cwt 85 lb cu ft 12	994 W 904 P	1,073 W 977 P
BC1836	SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH					907 W 817 P	980 W 882 P
BC1930	bookcase one adjustable shelf	12	36	30	class 125 cwt 80 lb cu ft 11	939 W 850 P	1,015 W 918 P
BC1830	SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH					810 W 718 P	873 W 777 P

model number BW1936 BW1836	description bookcase two wood doors two adjustable shelves in each side freestanding with base (bracket base not available)	d 17	w 36	h 47.5	freight class 125 cwt 120 lb cu ft 21	list \$ zone 1 1,845 W 1,646 P 1,708 W 1,509 P	list \$ zone 2 1,992 W 1,778 P 1,845 W 1,646 P
BG1971	double bookcase four wire grill doors two adjustable shelves in each side freestanding with base (bracket base not available)	17	71	47.5	class 125 cwt 235 lb cu ft 41	4,400 W 3,816 P 4,135 W 3,554 P	4,738 W 4,122 P 4,453 W 3,872 P
BG1936 BG1836	bookcase two wire grill doors two adjustable shelves in each side freestanding with base (bracket base not available) ADDITIONAL SHELVES \$77 EACH	17	36	47.5	class 125 cwt 120 lb cu ft 21	2,200 W 1,997 P 2,060 W 1,854 P	2,371 W 2,156 P 2,218 W 2,003 P
BD1971 BD1871	double bookcase four glass doors two adjustable shelves in each side freestanding with base (bracket base not available) ADDITIONAL SHELVES \$77 EACH	17	71	47.5	class 125 cwt 235 lb cu ft 41	3,803 W 3,221 P 3,667 W 3,084 P	4,095 W 3,478 P 3,950 W 3,331 P
BD1936 BD1836	bookcase two glass doors two adjustable shelves in each side freestanding with base (bracket base not available) ADDITIONAL SHELVES \$77 EACH	17	36	47.5	class 125 cwt 120 lb cu ft 21	1,918 W 1,714 P 1,784 W 1,579 P	2,066 W 1,850 P 1,922 W 1,773 P
BC1984 BC1884	bookcase four adjustable shelves one fixed shelf in center solid wood shelves \$23 EACH ADDITIONAL SHELVES \$77 EACH	12	36	84	class 125 cwt 145 lb cu ft 28	1,705 W 1,614 P 1,600 W 1,509 P	1,841 W 1,742 P 1,724 W 1,627 P
BC1972 BC1872	bookcase three adjustable shelves one fixed shelf in center SOLID WOOD SHELVES \$23 EACH ADDITIONAL SHELVES \$77 EACH	12	36	72	class 125 cwt 135 lb cu ft 24	1,496 W 1,405 P 1,443 W 1,351 P	1,612 W 1,516 P 1,553 W 1,461 P
BC1960 BC1860	bookcase two adjustable shelves one fixed shelf in center solid wood shelves \$23 Each Additional shelves \$77 Each	12	36	60	class 125 cwt 110 lb cu ft 20	1,315 W 1,239 P 1,215 W 1,126 P	1,430 W 1,338 P 1,313 W 1,214 P
BC1948 BC1848	bookcase one adjustable shelf one fixed shelf solid wood shelves \$23 each additional shelves \$77 each	12	36	48	class 125 cwt 96 lb cu ft 16	1,121 W 1,029 P 1,051 W 960 P	1,207 W 1,111 P 1,135 W 1,036 P

P laminate top
W veneer top

edge



laminate tops only 4L-P walnut dark mahogany on walnut mahogany on walnut cherry on walnut

veneer

3L-W walnut 2KL-W walnut 4L-W dark mahogany on walnut 25M-W mahogany on walnut 25C-W cherry on walnut

301

300

unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding I 1800 series without molding

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts

monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
MBT1972R-EH MBT1872R-EH 	executive "I" unit	90	72	29	class 125 cwt 420 lb cu ft 84	5,874 W 5,219 P 5,757 W 5,101 P	6,343 W 5,636 P 6,201 W 6,541 P



consists of:	d	w	h	quantity
DBT1972LW or -P or DBT1872LW or -P approach bow top single pedestal desk left file/box pedestal, center drawer		72 ACH: 6 PACE: 3		1
R1948R-EHW or -P or R1848R-EHW or -P single pedestal return right file/box pedestal	24 KNEES	48 PACE: 3	29 32''	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
MBT1972L-EH	executive "I" unit	90	72	29	class 125 cwt 420 lb	5,874 W 5,219 P	6,343 W 5.636 P
 MBT1872L-EH					cwt 420 lb cu ft 84	5,757 W	6,201 W
- <u></u>						5,101 P	6,541 P



consists of:	d	w	h	quantity
DBT1972RW or -P or DBT1872RW or -P approach bow top single pedestal desk right file/box pedestal, center drawer		72 DACH: (SPACE:	-	1
R1948L-EHW or -P or R1848L-EHW or -P single pedestal return left file/box pedestal	24 KNEES	48 SPACE:	29 32''	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
CFM1972R-EH	executive "I" unit	84	72	29	class 125	4,476 W	4,835 W
-					cwt 400 lb	3,830 P	4,125 P
CFM1872R-EH					cu ft 82	4,360 W	4,694 W
_						3.706 P	4.002 P



consists of:	d	w	h	quantity
CFD1972LW or -P or CFD1872LW or -P single pedestal desk left file/box pedestal, center drawer	36 KNEES	72 PACE: 3.	29 2''	1
R1948R-EHW or -P or R1848R-EHW or -P single pedestal return right file/box pedestal	24 KNEES	48 PACE: 3.	29 2''	1

top	P W	laminate top

custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length.



laminate tops only 4L-P dark mahogany on walnut cherry on walnut cherry on walnut

veneer

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
CFM1972L-EH CFM1872L-EH 	executive "I" unit	84	72	29	class 125 cwt 400 lb cu ft 82	4,476 W 3,830 P 4,360 W 3,706 P	4,835 W 4,125 P 4,694 W 4,002 P



consists of:	d	w	h	quantity
CFD1972RW or -P or CFD1872RW or -P single pedestal desk right file/box pedestal, center drawer	36 KNEES	72 SPACE: S	29 32''	1
R1948L-EHW or -P or R1848L-EHW or -P single pedestal return left file/box pedestal	24 KNEES	48 SPACE: S	29 32''	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
CFM1966R-EH CFM1866R-EH 	executive "I" unit	84	66	29	class 125 cwt 375 lb cu ft 77	4,417 W 3,802 P 4,102 W 3,489 P	4,769 W 4,105 P 4,430 W 3,767 P



consists of:	d	w	h	quantity
CFD1966LW or -P or CFD1866LW or -P single pedestal desk left file/box pedestal, center drawer	36 KNEES	66 PACE: 2	29 6''	1
R1948R-EHW or -P or R1848R-EHW or -P single pedestal return right file/box pedestal	24 KNEES	48 PACE: 3	29 2''	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
CFM1966L-EH CFM1866L-EH 	executive "I" unit	84	66	29	class 125 cwt 375 lb cu ft 77	4,417 W 3,802 P 4,102 W 3,489 P	4,769 W 4,105 P 4,430 W 3,767 P



consists of:	d	w	h	quantity
CFD1966RW or -P or CFD1866RW or -P single pedestal desk right file/box pedestal, center drawer	36 KNEES	66 SPACE: 2	29 26''	1
R1948L-EHW or -P or R1848L-EHW or -P single pedestal return left file/box pedestal	24 KNEES	48 SPACE: 3	29 32''	1

unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding I 1800 series without molding

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts

monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts



model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M1972R-EH M1872R-EH	executive "I" unit	84	72	29	class 125 cwt 400 lb cu ft 82	4,476 W 3,830 P 4,360 W 3,706 P	4,835 W 4,125 P 4,694 W 4,002 P



consists of:	d	w	h	quantity
D1972LW or -P or D1872LW or -P single pedestal desk left file/box pedestal, center drawer	36 KNEES	72 PACE: 3	29 2''	1
R1948R-EHW or -P or R1848R-EHW or -P single pedestal return right file/box pedestal	24 KNEES	48 PACE: 3	29 '2''	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M1972L-EH M1872L-EH	executive "!" unit	84	72	29	class 125 cwt 400 lb cu ft 82	4,476 W 3,830 P 4,360 W 3,706 P	4,835 W 4,125 P 4,694 W 4,002 P



consists of:	d	w	h	quantity
D1972RW or -P or D1872RW or -P single pedestal desk right file/box pedestal, center drawer	36 KNEES	72 PACE: 3	29 2''	1
R1948L-EHW or -P or R1848L-EHW or -P single pedestal return left file/box pedestal	24 KNEES	48 PACE: 3	29 2''	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M1966R-EH	executive "I" unit	84	66	29	class 125 cwt 375 lb cu ft 77	4,417 W 3,802 P 4,102 W 3,489 P	4,769 W 4,105 P 4,430 W 3,767 P



consists of:	d	w	h	quantity
D1966LW or -P or D1866LW or -P single pedestal desk left file/box pedestal, center drawer	36 KNEESI	66 PACE: 2	29 6''	1
R1948R-EHW or -P or R1848R-EHW or -P single pedestal return right file/box pedestal	24 KNEESI	48 PACE: 3	29 2''	1

top	P W	laminate top

returns

custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length.

laminate tops only 4L-P dark mahogany on walnut 25M-P 25C-P walnut cherry on walnut

veneer

3L-W walnut 2KL-W walnut 4L-W dark mahogany on walnut 25M-W mahogany on walnut 25C-W cherry on walnut

nodel number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
11966L-EH	executive "I" unit	84	66	29	class 125 cwt 375 lb cu ft 77	4,417 W 3,802 P 4,102 W 3,489 P	4,769 W 4,105 P 4,430 W 3,767 P



consists of:	d	w	h	quantity
D1966RW or -P or D1866RW or -P single pedestal desk right file/box pedestal, center drawer	36 KNEES	66 PACE: 2	29 ?6''	1
R1948L-EHW or -P or R1848L-EHW or -P single pedestal return left file/box pedestal	24 KNEES	48 :PACE: 3	29 32''	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M196630R-EH M186630R-EH	executive "I" unit	78	66	29	class 125 cwt 360 lb cu ft 65	4,180 W 3,250 P 3,969 W 3,089 P	4,460 W 3,510 P 4,287 W 3,337 P



consists of:	d	w	h	quantity
D196630LW or -P or D186630LW or -P single pedestal desk left file/box pedestal, center drawer	30 KNEES	66 PACE: 2	29 6''	1
R1948R-EHW or -P or R1848R-EHW or -P single pedestal return right file/box pedestal	24 KNEES	48 PACE: 3.	29 2''	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M196630L-EH M186630L-EH 	executive "I" unit	78	66	29	cu ft 65	4,180 W 3,250 P 3,969 W 3,089 P	4,460 W 3,510 P 4,287 W 3,337 P



consists of:	d	w	h	quantity
D196630RW or -P or D186630RW or -P single pedestal desk right file/box pedestal, center drawer	30 KNEES	66 PACE: 2	29 6''	1
R1948L-EHW or -P or R1848L-EHW or -P single pedestal return left file/box pedestal	24 KNEES	48 PACE: 3	29 2''	1

305

unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding I 1800 series without molding

monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts



model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M1900R-EH M1800R-EH	executive "I" unit	78	60	29	class 125 cwt 340 lb cu ft 53	4,026 W 3,462 P 3,744 W 3,182 P	4,352 W 3,741 P 4,032 W 3,437 P




consists of:	d	w	h	quantity
D1960LW or -P or D1860LW or -P single pedestal desk left file/box pedestal, center drawer	30 KNEES	60 PACE: 2	29 4''	1
R194820R-EHW or -P or R184820R-EHW or -P single pedestal return right file/box pedestal	20 KNEES	48 PACE: 3.	29 2''	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
M1900L-EH	executive "I" unit	78	60	29	class 125 cwt 340 lb cu ft 53	4,026 W 3,462 P 3,744 W 3,182 P	4,352 W 3,741 P 4,032 W 3,437 P



consists of:	d	w	h	quantity
D1960RW or -P or D1860RW or -P single pedestal desk right file/box pedestal, center drawer	30 KNEES	60 SPACE:	29 24''	1
R194820L-EHW or -P or R184820L-EHW or -P single pedestal return left file/box pedestal	20 KNEES	48 SPACE:	29 32''	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
CS1924	corner unit	90	90	29	class 125 cwt 425 lb	4,647 W 3.967 P	5,016 W 4,285 P
CS1824					cwt 425 lb	4,516 W	4,285 P 4,859 W
						3.729 P	4.006 P



consists of:	d	w	h	quantity
CU1942W or -P or CU1842W or -P corner unit	42	42	29	1
(2) 24 x 48 returns left and right single pedestal returns file/box pedestal each side R1924L or R1824LW or -P R1924R or R1824RW or -P	24	48	29	1 1


top	P W	laminate top veneer top
	1	

custom length return sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length.

veneer


laminate tops only 4L-P dark mahogany on walnut 25M-P mahogany on walnut 25C-P oherry on walnut 3L-W walnut 2KL-W walnut 4L-W dark mahogany on walnut 25M-W mahogany on walnut 25C-W cherry on walnut

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
CS1920	corner unit	86	86	29	class 125 cwt 340 lb cu ft 50	4,479 W 3,823 P 4,355 W 3,570 P	4,831 W 4,130 P 4,703 W 3,856 P
•	'						




consists of:	d	w	h	quantity
CU1938W or -P or CU1838W or -P corner unit	38	38	29	1
(2) 24 x 48 returns left and right single pedestal returns file/box pedestal each side R1920L or R1820LW or -P R1920R or R1820RW or -P	24	48	29	1 1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT1972R-EH UMBT1872R-EH 	executive "u" unit	110	72	29	class 125 cwt 560 lb cu ft 84	7,572 W 6,716 P 7,073 W 6,164 P	8,170 W 7,253 P 7,621 W 6,656 P



consists of:	d	w	h	quantity
DBT1972L or DBT1872LW or -P bow front single pedestal desk left file/box pedestal, center drawer		72 ACH: 6 PACE: 3		1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 KNEES	48 PACE: 4	29 18''	1
C1972R or C1872R-EHW or -P single pedestal credenza right file/box pedestal	20 KNEES	72 pace: 3	29 32''	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UMBT1972L-EH UMBT1872L-EH 	executive "u" unit	110	72	29	class 125 cwt 560 lb cu ft 84	7,572 W 6,716 P 7,073 W 6,164 P	8,170 W 7,253 P 7,621 W 6,656 P



consists of:	d w h	quantity
DBT1972R or DBT1872RW or -P bow front single pedestal desk right file/box pedestal, center drawer	42 72 29 APPROACH: 6'' KNEESPACE: 36''	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 48 29 KNEESPACE: 48''	1
C1972L or C1872L-EHW or -P single pedestal credenza left file/box pedestal	20 72 29 KNEESPACE: 32''	1

unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding I 1800 series without molding


monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts



model number	description
UMBT1972R-EH2F	executive "u" u
 UMBT1872R-EH2F	

iption	d	w	h	freight	list \$ zone 1	list \$ zone 2
ive "u" unit	110	72	29	class 125 cwt 660 lb cu ft 84	7,904 W 7,053 P 7,412 W 6,584 P	8,536 W 7,617 P 7,961 W 7,110 P




consists of:	d	w	h	quanti
DBT1972L or DBT1872LW or -P bow front single pedestal desk left file/box pedestal, center drawer		72 DACH: (SPACE:	-	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 KNEES	48 SPACE:	29 48''	1
C1972R-2F or C1872R-2FW or -P single pedestal credenza right lateral file pedestal	20 KNEES	72 SPACE:	29 15''	1

model number
UMBT1972L-EH2F
 UMBT1872L-EH2F

description	
description executive "u" u	unit


d	w	h	freight	list \$ zone 1	list \$ zone 2
110	72	29	class 125 cwt 660 lb cu ft 84	7,904 W 7,053 P 7,412 W 6,584 P	8,536 W 7,617 P 7,961 W 7,110 P



consists of:	d w h	quantity
DBT1972R or DBT1872RW or -P bow front single pedestal desk right file/box pedestal, center drawer	42 72 29 APPROACH: 6'' KNEESPACE: 36''	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 48 29 KNEESPACE: 48''	1
C1972L-2F or C1872L-2FW or -P single pedestal credenza left lateral file pedestal	20 72 29 KNEESPACE: 15''	1

model number	description
CFUM1972R-EH	executive "u" unit
 CFUM1872R-EH 	

d	w	h	freight	list \$ zone 1	list \$ zone
104	72	29	class 125 cwt 540 lb cu ft 82	l '	6,662 W 5,742 P 6,114 W 5,147 P





consists of:	d w h	quantity
CFD1972L or CFD1872LW or -P single pedestal desk left file/box pedestal, center drawer	36 72 29 KNEESPACE: 36''	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 48 29 KNEESPACE: 48''	1
C1972R or-C1872RW or -P single pedestal credenza right file/box pedestal	20 72 29 KNEESPACE: 32''	1

P laminate top
W veneer top



custom length bridge sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length.






consists of:	d	w	h	quantity
CFD1972R or CFD1872RW or -P executive single pedestal desk center drawer, file/box pedestal	36 KNEES	72 PACE: 3	29 36''	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 KNEES	48 PACE: 4	29 18''	1
C1972L or-C1872LW or -P single pedestal credenza left file/box pedestal	20 KNEES	72 PACE: 3	29 32''	1

model number	description
CFUM1966R-EH	executive "u" unit
 CFUM1866R-EH 	


104 66 29 class 125 5,696 W 6,151 W 536 lb 4,911 P 5,306 P	one 2
cu ft 77 5,222 W 5,790 W 4,439 P 4,792 P	



consists of:	d	w	h	quantity
CFD1966L or CFD1866LW or -P single pedestal desk left file/box pedestal, center drawer	36 KNEES	66 PACE: 3	29 0''	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 KNEES	48 PACE: 4	29 8''	1
C1966R or C1866RW or -P single pedestal credenza right file/box pedestal	20 KNEES	66 PACE: 2	29 6''	1

model number	description
CFUM1966L-EH	executive "u" unit
 CUFM1866L-EH	

d	w	h	freight	list \$ zone 1	list \$ zone 2
104	66	29	class 125 cwt 536 lb cu ft 77	5,696 W 4,911 P 5,222 W 4,439 P	6,151 W 5,306 P 5,790 W 4,792 P



consists of:	d	w	h	quantity
CFD1966R or CFD1866RW or -P single pedestal desk right file/box pedestal, center drawer	36 KNEES	66 PACE: 3	29 '0''	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 KNEES	48 PACE: 4	29 8''	1
C1966L or C1866LW or -P single pedestal credenza left file/box pedestal	20 KNEES	66 PACE: 2	29 6''	1

laminate tops only 4L-P dark mahogany on walnut 25M-P mahogany on walnut 25C-P oherry on walnut


unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding I 1800 series without molding

monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM1972R-EH UM1872R-EH 	executive "u" unit	104	72	29	class 125 cwt 540 lb cu ft 82	6,174 W 5,326 P 5,676 W 4,769 P	6,662 W 5,742 P 6,114 W 5,147 P



consists of:	d	w	h	quantity
D1972L or D1872LW or -P single pedestal desk right file/box pedestal, center drawer	36 KNEES	72 PACE: 3	29 6''	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 KNEES	48 PACE: 4	29 8''	1
C1972R or C1872RW or -P single pedestal credenza right file/box pedestal	20 KNEES	72 PACE: 3	29 2''	1

model number	description
UM1972L-EH	executive "u" unit
UM1872L-EH	


d	w	h	freight	list \$ zone 1	list \$ zone 2
104	72	29	class 125 cwt 540 lb cu ft 82	6,174 W 5,326 P 5,676 W 4,769 P	6,662 W 5,742 P 6,114 W 5,147 P



consists of:	d	w	h	quantity
D1972R or D1872RW or -P single pedestal desk right file/box pedestal, center drawer	36 KNEE	72 SPACE:	29 36''	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 KNEE	48 SPACE:	29 48''	1
C1972L or C1872LW or -P single pedestal credenza left file/box pedestal	20 KNEE	72 SPACE:	29 32''	1

model number	description
UM1972R-EH2F	executive "u" unit
 UM1872R-EH2F 	


d	w	h	freight	list \$ zone 1	list \$ zone 2
104	72	29	class 125 cwt 650 lb cu ft 82	6,507 W 5,664 P 6,015 W 5,189 P	7,028 W 6,106 P 6,454 W 5,601 P




consists of:	d	w	h	quantity
D1972L or D1872LW or -P single pedestal desk left file/box pedestal, center drawer	36 KNEESI	72 PACE: 3	29 6''	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 KNEESI	48 PACE: 4	29 8''	1
C1972R-2F or C1872R-2FW or -P single pedestal credenza right lateral file pedestal	20 KNEES	72 PACE: 1	29 5''	1




custom length bridge sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length.





consists of:	d	w	h	quantity
D1972R or D1872RW or -P single pedestal desk right file/box pedestal, center drawer	36 KNEE	72 SPACE:	29 36''	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 KNEE	48 SPACE:	29 48''	1
C1972L-2F or C1872L-2FW or -P single pedestal credenza left lateral file pedestal	20 KNEE	72 SPACE:	29 15''	1


model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM1966R-EH UM1866R-EH 	executive "u" unit	104	66	29	class 125 cwt 536 lb cu ft 77	5,696 W 4,911 P 5,222 W 4,439 P	6,151 W 5,306 P 5,790 W 4,792 P



consists of:	d	w	h	quantity
D1966L or D1866LW or -P single pedestal desk left file/box pedestal, center drawer	36 KNEES	66 SPACE: S	29 30''	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 KNEE	48 SPACE: 4	29 48''	1
C1966R or C1866RW or -P single pedestal credenza right file/box pedestal	20 KNEES	66 SPACE: 2	29 26''	1

model number	description
UM1966L-EH	executive "u" unit
UM1866L-EH	

d	w	h	freight	list \$ zone 1	list \$ zone 2
104	66	29	class 125 cwt 536 lb cu ft 77	5,696 W 4,911 P 5,222 W 4,439 P	6,151 W 5,306 P 5,790 W 4,792 P



consists of:	d	w	h	quantity
D1966R or D1866RW or -P single pedestal desk right file/box pedestal, center drawer	36 KNEESI	66 PACE: 30	29)''	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 KNEESI	48 PACE: 48	29 3''	1
C1966L or C1866LW or -P single pedestal credenza left file/box pedestal	20 KNEESI	66 PACE: 26	29 5''	1

lam	inat
tops	only

ate | 3L-P | walnut | 4L-P | dark mahogany on walnut | 25M-P | 25C-P | cherry on walnut |

veneer


unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding | 1800 series without molding

monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts




model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM196630R-EH UM186630R-EH 	executive "u" unit	98	66	29	class 125 cwt 520 lb cu ft 69	5,409 W 4,360 P 5,088 W 4,040 P	5,842 W 4,711 P 5,647 W 4,362 P



consists of:	d	w	h	quantity
D196630L or D186630LW or -P single pedestal desk left file/box pedestal, center drawer	30 KNEES	66 PACE: 3	29 0''	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 KNEES	48 PACE: 4	29 8''	1
C1966R or C1866RW or -P single pedestal credenza right file/box pedestal	20 KNEES	66 PACE: 2	29 6''	1

model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
UM196630L-EH	executive "u" unit	98	66	29	class 125 cwt 520 lb	5,409 W 4,360 P	5,842 W 4,711 P
UM186630L-EH					cu ft 69	5,088 W 4,040 P	5,647 W 4,362 P



consists of:	d w h	quantity
D196630R or D186630RW or -P single pedestal desk right file/box pedestal, center drawer	30 66 29 KNEESPACE: 30''	1
B1948-EH or B1848-EHW or -P bridge with open kneespace	20 48 29 KNEESPACE: 48''	1
C1966L or C1866LW or -P single pedestal credenza left file/box pedestal	20 66 29 KNEESPACE: 26''	1

model number TD1972 TD1872	description desk top transaction counter for use with 72" desk only	d w	h 15.25	freight class 85 kd cwt 90 lb cu ft 6	930 W 930 W 930 P 930 P	list \$ zone 2 999 W 999 P 999 W 999 P
TD1966	desk top transaction counter for use with 66" desk only	12 66	15.25	class 85 kd cwt 84 lb cu ft 6	930 W 930 P 930 W 930 P	999 W 999 P 999 W 999 P
TD196630 TD186630	desk top transaction counter for use with 30" x 66" desk only	12 66	15.25	class 85 kd cwt 84 lb cu ft 6	930 W 930 P 930 W 930 P	999 W 999 P 999 W 999 P
TM1972R	desk top transaction/reception gallery for use with executive height 72" "I" unit	12 72 GALLERY 84 72	15.25 14	class 85 kd cwt 100 lb cu ft 6	1,375 W 1,375 P 1,375 W 1,375 P	1,478 W 1,478 P 1,478 W 1,478 P
TM1972L	desk top transaction/reception gallery for use with executive height 72" "I" unit	12 72 GALLERY 84 72	15.25 14	class 85 kd cwt 100 lb cu ft 6	1,375 W 1,375 P 1,375 W 1,375 P	1,478 W 1,478 P 1,478 W 1,478 P
TM1966R TM1866R	desk top transaction/reception gallery for use with executive height 66" "I" unit	12 66 GALLERY 78 66	15.25 14	class 85 kd cwt 94 lb cu ft 6	1,375 W 1,375 P 1,375 W 1,375 P	1,478 W 1,478 P 1,478 W 1,478 P
TM1966L	desk top transaction/reception gallery for use with executive height 66" "I" unit	12 66 GALLERY 78 66		class 85 kd cwt 94 lb cu ft 6	1,375 W 1,375 P 1,375 W 1,375 P	1,478 W 1,478 P 1,478 W 1,478 P
TM196630R TM186630R	desk top transaction/reception gallery for use with 30" x 66" "I" unit	12 66 GALLERY 78 66	15.25 14	class 85 kd cwt 94 lb cu ft 6	1,375 W 1,375 P 1,375 W 1,375 P	1,478 W 1,478 P 1,478 W 1,478 P
TM196630L TM186630L	desk top transaction/reception gallery for use with 30" x 66" "I" unit	12 66 GALLERY 78 66		class 85 kd cwt 94 lb cu ft 6	1,375 W 1,375 P 1,375 W 1,375 P	1,478 W 1,478 P 1,478 W 1,478 P

P laminate top W veneer top

edge

bridges

custom length bridge sizes are available up to 65" with the grain direction running lengthwise (opposite the desk grain), add \$410 list and specify length.

laminate tops only 4L-P walnut 44L-P dark mahogany on walnut 25M-P a5C-P cherry on walnut

veneer



unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding I 1800 series without molding

model number

T1948 - __ - __

T1848 - __ - __

ET1928 - __ - __

ET1828 - __ - __

ET1928S - __ - __

ET1828S - __ - __

T1930-29 - __ - __

T1830-29 - __ - __

T1930-22 - __ - __

T1830-22 - __ - __

T1930-17 - __ - __

T1830-17 - __ - __

T1930S - __ - __

T1830S - __ - __

SC1937 - __ - __

SC1837 - __ - __

TC1920 - __ - __

TC1820 - __ - __

A

description

lamp table

CAN SHIP UPS

end table

CAN SHIP UPS

end table

with shelf

CAN SHIP UPS

lamp table

with shelf

CAN SHIP UPS

serving cart

telephone cabinet

fixed shelf with hinged door storage

monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts

d

18

48 17

28 15 22

28 15 22

30 30 29

30 30 22

30 30 17

30 30 22

19.2 19.2 29

20 36.6 30.5 class 125

freight

class 85 kd

cwt 40 lb cuft 3

class 85 kd

cwt 26 lb cu ft 2

class 85 kd

cwt 30 lb

class 85 kd

cwt 50 lb

class 85 kd

cwt 45 lb

class 85 kd cwt 46 lb

class 125

cwt 64 lb

cwt 185 lb

cu ft 16

class 125

cwt 85 lb cu ft 8

cuft 3

cuft 3

cuft 2



list \$ zone 1 | list \$ zone 2

774 W **506** P

774 W **506** P

531 W 389 P

531 W **389** P

659 W

521 P

659 W **521** P

958 W

662 P

958 W

662 P

761 W

464 P

761 W

464 P

427 P

722 W

427 P

991 W

696 P

991 W

696 P

2,204 P

2,062 P

1,090 W

923 P

1,076 W

908 P

715 W 470 P

715 W

470 P

490 W **362** P

490 W

362 P

610 W

482 P

610 W

482 P

889 W

612 P

889 W

612 P

706 W

430 P

706 W

430 P

396 P

672 W

396 P

645 P

921 W

645 P

2,041 P

1,910 P

1,010 W

855 P

996 P

843 P

	model number	description	d w	, h	freight	list \$ zone 1	list \$ zone 2
	TM1960R	desk top transaction/reception gallery for use with 60" right "u" unit	12 6	0 14	class 125 cwt 90 lb	1,375 W 1,375 P	1,478 W 1,478 P
	TM1860R		GALLERY	60 14	cuft 6	1,375 W 1,375 P	1,478 W 1,478 P
	 	l I	 		1	1	
	TM1960L	desk top transaction/reception gallery for use with 60" left "u" unit	12 6	0 14	class 125 cwt 90 lb cu ft 6	1,375 W 1,375 P	1,478 W 1,478 P
	TM1860L			60 14	Cu it 0	1,375 W 1,375 P	1,478 W 1,478 P
	TU1972R	desk top transaction/reception gallery	12 7	2 14	class 125	1,858 W	2,001 W
		for use with 72" right executive "u" unit only	GALLERY	15.25	cwt 150 lb	1,858 P	2,001 P
	TU1872R					1,858 W 1,858 P	2,001 W 2,001 P
	TU1972L	desk top transaction/reception gallery	12 7	2 14	class 125	1,858 W	2,001 W
	T1140701	for use with 72" left executive "u" unit only	GALLERY	15.25	cwt 150 lb cu ft 8	1,858 P	2,001 P
	TU1872L					1,858 W 1,858 P	2,001 W 2,001 P
	TU1966R	desk top transaction/reception gallery	12 6	6 15.25	class 125	1,858 W	2,001 W
	TU1866R	for use with 66" right executive "u" unit only	GALLERY	14	cwt 140 lb	1,858 P 1,858 W	2,001 P
						1,858 P	2,001 P
	TU1966L	desk top transaction/reception gallery	12 6	6 15.25	class 125	1,858 W	2,001 W
	TU1866L	for use with 66" left executive "u" unit only	GALLERY	14	cwt 140 lb cu ft 8	1,858 P 1,858 W	2,001 P
						1,858 P	2,001 P
	TU196630R	desk top transaction/reception gallery for use with 30" x 66" "u" unit	12 6	6 15.25	class 125 cwt 145 lb	1,858 W 1,858 P	2,001 W 2,001 P
	TU186630R	Tor use with oo x oo u unit	GALLERY		cuft 8	1,858 W	2,001 W
			98	- 14		1,858 P	2,001 P
	TU196630L	desk top transaction/reception gallery for use with 30" x 66" "u" unit	12 6	6 15.25	class 125 cwt 145 lb	1,858 W 1,858 P	2,001 W 2,001 P
	TU186630L	Tor use with 30 x 60 u unit	GALLERY		cu ft 8	1,858 W	2,001 F
			98	- 14		1,858 P	2,001 P
	T1948-29	sofa table	18 4	8 29	class 85 kd	902 W 653 P	971 W 706 P
	T1848-29	CAN SHIP UPS			cuft 3	902 W	971 W
ul , u						653 P	706 P

	am		
- 10	am	ш	ate
to	ops	onl	y

4L-P walnut dark mahogany on walnut mahogany on walnut cherry on walnut

veneer

3L-W walnut 2KL-W walnut 4L-W dark mahogany on walnut 25M-W mahogany on walnut 25C-W cherry on walnut

edge

laminate top veneer top

314

315

monticello/empire 1900/1800



unit identification (type), top dimension, chassis option - chassis & top finish - top material 1900 series with molding I 1800 series without molding

	model number W1914	description waste receptacle CAN SHIP UPS	d 14		h 14.5	freight class 200 cwt 9 lb cu ft 2	list \$ zone 1 295	list \$ zone 2 317
ال الم	KBCD1900	flip front keyboard drawer	14 (CUSTOM	3.5		487 487	529 529
		SPECIFY GROMMET LOCATION						
	TLS	traditional lectern stand	22	30	20	class 125 cwt cu ft	817	913

P laminate top
W veneer top

edge



monticello/empire | 1900/1800 series | wood top, veneer chassis, veneer drawer fronts

1900 series with molding | 1800 series without molding | laminate top, veneer chassis, veneer drawer fronts



laminate tops only 4L-P walnut 44L-P dark mahogany on walnut 25M-P mahogany on walnut cherry on walnut

veneer