

product warranty

Inwood Office Environments warrants its products to be free from defects in materials and workmanship given normal use and proper care, for a period of ten (10) years of single shift service.

Specific components are warranted to be free from defects in materials and workmanship for the following periods of time from the date of initial shipment:

electrical components	two (2) years
pneumatic cylinders	three (3) years
control mechanisms	three (3) years
casters	three (3) years

Fabrics will be covered only by the warranty of the original manufacturer.

Inwood tenders this warranty only to original purchasers acquiring our products through those parties specifically authorized by Inwood to sell our products. Repair and/or replacement, at our option, will be made on any part or parts found to be defective within the terms of the warranty. The warranty shall not include any labor or shipping costs for replacement of any such parts or materials.

This warranty does not cover

- Damage(s) caused by a transportation company
- Damage(s) resulting from user modification, alterations, misuse, abuse or negligent use of our product
- Damage(s), defect(s), or product failure(s) due to customers request for modifications to product design, product dimensions, product arrangement or normal product specifications
- Natural variations in color, grain, or texture of wood and other covering materials over which Inwood has no control
- Wearing or cuts to covering materials
- Customer's Own Materials (COM)

Inwood does not make any other warranties except as expressly set forth above, either expressed or implied, including any warranty of merchantability or fitness for any particular purpose. Inwood shall not be liable for consequential or incidental damages under this warranty.

Further, Inwood makes no warranties, expressed or implied, for improper assembly and/or installation of its products.

order procedure

Inwood does not accept orders verbally. Orders may be faxed, e-mailed or mailed directly to:

Inwood Office Environments
PO Box 646
Jasper, IN 47546
Fax: 812.482.9732
E-mail: inwood@inwood.net

All orders from authorized & credit-approved Inwood Office Environments dealers must be in writing and must include the following information:

- Date
- Purchase Order Number
- Bill to Address
- Ship to Address
- Special Shipping Instructions (delivery notification, special ship dates, ship complete or split shipments, and tags if applicable)
- Complete Model Numbers (include finish & fabric numbers)
- Net Price
- Requested Delivery Date (if applicable)

order confirmation

All complete orders will be entered and acknowledged promptly with approximate shipping date(s), transit times, and other pertinent information. This acknowledgement is the final agreement between


Inwood and the customer, superseding all previous communications regarding the order. **NOTE It is the customer's responsibility to check the acknowledgment for accuracy. Please advise Inwood immediately of any discrepancies.**

changes and cancellations

Because many of our casegood products and all of our seating products are made to order, we must limit customer changes and cancellations. We regret that changes and cancellations are not possible once production has begun. Production normally begins 48 hours after receipt of order. Orders for standard casegood products with in-stock finishes may be cancelled for a 30% restocking fee. Any non-stock finish is considered made to order and cannot be changed or cancelled.

delivery information

Shipments are FOB destination for the 48 contiguous states. Orders are priced by destination zone as listed by state.



zone 1 □

Alabama, Arkansas, Connecticut, Delaware, Florida, Georgia, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Missouri, Nebraska, New Hampshire, New Jersey, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, Rhode Island, South Carolina, Tennessee, Texas, Virginia, West Virginia and Wisconsin.

zone 2 □

Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, North Dakota, Oregon, South Dakota, Utah, Washington and Wyoming.

Orders of less than 500 lbs will be assessed a handling charge of \$100.00 net per order. Inwood reserves the right to select the most appropriate carrier and routing on all shipments. Any charge arising from failure to receive a shipment, rerouting while in transit or carrier storage charges are not included in prices shown and will be billed to the 'sold to' account on the order.

Any order requiring special delivery services will incur additional charges at the time of invoicing. All such requirements must be noted on the purchase order. These are services that are billed to Inwood by the freight company or require the usage of specialized carriers, and not included in the standard price of the product. Examples of such services include:

- **delivery notification or call ahead requests**
\$10 Net Charge
- **inside delivery**
minimum \$100 Net Charge
- **non dock delivery**
minimum \$100 Net Charge
- **weekend delivery (friday after 4:00pm-sunday night)**
minimum \$500 Net Charge
- **residential delivery**
Customer Service may assist you in determining your special delivery requirements and any additional charges that may apply
- **fuel surcharges**
We will continue to do our best to absorb the increased cost from our transportation vendors; however, if the price

of fuel increases above the normal rates, it may require us to pass on the increased costs. We will address this situation with a fuel surcharge rather than a price increase so that we can eliminate it as appropriate.

Contact Customer Service if you are unsure if your order requires one or more of the above services. We will make every attempt to avoid additional charges by giving options on what we can do within our standard delivery prices.

All prepaid shipments by Inwood Office Environments will be on carriers of our choice. If you choose to order product FOB Factory, please specify the carrier you require. Product will ship Freight Collect and Inwood's responsibility will cease upon delivery to the carrier.

order postponements and delivery changes

Changes may be made to delivery address no later than 5 days before the acknowledged ship date of an order. Contact Customer Service for charges which may be incurred for delivery changes within 5 days of the acknowledged ship date. If it becomes necessary to postpone an order after production has begun, the order will be completed, stored and invoiced to the customer with normal terms. Storage fees of \$2.00 per 100 lbs or \$5.00 minimum per day will occur on all orders that are not picked up or released for shipment after 10 working days from the acknowledged ship date.

claim process for merchandise damage/shortage/carrier delay

All products produced by Inwood are carefully inspected and properly packed prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortage, or delivery has been delayed by the carrier, the following steps must be taken:

- Before signing for any merchandise, make notation of all visible damage, shortages, and/or time of truck arrival on the freight bill (bill of lading).
- Contact Inwood Customer Service within 15 calendar days of goods receipt to report issue. Legal title to merchandise passes to the buyer upon acceptance by the carrier. We will work with you to file any necessary claims when reported to us within the 15 day time frame.
- Retain all packing materials/cartons for inspection by the carrier agent.

Failure to make any claims against Inwood Office Environments within 15 days shall constitute acceptance of the merchandise and a waiver of any errors or shortages discovered upon inspection.

repairs and returns

No repairs or returns will be considered without first obtaining our written permission. Such requests must be made in writing within 15 days of the invoice. Authorization must be obtained from Customer Service prior to repairs being made if Inwood is expected to pay these charges. Charges will be approved only after an estimate has been provided. Credit will be issued only after receipt of repair bills.

Made to order items are not returnable. This includes upholstered seating, special items, special finishes, and any non-stock finish. Authorized returns of stock items will be charged a minimum 30% restocking fee. All returns are subject to an attempted pick-up charge of \$200. Please insure that all goods are packed and tagged correctly before calling Inwood for pick up. All RMA's (Return Materials Authorization) will expire within 30 days of notification. Once expired, a new authorization is required for any return. Upon receipt of returned goods, Inwood will inspect and assess responsibility for any defects. If damage of the merchandise was caused by abuse, alteration, or unauthorized repair, we may offer to repair the merchandise for a fee. The final responsibility for determining damage remains with Inwood.

All merchandise must be shipped freight prepaid or we will not accept. All merchandise being returned must be properly packed and protected to insure that no further damage is incurred during transportation back to Inwood.

special construction agreement

When requested that Inwood Office Environments Inc. modify, change or alter its standard product in order to meet the specific needs of Customer, Inwood shall exercise its best efforts to modify its standard product to incorporate the modifications and changes requested by Customer. Inwood Office Environments disclaims any warranty with respect to the modifications or changes requested by Customer and its standard warranty shall not apply to said modifications or changes. Customer shall have no right to rescind its order of this product after production of the product has begun. Customer assumes the risk of the use of Inwood Office Environments product containing the modifications or changes requested by Customer. In no event shall the product containing the modifications or changes requested by Customer be returnable to Inwood Office Environments.

replacement parts

Contact Inwood Customer Service for item numbers and pricing on replacement parts.

dimensions

All dimensions referenced in this book are nominal.

terms

1% 15 days, 30 days net.

Payments are accepted in US Dollars. Payment is also accepted by Visa & Mastercard credit cards, and is posted prior to shipment.

When payment is made with a credit card, no additional discounts may be taken.



Prices are effective with the date printed on this price list and supersede all other prices. Orders are accepted at the price in effect on the date the order is received. Possession of this price list does not constitute an offer to sell. Inwood sells to authorized and approved dealers only. Any or all prices, product, and line art are subject to change without notification. Internet or software packages, which support the sale of Inwood products, furnished to the customer either by Inwood or any other source are superseded by revised price lists.

minimum order

\$10 US Dollars list price.

standard special upcharges

Inwood Office Environments provides the following standard special modifications to its product. Simply specify the request and add the associated price to list.

to make standard top size shorter or narrower	\$248
to change file drawer pedestal in desks, credenzas and modular cabinets to box drawers	\$218
to change 2 box drawers in desk to file drawer	\$140
to change position of file drawer in desks	\$106
to add locks where not standard	
- box, file drawer or center drawer	\$56
- hinged door, single	\$56
- hinged door, double	\$58
to key items alike from factory per unit	\$31
to add extra lock per set (including set of keys)	\$21
extra set of keys (two)	\$21
to add grommets in any special location	\$128
to move standard placement of grommet on unit	\$56
grommets (cover only)	\$21
to add extra shelf for bookcase	\$77
to make shelves solid wood (per shelf)	\$23
for typing height return	\$197
for non-standard Inwood pulls	
(to change to another series per unit)	\$71
special finishes (6 item minimum)	
- non-Inwood finishes	20%
- standard Inwood finishes	15%



trek 2500 series specifications

materials:

All wood is thoroughly air and kiln dried to a moisture content not to exceed 8% at the time of assembly.

veneers:

All exposed surfaces are plain sliced Cherry. Veneers are carefully slip-matched and balanced. All drawer fronts, doors, end panels, and modesty panels are vertical grain.

top work surfaces:

- **wood veneer tops** are 1 1/4" thick, 5-ply construction, consisting of 1/40" thick veneer work surfaces and poplar veneer backing. The top core material is a 45 lb density flake board. Top rims are 3/4" hardwood with the choice of top edge shape on all four sides.
- **high pressure laminate tops** are 1 1/4", 3-ply construction; consisting of a high-pressure laminate work surface and a 45 lb density flake board core. The underside of the top has a smooth surface Gator-Ply backing sheet and high pressure laminate edges. Top rims are 3/4" hardwood with the choice of top edge shape on all four sides. Laminate self edge tops have all four edges banded in laminate. Laminate PVC edge tops have four sides banded in PVC.

modesty panels:

- **wood veneer modesty panels**
1 1/4" recessed 3/4" thick, 3-ply construction with a vertical veneer on exposed surfaces and a 45 lb density particle board core.
- **durasyn modesty panels**
1 1/4" recessed 3/4" thick, MDF board with a durasyn tinted paint finish.

construction:

Uses a mortise & tenon and glue to join panels and modesty panels. All joints are reinforced with glue blocks.

drawers:

Drawer fronts are 3/4" thick, 3-ply construction with vertical book matched veneer. Drawer edges are veneered on top and sides with matching wood veneers. All drawer sides and backs are plywood, dovetailed front and back with 3-ply drawer bottoms. Drawer bottoms are framed on four sides and stapled from the bottom side. Drawer interiors are finished with a clear coat sealer to prevent swelling or shrinkage. Box drawers have a high grade Sterling metal ball-bearing drawer suspension. File drawers have a high grade Sterling metal ball bearing full progressive suspension and are equipped with metal rods for hanging file folders. All drawers have smooth quiet operation.

locking:




Each pedestal has its own lock and is keyed alike for each unit. Each unit is equipped with two keys. Units may be keyed alike in groups (per office, if requested) for an additional charge of \$31 list per unit.

finish:

All Inwood finishes are catalyzed varnish finish. Our multi-step satin finishes leave an open grain natural look to the furniture. Available in following cherry finishes: (6C) Light Cherry, (7C) Medium Cherry and (8C) Dark Cherry. Nine Durasyn textured paint finishes standard. Durasyn is a tinted painted finish with post-catalyzed varnish and acid cured topcoats formulated for superior performance on MDF. Durasyn offers superior scratch, mar, chemical and moisture resistance properties. Durasyn has been enhanced with UV absorbers to further increase UV protection.

pulls:

Pulls are available in three styles for trek series furniture.

- BB- black bar 
- CB- chrome bar 
- CC- chrome cable 

chassis options

Trek chassis products are available for specification in the following four distinct combinations

VV:

Veneer Chassis and Veneer drawer fronts.

VD:


Veneer Chassis and Durasyn drawer fronts.

DV:

Durasyn Chassis and Veneer drawer fronts.

DD:


Durasyn Chassis and Durasyn drawer fronts.




trek

30" deep pedestals


letter front to back



letter side to side




letter/legal combination




24" deep pedestals


letter front to back



letter side to side




legal side to side




lateral files


letter front to back




legal front to back



letter side to side



legal side to side





veneer top SELF EDGE VS <small>TOP AND EDGE COLOR HAVE SAME FINISH</small>	veneer top WOOD EDGE VH / VI <small>TOP AND EDGE COLOR HAVE SAME FINISH</small>	laminate top SELF EDGE LS <small>SPECIFY BOTH TOP AND EDGE COLOR</small>	laminate top PVC EDGE LP <small>SPECIFY BOTH TOP AND EDGE COLOR</small>	laminate top WOOD EDGE LH / LI <small>SPECIFY BOTH TOP AND EDGE COLOR</small>					
list \$ zone 1	list \$ zone 2	list \$ zone 1	list \$ zone 2	list \$ zone 1	list \$ zone 2	list \$ zone 1	list \$ zone 2	list \$ zone 1	list \$ zone 2
536	579	536	579	118	129	172	184	187	204
586	633	-	-	134	144	213	231	234	252
590	638	590	638	148	161	228	247	248	269
638	688	-	-	162	174	261	282	273	294
672	726	-	-	175	190	276	299	288	313
709	765	709	765	222	241	316	342	339	366
832	897	832	897	233	251	341	368	370	399
1,184	-	-	-	252	273	367	396	409	441
1,184	-	-	-	268	288	484	523	526	569
1,273	-	-	-	282	306	494	536	553	598
1,273	-	-	-	298	321	507	549	572	617
-	-	-	-	410	441	534	576	827	896
-	-	-	-	456	493	581	628	1,064	1,148

top size	model number	d	w	h	freight
rectangular top 24" x __	25-2436T-__-__-__	24	36	1.25	cwt 40 lb cu ft 2 class 70
	25-2442T-__-__-__	24	42	1.25	cwt 45 lb cu ft 2 class 70
	25-2448T-__-__-__	24	48	1.25	cwt 50 lb cu ft 2 class 70
	25-2454T-__-__-__	24	54	1.25	cwt 60 lb cu ft 2 class 70
	25-2460T-__-__-__	24	60	1.25	cwt 65 lb cu ft 3 class 70
	25-2466T-__-__-__	24	66	1.25	cwt 70 lb cu ft 3 class 70
	25-2472T-__-__-__	24	72	1.25	cwt 75 lb cu ft 3 class 70
	25-2478T-__-__-__	24	78	1.25	cwt 80 lb cu ft 3 class 70
	25-2484T-__-__-__	24	84	1.25	cwt 85 lb cu ft 3 class 70
	25-2490T-__-__-__	24	90	1.25	cwt 90 lb cu ft 4 class 70
	25-2496T-__-__-__	24	96	1.25	cwt 95 lb cu ft 4 class 70
	25-24108T-__-__-__	24	108	1.25	cwt 105 lb cu ft 4 class 70
25-24120T-__-__-__	24	120	1.25	cwt 115 lb cu ft 4 class 70	

rectangular top 30" x __	25-3048T-__-__-__	30	48	1.25	cwt 80 lb cu ft 3 class 70
	25-3054T-__-__-__	30	54	1.25	cwt 85 lb cu ft 3 class 70
	25-3060T-__-__-__	30	60	1.25	cwt 90 lb cu ft 3 class 70
	25-3066T-__-__-__	30	66	1.25	cwt 95 lb cu ft 3 class 70
	25-3072T-__-__-__	30	72	1.25	cwt 100 lb cu ft 3 class 70
	25-3078-__-__-__	30	78	1.25	cwt 105 lb cu ft 4 class 70
	25-3084T-__-__-__	30	84	1.25	cwt 110 lb cu ft 4 class 70
	25-3090T-__-__-__	30	90	1.25	cwt 115 lb cu ft 4 class 70
	25-3096T-__-__-__	30	96	1.25	cwt 120 lb cu ft 4 class 70
	25-30108T-__-__-__	30	108	1.25	cwt 130 lb cu ft 5 class 70
	25-30120T-__-__-__	30	120	1.25	cwt 140 lb cu ft 5 class 70

rectangular top 36" x __	25-3648T-__-__-__	36	48	1.25	cwt 85 lb cu ft 3 class 70
	25-3654T-__-__-__	36	54	1.25	cwt 90 lb cu ft 3 class 70
	25-3660T-__-__-__	36	60	1.25	cwt 95 lb cu ft 4 class 70
	25-3666T-__-__-__	36	66	1.25	cwt 100 lb cu ft 4 class 70
	25-3672T-__-__-__	36	72	1.25	cwt 105 lb cu ft 4 class 70
	25-3678T-__-__-__	36	78	1.25	cwt 110 lb cu ft 4 class 70
	25-3684T-__-__-__	36	84	1.25	cwt 115 lb cu ft 4 class 70
	25-3690T-__-__-__	36	90	1.25	cwt 120 lb cu ft 4 class 70
	25-3696T-__-__-__	36	96	1.25	cwt 125 lb cu ft 5 class 70

top
L laminate top
V veneer top

wood
top &
edge
finishes
6C light cherry
7C medium cherry
8C dark cherry

edge
pvc
color
options
LB light beige
HZ haze
PD pepperdust
FG fog
FS folkstone
BL black
SL slate

laminate
wood
pattern
top &
edge
finishes
6C light cherry
7C medium cherry
8C dark cherry

laminate
solid &
mixed
colors
top &
edge
finishes
BB bethany beige
CM cardamom fiber
SU sugar fiber
WH wheat fiber
CU curacao fiber
TY thyme fiber
CO coriander fiber
BA black ashwood
GV galvan
GS graphite spektrum
NV negotiating in geneva
OS olive serenity
OR rock of ages
RA copper fusion
CF chili
CL cinnamon
CN

laminate
top &
edge
finishes
Designer palette (5%upcharge)
SPL special laminate,
provide manufacturer
and item #

edge



top sizes to cut down any standard size top to specified dimensions
add \$105 to the next highest price
grommets reference page 122 for pricing and location of optional grommets



veneer top SELF EDGE VS <small>TOP AND EDGE COLOR HAVE SAME FINISH</small>		veneer top WOOD EDGE VH / VI <small>TOP AND EDGE COLOR HAVE SAME FINISH</small>		laminare top SELF EDGE LS <small>SPECIFY BOTH TOP AND EDGE COLOR</small>		laminare top PVC EDGE LP <small>SPECIFY BOTH TOP AND EDGE COLOR</small>		laminare top WOOD EDGE LH / LI <small>SPECIFY BOTH TOP AND EDGE COLOR</small>			
list \$	zone 1	list \$	zone 2	list \$	zone 1	list \$	zone 2	list \$	zone 1	list \$	zone 2
1,612		1,741		-	-	385	416	488	528	644	696
1,691		1,827		-	-	416	448	519	559	674	727
2,127		2,297		-	-	447	483	560	605	-	-
1,210		1,306		-	-	472	509	576	621	-	-
1,444		1,557		-	-	529	572	600	648	-	-
1,676		1,810		-	-	545	589	626	675	-	-
-		-		-	-	561	607	650	702	-	-
-		-		-	-	699	754	819	885	-	-
-		-		-	-	715	771	845	913	-	-
-		-		-	-	732	790	869	938	-	-
2,161		2,334		2,161	2,334	491	530	589	637	1,020	1,100
2,273		2,454		2,273	2,454	597	646	696	751	1,127	1,215
-		-		-	-	867	935	968	1,023	-	-
-		-		-	-	973	1,052	1,054	1,138	-	-
-		-		-	-	1,082	1,166	1,174	1,268	-	-
-		-		-	-	1,186	1,279	1,280	1,382	-	-
2,346		2,536		-	-	558	604	674	727	716	774
-		-		-	-	672	725	701	757	-	-
2,346		2,536		2,346	2,536	604	652	719	777	761	822
-		-		-	-	717	775	747	806	792	856

top shape	model number	d	w	h	freight	cu ft	class
D shaped top 24" x __	25-2460DT-__-__-__	24	60	1.25	cwt 65 lb	cu ft 3	class 70
	25-2466DT-__-__-__	24	66	1.25	cwt 70 lb	cu ft 3	class 70
	25-2472DT-__-__-__	24	72	1.25	cwt 75 lb	cu ft 3	class 70
D shaped top 30" x __	25-3060DT-__-__-__	30	60	1.25	cwt 90 lb	cu ft 3	class 70
	25-3066DT-__-__-__	30	66	1.25	cwt 95 lb	cu ft 3	class 70
	25-3072DT-__-__-__	30	72	1.25	cwt 100 lb	cu ft 3	class 70
	25-3078DT-__-__-__	30	78	1.25	cwt 105 lb	cu ft 4	class 70
	25-3084DT-__-__-__	30	84	1.25	cwt 110 lb	cu ft 4	class 70
	25-3090DT-__-__-__	30	90	1.25	cwt 115 lb	cu ft 4	class 70
25-3096DT-__-__-__	30	96	1.25	cwt 120 lb	cu ft 4	class 70	
D shaped top 36" x __	25-3666DT-__-__-__	36	66	1.25	cwt 100 lb	cu ft 4	class 70
	25-3672DT-__-__-__	36	72	1.25	cwt 105 lb	cu ft 4	class 70
	25-3678DT-__-__-__	36	78	1.25	cwt 110 lb	cu ft 4	class 70
	25-3684DT-__-__-__	36	84	1.25	cwt 115 lb	cu ft 4	class 70
	25-3690DT-__-__-__	36	90	1.25	cwt 120 lb	cu ft 4	class 70
25-3696DT-__-__-__	36	96	1.25	cwt 125 lb	cu ft 5	class 70	
bow shaped top 36" at center x __	25-3672BT-__-__-__	36	72	1.25	cwt 105 lb	cu ft 4	class 70
	25-3678BT-__-__-__	36	78	1.25	cwt 125 lb	cu ft 4	class 70
bow shaped top 42" at center x __	25-4272BT-__-__-__	42	72	1.25	cwt 115 lb	cu ft 4	class 70
	25-4278BT-__-__-__	42	78	1.25	cwt 135 lb	cu ft 4	class 70

trek
2500

trek
2500

top	L laminate top V veneer top	wood top & edge finishes	6C light cherry 7C medium cherry 8C dark cherry	edge pvc color options	LB light beige HZ haze PD pepperdust FG fog FS folkstone BL black SL slate	laminare wood pattern	6C light cherry 7C medium cherry 8C dark cherry	laminare solid & mixed colors	BB bethany beige CM cardamom fiber SU sugar fiber WH wheat fiber CU curacao fiber TY thyme fiber CO coriander fiber BA black ashwood GV galvan GS graphite spektrum NV negotiating in geneva OS olive serenity RA rock of ages CF copper fusion CL chili CN cinnamon	laminare top & edge finishes	Designer palette (5%upcharge) SPL special laminate, provide manufacturer and item #
edge	G H I	top sizes to cut down any standard size top to specified dimensions add \$105 to the next highest price grommets reference page 122 for pricing and location of optional grommets									



veneer top SELF EDGE VS <small>TOP AND EDGE COLOR HAVE SAME FINISH</small>		veneer top WOOD EDGE VH / VI <small>TOP AND EDGE COLOR HAVE SAME FINISH</small>		laminare top SELF EDGE LS <small>SPECIFY BOTH TOP AND EDGE COLOR</small>		laminare top PVC EDGE LP <small>SPECIFY BOTH TOP AND EDGE COLOR</small>		laminare top WOOD EDGE LH / LI <small>SPECIFY BOTH TOP AND EDGE COLOR</small>			
list \$	zone 1	list \$	zone 2	list \$	zone 1	list \$	zone 2	list \$	zone 1	list \$	zone 2
-	-	-	-	605	652	702	758	-	-	-	-
-	-	-	-	660	712	756	817	-	-	-	-
2,700	2,916	2,700	2,916	1,236	1,336	1,336	1,443	1,361	1,470	-	-
2,700	2,916	2,700	2,916	1,254	1,354	1,351	1,460	1,387	1,499	-	-
2,700	2,916	2,700	2,916	1,355	1,464	1,454	1,571	1,535	1,659	-	-
-	-	-	-	1,371	1,480	1,469	1,586	-	-	-	-
-	-	-	-	1,386	1,497	1,483	1,603	-	-	-	-
2,700	2,916	2,700	2,916	1,236	1,336	1,336	1,443	1,361	1,470	-	-
2,700	2,916	2,700	2,916	1,254	1,354	1,351	1,460	1,387	1,499	-	-
2,700	2,916	2,700	2,916	1,355	1,464	1,454	1,571	1,535	1,659	-	-
-	-	-	-	1,371	1,480	1,469	1,586	-	-	-	-
-	-	-	-	1,386	1,497	1,483	1,603	-	-	-	-
941	1,017	-	-	529	573	628	678	-	-	-	-
941	1,017	-	-	529	573	628	678	-	-	-	-
1,174	1,267	-	-	529	573	628	678	-	-	-	-
1,174	1,267	-	-	529	573	628	678	-	-	-	-

top shape	model number	d	w	h	freight	cu ft	class
<p>P shaped top 30° x 30° RIGHT; "P" IS 42" IN DIAMETER</p>	25-3066PTR-__-__-__	30	66	1.25	cwt 100 lb	cu ft 4	class 70
	25-3072PTR-__-__-__	30	72	1.25	cwt 105 lb	cu ft 4	class 70
<p>P shaped top 30° x 30° LEFT; "P" IS 42" IN DIAMETER</p>	25-3066PTL-__-__-__	30	66	1.25	cwt 100 lb	cu ft 4	class 70
	25-3072PTL-__-__-__	30	72	1.25	cwt 105 lb	cu ft 4	class 70
<p>P shaped top 36° x 36° RIGHT; "P" IS 42" IN DIAMETER</p>	25-3672PTR-__-__-__	36	72	1.25	cwt 115 lb	cu ft 4	class 70
	25-3678PTR-__-__-__	36	78	1.25	cwt 125 lb	cu ft 4	class 70
	25-3684PTR-__-__-__	36	84	1.25	cwt 135 lb	cu ft 5	class 70
	25-3690PTR-__-__-__	36	90	1.25	cwt 145 lb	cu ft 5	class 70
	25-3696PTR-__-__-__	36	96	1.25	cwt 155 lb	cu ft 5	class 70
<p>P shaped top 36° x 36° LEFT; "P" IS 42" IN DIAMETER</p>	25-3672PTL-__-__-__	36	72	1.25	cwt 115 lb	cu ft 4	class 70
	25-3678PTL-__-__-__	36	78	1.25	cwt 125 lb	cu ft 4	class 70
	25-3684PTL-__-__-__	36	84	1.25	cwt 135 lb	cu ft 5	class 70
	25-3690PTL-__-__-__	36	90	1.25	cwt 145 lb	cu ft 5	class 70
	25-3696PTL-__-__-__	36	96	1.25	cwt 155 lb	cu ft 5	class 70
<p>angled return top 24°-36° x 24°-36° x RIGHT SHOWN 2) MPK included</p>	25-2466CUR-__-__-__	24/36	66	1.25	cwt 95 lb	cu ft 4	class 70
	25-2466CUL-__-__-__	24/36	66	1.25	cwt 95 lb	cu ft 4	class 70
<p>arc return top 24°-36° x 24°-36° x LEFT SHOWN 2) MPK included</p>	25-2466ACUR-__-__-__	24/36	66	1.25	cwt 95 lb	cu ft 4	class 70
	25-2466ACUL-__-__-__	24/36	66	1.25	cwt 95 lb	cu ft 4	class 70

trek
2500

trek
2500

top	L laminate top V veneer top	wood top & edge finishes	6C light cherry 7C medium cherry 8C dark cherry	edge pvc color options	LB light beige HZ haze PD pepperdust FG fog FS folkstone BL black SL slate	laminare wood pattern	6C light cherry 7C medium cherry 8C dark cherry	laminare solid & mixed colors	BB bethany beige CM cardamom fiber SU sugar fiber WH wheat fiber CU curacao fiber TY thyme fiber CO coriander fiber BA black ashwood GV galvan GS graphite spektrum NV negotiating in geneva OS olive serenity RA rock of ages CF copper fusion CL chili CN cinnamon	laminare top & edge finishes	Designer palette (5%upcharge) SPL special laminate, provide manufacturer and item #
edge	G H I	top sizes to cut down any standard size top to specified dimensions add \$105 to the next highest price grommets reference page 122 for pricing and location of optional grommets									



top shape	model number	d	w	h	freight	cu ft	class
<p>angled corner top 24" x 42" 30" x 42" 2) MPK included</p>	25-2442CU-__-__-__	24	42	1.25	cwt 50 lb	cu ft 3	class 70
	25-3042CU-__-__-__	30	42	1.25	cwt 55 lb	cu ft 3	class 70
<p>arc corner top 24" x 42" 30" x 42" 2) MPK included</p>	25-2442ACU-__-__-__	24	42	1.25	cwt 50 lb	cu ft 3	class 70
	25-3042ACU-__-__-__	30	42	1.25	cwt 55 lb	cu ft 3	class 70
<p>counter top 12" x 66" FOR USE WITH TC2566</p>	TT2566-__-__-__	12	66	1.25	cwt 35 lb	cu ft 2	class 85
<p>counter top 12" x 72" FOR USE WITH TC2572</p>	TT2572-__-__-__	12	72	1.25	cwt 40 lb	cu ft 2	class 85

veneer top SELF EDGE VS <small>TOP AND EDGE COLOR HAVE SAME FINISH</small>		veneer top WOOD EDGE VH / VI <small>TOP AND EDGE COLOR HAVE SAME FINISH</small>		laminare top SELF EDGE LS <small>SPECIFY BOTH TOP AND EDGE COLOR</small>		laminare top PVC EDGE LP <small>SPECIFY BOTH TOP AND EDGE COLOR</small>		laminare top WOOD EDGE LH / LI <small>SPECIFY BOTH TOP AND EDGE COLOR</small>			
list \$	zone 1	list \$	zone 2	list \$	zone 1	list \$	zone 2	list \$	zone 1	list \$	zone 2
1,377		1,488		1,378		1,488		550	593	647	699
-		-		-		-		644	695	742	801
1,611		1,739		-		-		550	593	647	699
-		-		-		-		644	695	742	801
386		418		386		418		214	232	317	342
386		418		386		418		214	232	317	342

model number	description	d	w	h	freight
TC2566-__-__	counter chassis	24	66	14	class 85 cwt 25 lb cu ft 2
TC2572-__-__	counter chassis	24	72	14	class 85 cwt 25 lb cu ft 2

veneer chassis veneer drawer fronts VV		veneer chassis durasyn drawer fronts VD		durasyn chassis veneer drawer fronts DV		durasyn chassis durasyn drawer fronts DD	
list \$	zone 1	list \$	zone 2	list \$	zone 1	list \$	zone 2
603		651		-		-	
603		651		-		-	

top	wood	durasyn	edge
L laminate V veneer D durasyn	6C light cherry 7C medium cherry 8C dark cherry	PE pearl CH chinchilla FG fog NG northsea gray BP black pearl BL black ST sunset SD sand CT cactus RK rock TW tumbleweed NB natural beige	LB light beige HZ haze PD pepperdust FG fog FS folkstone BL black SL slate

edge **G H I** top sizes to cut down any standard size top to specified dimensions add \$105 to the next highest price

laminare	laminare	laminare
6C light cherry 7C medium cherry 8C dark cherry	BB bethany beige CM cardamom fiber SU sugar fiber WH wheat fiber CU curacao fiber TY thyme fiber CO coriander fiber BA black ashwood GV galvan GS graphite spektrum NV negotiating in geneva OS olive serenity RA rock of ages CF copper fusion CL chili CN cinnamon	Designer palette (5%upcharge) SPL special laminate, provide manufacturer and item # _____



	model number	description	d	w	h	freight
	25-302F-__-__-__ -__	30" deep file/file pedestal	30	15.5	27.75	class 125 cwt 105 lb cu ft 10
	25-242F-__-__-__ -__	24" deep file/file pedestal	24	15.5	27.75	class 125 cwt 95 lb cu ft 8
	25-303D-__-__-__ -__	30" deep box/box/file pedestal	30	15.5	27.75	class 125 cwt 105 lb cu ft 10
	25-243D-__-__-__ -__	24" deep box/box/file pedestal	24	15.5	27.75	class 125 cwt 95 lb cu ft 8
	25-24CPUR-__-__-__ -__-__	24" deep cpu storage pedestal hinged right	24	15.5	27.75	class 125 cwt 85 lb cu ft 8
	25-24CPUL-__-__-__ -__-__	24" deep cpu storage pedestal hinged left	24	15.5	27.75	class 125 cwt 85 lb cu ft 8
	25-MP2F-__-__-__-__ -__	mobile pedestal file/file drawers with locking casters for use under any 29" surface black tray top	19	15.5	27.25	class 125 cwt 75 lb cu ft 6

veneer chassis veneer drawer fronts VV		veneer chassis durasyn drawer fronts VD		durasyn chassis veneer drawer fronts DV		durasyn chassis durasyn drawer fronts DD	
list \$	zone 1	list \$	zone 2	list \$	zone 1	list \$	zone 2
932		1,008		886	957	793	857
817		882		776	837	695	750
1,003		1,082		954	1,029	853	921
887		958		844	911	754	815
573		617		544	588	487	526
573		617		544	588	487	526
940		1,016		894	965	1,059	1,142
						752	813

chassis options

V	veneer	veneer	6C	light cherry	pulls	BB	black bar
D	durasyn	finishes	7C	medium cherry		CB	chrome bar
			8C	dark cherry		CC	chrome cable

edge



durasyn
solid color
match to
laminare

PE	pearl
CH	chinchilla
FG	fog
NG	northsea gray
BP	black pearl
BL	black
ST	sunset
SD	sand
CT	cactus
RK	rock
TW	tumbleweed
NB	natural beige



	model number	description	d	w	h	freight
	25-MP3D-__-__-__ -- --	mobile pedestal box/file drawers with locking casters for use under any 29" surface black tray top	19	15.5	27.25	class 125 cwt 75 lb cu ft 6
	25-24LF-__-__-__ - --	two drawer lateral file pedestal	24	36	27.75	class 125 cwt 155 lb cu ft 18
	25-24HW-__-__-__ -- --	double hinged door cabinet adjustable shelf ADDITIONAL SHELVES \$75 EACH	24	36	27.75	class 125 cwt 115 lb cu ft 18
	25-24OB-__-__-__ -- --	open shelf cabinet adjustable shelf ADDITIONAL SHELVES \$75 EACH	23.25	36	27.75	class 125 cwt 105 lb cu ft 17

veneer chassis veneer drawer fronts VV		veneer chassis durasyn drawer fronts VD		durasyn chassis veneer drawer fronts DV		durasyn chassis durasyn drawer fronts DD	
list \$	zone 1	list \$	zone 2	list \$	zone 1	list \$	zone 2
1,140		1,232		1,084		1,330	
				1,170		913	
1,079		1,167		1,025		990	
				1,106		863	
846		911		803		776	
				867		677	
617		667		556		535	
				600		494	
				494		494	
				534		534	

chassis options

V	veneer	veneer finishes	6C	light cherry	pulls	BB	black bar
D	durasyn		7C	medium cherry		CB	chrome bar
			8C	dark cherry		CC	chrome cable

edge



durasyn
solid color
match to
laminare

PE	pearl
CH	chinchilla
FG	fog
NG	northsea gray
BP	black pearl
BL	black
ST	sunset
SD	sand
CT	cactus
RK	rock
TW	tumbleweed
NB	natural beige

25-302F-DV-DI-6C-CB

unit identification (type) - chassis option - chassis finish - drawer front finish - pull option

trek | 2500 series | chassis options



veneer chassis veneer drawer fronts		veneer chassis durasyn drawer fronts		durasyn chassis veneer drawer fronts		durasyn chassis durasyn drawer fronts	
VV		VD		DV		DD	
list \$	zone 1	list \$	zone 2	list \$	zone 1	list \$	zone 2
1,285		1,389		1,110		1,028	
				1,200		1,111	
1,790		1,935		1,542		1,432	
				1,667		1,548	
2,039		2,205		1,743		1,632	
				1,884		1,763	

veneer top SELF EDGE VS		veneer top WOOD EDGE VH / VI		laminate top SELF EDGE LS		laminate top PVC EDGE LP		laminate top WOOD EDGE LH / LI	
<small>TOP AND EDGE COLOR HAVE SAME FINISH</small>		<small>TOP AND EDGE COLOR HAVE SAME FINISH</small>		<small>SPECIFY BOTH TOP AND EDGE COLOR</small>		<small>SPECIFY BOTH TOP AND EDGE COLOR</small>		<small>SPECIFY BOTH TOP AND EDGE COLOR</small>	
list \$	zone 1	list \$	zone 2	list \$	zone 1	list \$	zone 2	list \$	zone 1
536		579		118		172		187	
				129		184		204	
536		579		233		341		370	
				241		368		399	
-		-		410		534		827	
				441		576		896	

model number	description	d	w	h	freight	cu ft	class
25-202L-VV-__ 25-202L-VD-__ 25-202L-DV-__ 25-202L-DD-__	two drawer lateral file	20	36	29	cwt 175 lb	16	125
25-203L-VV-__ 25-203L-VD-__ 25-203L-DV-__ 25-203L-DD-__	three drawer lateral file	20	36	41	cwt 255 lb	25	125
25-204L-VV-__ 25-204L-VD-__ 25-204L-DV-__ 25-204L-DD-__	four drawer lateral file	20	36	54.75	cwt 265 lb	29	125

top shape	model number	d	w	h	freight	cu ft	class
20" x 36"	25-2036T-__	20	36	1.25	cwt 40 lb	2	70
20" x 72"	25-2072T-__	20	72	1.25	cwt 75 lb	3	70
20" x 108"	25-20108T-__	20	108	1.25	cwt 105 lb	4	70

* THESE TOPS CAN BE USED AS A COMMON TOP FOR MULTIPLE LATERAL FILES.

chassis options	V	veneer	veneer	6C	light cherry	pulls	BB	black bar	edge	LB	light beige
	D	durasyn	finishes	7C 8C	medium cherry dark cherry		CB CC	chrome bar chrome cable	pvc color options	HZ PD FG BL SL	haze pepperdust fog folkstone black slate

edge

G H I

laminate	6C	light cherry	durasyn	PE	pearl	laminate	BB	bethany beige	laminate	Designer palette (5%upcharge)
wood pattern	7C 8C	medium cherry dark cherry	solid color match to laminate	CH FG NG BP BL ST SD CT RK TW NB	chinchilla fog northsea gray black pearl black sunset sand cactus rock tumbleweed natural beige	solid & mixed colors	CM SU WH CU TY CO BA GV GS NV OS RA CF CL CN	cardamom fiber sugar fiber wheat fiber curacao fiber thyme fiber coriander fiber black ashwood galvan graphite spektrum negotiating in geneva olive serenity rock of ages copper fusion chili cinnamon	top & edge finishes	SPL special laminate, provide manufacturer and item #

trek
2500

trek
2500

25-30ES-VV-6C

unit identification (type) & dimension - chassis option - chassis finish



	model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
	25-36ES-VV - _	end support unit use with rectangle and bow tops; for angled or arc returns use 36"; reversible for LH or RH applications <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	36	15.5	27.75	class 85 cwt 50 lb cu ft 3	494 VV	531 VV
	25-36ES-DD - _						278 DD	300 DD
	25-30ES-VV - _	end support unit use with rectangle and bow tops; for angled or arc returns use 36"; reversible for LH or RH applications <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	30	15.5	27.75	class 85 cwt 45 lb cu ft 3	356 VV	382 VV
	25-30ES-DD - _						271 DD	291 DD
	25-24ES-VV - _	end support unit use with rectangle and bow tops, for angled or arc returns use 36" reversible for LH or RH applications <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	24	15.5	27.75	class 85 cwt 30 lb cu ft 3	334 VV	358 VV
	25-24ES-DD - _						240 DD	260 DD
	25-36TS-VV - _	36" T-support use with 36" D-tops or P-tops LH or RH applications <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	13	36	27.75	class 85 cwt 50 lb cu ft 3	347 VV	376 VV
	25-36TS-DD - _						278 DD	300 DD
	25-30TS-VV - _	30" T-support use with 30" D-tops or P-tops LH or RH applications <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	13	30	27.75	class 85 cwt 45 lb cu ft 3	339 VV	366 VV
	25-30TS-DD - _						271 DD	291 DD
	25-24TS-VV - _	24" T-support use with 24" D-tops LH or RH applications <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	13	24	27.75	class 85 cwt 30 lb cu ft 3	302 VV	323 VV
	25-24TS-DD - _						240 DD	260 DD
	25-15TS-VV - _	15.5" T-support use with modesty panels when span is greater than 72" LH or RH applications <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	13	15.5	27.75	class 85 cwt 25 lb cu ft 2	267 VV	286 VV
	25-15TS-DD - _						213 DD	231 DD
	25-42CS-VV - _	corner support unit <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	42	42	27.75	class 85 cwt 65 lb cu ft 9	827 VV	894 VV
	25-42CS-DD - _						662 DD	715 DD

chassis options

VV veneer
DD durasyn

veneer finishes
6C light cherry
7C medium cherry
8C dark cherry

edge



trek | 2500 series | work surface supports






	model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
	25-12SL-VV - _	12d support leg use as intermediate support for any work surface span of 60" or wider <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	36	15.5	27.75	class 85 cwt 15 lb cu ft 1	150 VV	163 VV
	25-12SL-DD - _						119 DD	130 DD
	25-4LB	4" metal support column use with D and P tops black only	4dia		27.75	class 85 cwt 10 lb cu ft 1	150	162
	25-70MP-VV - _	70" modesty panel <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	.75	70	27.75	class 70 cwt 50 lb cu ft 3	418 VV	451 VV
	25-70MP-DD - _						334 DD	362 DD
	25-65MP-VV - _	65" modesty panel <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	.75	65	27.75	class 70 cwt 45 lb cu ft 3	370 VV	400 VV
	25-65MP-DD - _						296 DD	319 DD
	25-59MP-VV - _	59" modesty panel <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	.75	59	27.75	class 70 cwt 42 lb cu ft 3	317 VV	342 VV
	25-59MP-DD - _						253 DD	274 DD
	25-53MP-VV - _	53" modesty panel <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	.75	53	27.75	class 70 cwt 38 lb cu ft 3	236 VV	254 VV
	25-53MP-DD - _						187 DD	204 DD
	25-47MP-VV - _	47" modesty panel <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	.75	47	27.75	class 70 cwt 35 lb cu ft 2	200 VV	215 VV
	25-47MP-DD - _						160 DD	172 DD
	25-41MP-VV - _	41" modesty panel <i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>	.75	41	27.75	class 70 cwt 30 lb cu ft 2	179 VV	194 VV
	25-41MP-DD - _						144 DD	155 DD

durasyn
solid color
match to
laminates

PE pearl
CH chinchilla
FG fog
NG northsea gray
BP black pearl
BL black
ST sunset
SD sand
CT cactus
RK rock
TW tumbleweed
NB natural beige

25-30ES-VV-6C

unit identification (type) & dimension - chassis option - chassis finish

	model number	description	d	w	h	freight	list \$ zone 1	list \$ zone 2
	25-35MP-VV - _	35" modesty panel	.75	35	27.75	class 70 cwt 25 lb cu ft 2	158 VV	170 VV
	25-35MP-DD - _						127 DD	137 DD
<i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>								
	25-29MP-VV - _	29" modesty panel	.75	29	27.75	class 70 cwt 20 lb cu ft 2	144 VV	155 VV
	25-29MP-DD - _						114 DD	125 DD
<i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>								
	25-25MP-VV - _	25" modesty panel	.75	25	27.75	class 70 cwt 17 lb cu ft 2	138 VV	148 VV
	25-25MP-DD - _						110 DD	118 DD
<i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>								
	25-19MP-VV - _	19" modesty panel	.75	19	27.75	class 70 cwt 15 lb cu ft 1	113 VV	122 VV
	25-19MP-DD - _						92 DD	99 DD
<i>AVAILABLE IN VENEER (VV) AND DURASYN (DD).</i>								
	25-MPK	mend plate kit (set of 2) use when attaching two work surfaces together - black finish <i>MUST SPECIFY SEPARATELY</i>				class 125 cwt cu ft	10	10

chassis **VV** veneer
DD durasyn

modesty Special orders: to cut down any standard size modesty panel to specified dimension add \$105 to the next highest price

edge



trek | 2500 series | modesty panel mounting applications



top application	top size	end support	t support	support leg	bracket kit	modesty panel
return	25-36T	n/a	n/a	n/a	(1) ESHK & (1) PHK	25-25MP
bridge	25-36T	n/a	n/a	n/a	(2) ESHK	25-41MP
return	25-42T	n/a	n/a	n/a	(1) ESHK & (1) PHK	25-29MP
bridge	25-42T	n/a	n/a	n/a	(2) ESHK	25-47MP
single pedestal desk	25-48T	25-ES	n/a	n/a	(1) ESHK & (1) PHK	25-25MP
return	25-48T	n/a	n/a	n/a	(1) ESHK & (1) PHK	25-35MP
bridge	25-48T	n/a	n/a	n/a	(2) ESHK	25-53MP
single pedestal desk	25-54T	25-ES	n/a	n/a	(1) ESHK & (1) PHK	25-25MP
return	25-54T	n/a	n/a	n/a	(1) ESHK & (1) PHK	25-41MP
bridge	25-54T	n/a	n/a	n/a	(2) ESHK	25-59MP
double pedestal desk	25-60T	n/a	n/a	n/a	(2) PHK	25-29MP
single pedestal desk	25-60T	25-ES	n/a	n/a	(1) ESHK & (1) PHK	25-35MP
return	25-60T	n/a	n/a	n/a	(1) ESHK & (1) PHK	25-47MP
bridge	25-60T	n/a	n/a	25-12SL	(2) ESHK	25-65MP
double pedestal desk	25-66T	n/a	n/a	n/a	(2) PHK	25-35MP
single pedestal desk	25-66T	25-ES	n/a	n/a	(1) ESHK & (1) PHK	25-41MP
return	25-66T	n/a	n/a	n/a	(1) ESHK & (1) PHK	25-53MP
bridge	25-66T	n/a	n/a	25-12SL	(2) ESHK	25-70MP
double pedestal desk	25-72T	n/a	n/a	n/a	(2) PHK	25-41MP
single pedestal desk	25-72T	25-ES	n/a	n/a	(1) ESHK & (1) PHK	25-47MP
return	25-72T	n/a	n/a	25-12SL	(1) ESHK & (1) PHK	25-59MP
bridge	25-72T	n/a	25-15TS	n/a	(4) ESHK	(2) 25-35MP
double pedestal desk	25-78T	n/a	n/a	n/a	(2) PHK	25-47MP
single pedestal desk	25-78T	25-ES	n/a	n/a	(1) ESHK & (1) PHK	25-53MP
return	25-78T	n/a	n/a	25-12SL	(1) ESHK & (1) PHK	25-65MP
bridge	25-78T	n/a	25-15TS	n/a	(4) ESHK	(2) 25-35MP
double pedestal desk	25-84T	n/a	n/a	n/a	(2) PHK	25-53MP
single pedestal desk	25-84T	25-ES	n/a	n/a	(1) ESHK & (1) PHK	25-59MP
return	25-84T	n/a	25-15TS	n/a	(3) ESHK & (1) PHK	25-65MP
bridge	25-84T	n/a	25-15TS	n/a	(4) ESHK	(2) 25-41MP
double pedestal desk	25-90T	n/a	n/a	25-12SL	(2) PHK	25-59MP
single pedestal desk	25-90T	25-ES	25-15TS	n/a	(1) ESHK & (1) PHK	(2) 25-29MP
return	25-90T	n/a	25-15TS	n/a	(3) ESHK & (1) PHK	(2) 25-35MP
bridge	25-90T	n/a	25-15TS	n/a	(4) ESHK	(2) 25-41MP
double pedestal desk	25-96T	n/a	n/a	25-12SL	(2) PHK	25-65MP
single pedestal desk	25-96T	25-ES	25-15TS	n/a	(1) ESHK & (1) PHK	(2) 25-29MP
return	25-96T	n/a	25-15TS	n/a	(3) ESHK & (1) PHK	(2) 25-35MP
bridge	25-96T	n/a	25-15TS	n/a	(4) ESHK	(2) 25-47MP



	model number	description	d	w	h	freight
	25-WH66-__-__-__ -__	66" wide wall hung overhead 4 wood doors	16	66	16	class 125 cwt 110 lb cu ft 13
	25-WH48-__-__-__ -__	48" wide wall hung overhead 3 wood doors	16	48	16	class 125 cwt 90 lb cu ft 10
	25-WH36-__-__-__ -__	36" wide wall hung overhead 2 wood doors	16	36	16	class 125 cwt 75 lb cu ft 8
	25-WHO66-__-__-__ -__	66" wide wall hung overhead open	16	66	16	class 125 cwt 90 lb cu ft 13
	25-WHO48-__-__-__ -__	48" wide wall hung overhead open	16	48	16	class 125 cwt 75 lb cu ft 10
	25-WHO36-__-__-__ -__	36" wide wall hung overhead open	16	36	16	class 125 cwt 65 lb cu ft 8
	OU2572-__-__-__ -__	72" overhead storage unit four hinged doors three wire management grommets	17.25	72	42.5	class 125 cwt 205 lb cu ft 40 OPENING: 25.9"

veneer chassis veneer drawer fronts VV		veneer chassis durasyn drawer fronts VD		durasyn chassis veneer drawer fronts DV		durasyn chassis durasyn drawer fronts DD	
list \$	zone 1	list \$	zone 2	list \$	zone 1	list \$	zone 2
1,666		1,798		1,368		1,288	
				1,477		1,391	
1,282		1,348		1,053		991	
				1,137		1,070	
839		906		690		690	
				745		745	
1,104		1,194					
						884	955
860		929					
						688	744
537		580					
						430	465
2,138		2,304		2,070		1,795	
				2,235		1,939	
						1,711	1,847

top

P laminate top
W veneer top

veneer
finishes

6C light cherry
7C medium cherry
8C dark cherry

pulls

BB black bar
CB chrome bar
CC chrome cable

durasyn
solid color
match to
laminate

PE pearl
CH chinchilla
FG fog
NG northsea gray
BP black pearl
BL black
ST sunset
SD sand
CT cactus
RK rock
TW tumbleweed
NB natural beige

edge





	model number	description	d w h	freight
	OU2566-__-__-__	66" overhead storage unit four hinged doors three wire management grommets	17.25 66 42.5 <i>OPENING: 25.9"</i>	class 125 cwt 175 lb cu ft 38
	OD2572-__-__-__	72" overhead storage unit open center, one hinged door on each end three wire management grommets	17.25 72 42.5 <i>OPENING: 25.9"</i>	class 125 cwt 195 lb cu ft 40
	OD2566-__-__-__	66" overhead storage unit open center, one hinged door on each end three wire management grommets	17.25 66 42.5 <i>OPENING: 25.9"</i>	class 125 cwt 165 lb cu ft 38
	OO2572-__-__	72" open overhead storage unit three wire management grommets	17.25 72 42.5 <i>OPENING: 25.9"</i>	class 125 cwt 185 lb cu ft 40
	OO2566-__-__	66" open overhead storage unit three wire management grommets	17.25 66 42.5 <i>OPENING: 25.9"</i>	class 125 cwt 155 lb cu ft 38
	OU2536-__	overhead with two doors	17.25 36 42.5	class 125 cwt 115 lb cu ft 19
	OU2548-__	overhead with three doors	17.25 48 42.5	class 125 cwt 150 lb cu ft 26

veneer chassis veneer drawer fronts VV		veneer chassis durasyn drawer fronts VD		durasyn chassis veneer drawer fronts DV		durasyn chassis durasyn drawer fronts DD	
list \$ zone 1	list \$ zone 2	list \$ zone 1	list \$ zone 2	list \$ zone 1	list \$ zone 2	list \$ zone 1	list \$ zone 2
2,065	2,226	1,984	2,143	1,736	1,875	1,653	1,784
2,012	2,172	1,882	2,034	1,737	1,876	1,506	1,625
1,925	2,079	1,792	1,936	1,677	1,811	1,435	1,549
1,593	1,721	1,275	1,377	1,275	1,377	1,275	1,377
1,534	1,657	1,228	1,327	1,228	1,327	1,228	1,327
1,295	1,527	1,144	1,272	995	1,137	914	1,056
1,590	1,719	1,361	1,487	1,171	1,311	1,090	1,232

top

P laminate top
W veneer top

veneer finishes
6C light cherry
7C medium cherry
8C dark cherry

pulls

BB black bar
CB chrome bar
CC chrome cable

edge



durasyn
solid color
match to
laminate

PE pearl
CH chinchilla
FG fog
NG northsea gray
BP black pearl
BL black
ST sunset
SD sand
CT cactus
RK rock
TW tumbleweed
NB natural beige



	model number	description	d	w	h	freight
	USU72- __	underside paper storage for use with 72" overhead storage units <i>FACTORY INSTALLED ONLY, NOT AVAILABLE ON WALL MOUNT UNITS</i>	17	72	3.25	class 125 cwt 10 lb cu ft 0
	USU66- __	underside paper storage for use with 66" overhead storage units <i>FACTORY INSTALLED ONLY, NOT AVAILABLE ON WALL MOUNT UNITS</i>	17	66	3.25	class 125 cwt 10 lb cu ft 0
	PSU- __	personal storage unit can be positioned horizontally or vertically	12	15.5	21.75	class 125 cwt 20 lb cu ft 2
	HO2536- __ - __	open hutch <i>FOR USE WITH HW OR 2FD UNITS</i>	16.5	36	42.5	class 125 cwt 90 lb cu ft 19
	HW2536- __ - __	hutch with two doors	17.25	36	42.5	
	CUH2542- __ - __	corner hutch <i>TO SET ON CORNER TOPS</i>	42	42	29	class 125 cwt 145 lb cu ft 9
	WD2572- __ - __ - __ - __	wardrobe/storage cabinet one side coat storage one side adjustable shelving storage shelf above <i>ADDITIONAL SHELVES \$77 EACH</i>	24	36	72	class 125 cwt 320 lb cu ft 42
	WD2572-18 - __	wardrobe/storage cabinet	24	18	72	class 125 cwt 170 lb cu ft 23

veneer chassis veneer drawer fronts VV		veneer chassis durasyn drawer fronts VD		durasyn chassis veneer drawer fronts DV		durasyn chassis durasyn drawer fronts DD	
list \$	zone 1	list \$	zone 2	list \$	zone 1	list \$	zone 2
413		445		330		356	
413		445		330		356	
562		606				450	486
1,244		1,416				995	1,075
1,615		1,752	1,328	1,437	1,248	1,351	1,161
1,455		1,603				1,165	1,258
2,995		3,226	2,846	3,074	2,546	2,750	2,396
2,155		2,367					

trek
2500

trek
2500

top
P laminate top
W veneer top

veneer finishes
6C light cherry
7C medium cherry
8C dark cherry





pulls
BB black bar
CB chrome bar
CC chrome cable

durasyn
solid color
match to
laminate

PE pearl
CH chinchilla
FG fog
NG northsea gray
BP black pearl
BL black
ST sunset
SD sand
CT cactus
RK rock
TW tumbleweed
NB natural beige

edge
G H I




	model number	description	d	w	h	freight
	HW25722F- _ - _ - _	hinged door cabinet two adjustable shelves lateral file below <i>ADDITIONAL SHELVES \$77 EACH</i>	24	36	72	class 125 cwt 320 lb cu ft 43
	HW2572HW- _ - _ - _	hinged door cabinet (above and below) two adjustable shelves upper one adjustable shelf below <i>ADDITIONAL SHELVES \$77 EACH</i>	24	36	72	class 125 cwt 270 lb cu ft 43
	AV25722F- _ - _ - _	tv cabinet pocket doors pull-out swivel TV tray lateral file below <i>ADDITIONAL SHELVES \$77 EACH</i>	24	36	72	class 125 cwt 340 lb cu ft 43
	AV2572HW- _ - _ - _	tv cabinet upper pocket doors, pull-out swivel TV tray, hinged door cabinet below one adjustable shelf <i>ADDITIONAL SHELVES \$77 EACH</i>	24	36	72	class 125 cwt 290 lb cu ft 43

veneer chassis veneer drawer fronts VV		veneer chassis durasyn drawer fronts VD		durasyn chassis veneer drawer fronts DV		durasyn chassis durasyn drawer fronts DD	
list \$	zone 1	list \$	zone 2	list \$	zone 1	list \$	zone 2
4,323		4,669		4,108		3,675	
				4,449		3,980	
4,140		4,477		3,934		3,518	
				4,266		3,817	
4,953		5,349		4,706		4,211	
				5,096		4,560	
4,785		5,170		4,546		4,067	
				4,925		4,407	
						3,962	
						4,290	
						3,827	
						4,146	

trek
2500

trek
2500

top	P laminate top W veneer top	veneer finishes 6C light cherry 7C medium cherry 8C dark cherry	pulls BB black bar CB chrome bar CC chrome cable
edge			

durasyn solid color match to laminates	PE pearl CH chinchilla FG fog NG northsea gray BP black pearl BL black ST sunset SD sand CT cactus RK rock TW tumbleweed NB natural beige
---	--



application 1
double pedestal desk

mounting method:
modesty panel butts into storage pedestal left and right

components specified:
work surface, left and right pedestals and modesty panel



top size:
top width 72"
pedestal width minus 15.5"
pedestal width minus 15.5"
equal 41"


modesty panel size41"

included kits	quantity
PHK	2

application 4
"u" unit - bridge

mounting method:
modesty panel overlaps both end support units.
END SUPPORT OVERLAP IS A MINIMUM OF 4" (2"+2")

components specified:
desk, bridge and credenza top, desk and credenza pedestals, end supports, desk modesty panel (see 2) credenza modesty panel (see 2), return modesty



top size:
top width 48"
minimum overlap plus 2"
minimum overlap plus 2"
equal 52"

minimum modesty panel size 52"


specify modesty panel53"

included kits	quantity
PHK	2
ESHK	2

application 2
single pedestal unit

mounting method:
modesty panel butts into storage pedestal and overlaps end support unit. END SUPPORT OVERLAP IS A MINIMUM OF 2"

components specified:
work surface, pedestal, end support and modesty panel



top size:
top width 72"
pedestal width minus 15.5"
end support width minus 15.5"
equal 41"

END SUPPORT OVERLAP IS A MINIMUM OF 2"

minimum modesty panel size 43"


specify modesty panel47"

included kits	quantity
PHK	1
ESHK	2

application 5
corner unit with standard pedestal returns

mounting method:
modesty panel butts into storage pedestal and overlaps corner support unit. END SUPPORT OVERLAP IS A MINIMUM OF 2" BUT NO MORE THAN 5"

components specified:
corner and return tops, pedestals, corner support and modesty panels



top size:
return top width 60"
pedestal width minus 15.5"
minimum overlap plus 2"
equal 46.5"

minimum modesty panel size 46.5"


specify modesty panel47"

included kits	quantity
PHK	2
ESHK	2

application 3
"l" unit - return

mounting method:
modesty panel butts into storage pedestal and overlaps end support unit. END SUPPORT OVERLAP IS A MINIMUM OF 2"

components specified:
desk and return top, desk and return pedestals, end support, desk modesty panel (see 2), return modesty panel



top size:
return top width 48"
pedestal width minus 15.5"
equal 31.5"

END SUPPORT OVERLAP IS A MINIMUM OF 2"

minimum modesty panel size 33.5"


specify modesty panel35"

included kits	quantity
PHK	2
ESHK	2

application 6
corner unit with lateral file pedestal returns

mounting method:
modesty panel butts into storage pedestal and overlaps corner support unit. END SUPPORT OVERLAP IS A MINIMUM OF 2" BUT NO MORE THAN 5"

components specified:
corner and return tops, pedestals, corner support and modesty panels



top size:
return top width 60"
pedestal width minus 36"
minimum overlap plus 2"
equal 26"

minimum modesty panel size 26"

specify modesty panel29"

included kits	quantity
PHK	2
ESHK	2

chassis
VV veneer
DD durasyn

modesty
Special orders: to cut down any standard size modesty panel to specified dimension add \$100 to the next highest price
pedestal hardware mounting kit
end support hardware kit

PHK
ESHK


edge






center location


all widths, 24" & 30" depths



all widths, 36" depth




72" & 78" widths, 36" & 42" depth




left and right locations


60" widths or larger, 24" & 30" depths




60" widths or larger, 36" depths



72" & 78" widths, 36" & 42" depth



bullet tops and left & right "p" tops
all widths and depths



top

P laminate top
W veneer top

grommets to specify: at the end of the work surface model number add optional grommet location
L = left **R** = right **C** = center add \$128 list per grommet.
grommets cannot be used above full-depth pedestals, lateral files or storage cabinets.

edge

