

January 17, 2005

Updated September 17, 2007

800-424-2432



WORKING
FOR
YOU



Ordering C.O.M., C.O.L., and C.O.V.	Ordering C.O.M., C.O.L., and C.O.V.	2
Folding Chairs and Stools	100, 300, 700 Series® Folding Chairs Gen. Info.	4
	100 Series Folding Chairs	8
	300 Series Folding Chairs	10
	700 Series® Folding Chairs	12
	Auditorium, Comfort Line®, Design Line Chairs Gen. Info.	16
	Front Row Seats® Gen. Info.	18
	Auditorium Folding Chairs	20
	Comfort Line® Folding Chairs	22
	Design Line Folding Chairs	24
	Front Row Seats®	26
	Folding Chairs - 05	28
	Storage Caddies for Folding Chairs - 05	36
	Folding Chair Storage and Accessories Gen. Info.	38
	Folding Chair Storage and Accessories	40
	Industrial/Mechanical Adjustable Stools Gen. Info.	46
	600 Series Industrial Stools	50
	700 Series® Industrial Stools	56
	800 Series Industrial Stools	58
	Mechanical Adjustable Stools	60
	Medical and Laboratory Stools General Information	62
	Medical and Laboratory Stools	64
Product Locator	Product Locator	66
Index	Index	70

Ordering C.O.M., C.O.L., and C.O.V.


How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI
1330 Bellevue Street
Green Bay, WI 54302
Attn: C.O.M. Specialist

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing

For products shipped from Green Bay, WI facility, ship upholstery material to:

KI
Attn: C.O.M. Storage
1330 Bellevue Street
Green Bay, WI 54302

For products shipped from Manitowoc, WI facility, ship upholstery material to:

KI Manitowoc
Attn: C.O.M. Storage
1400 South 41st Street
Manitowoc, WI 54220

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo
Attn: C.O.M. Storage
2112 South Green Street
Tupelo, MS 38801

For products shipped from Bonduel, WI facility, ship material to:

KI
Attn: C.O.M. Storage
204 West South Street
Bonduel, WI 54107

For products shipped from LaVerne, CA facility, ship material to:

Impress/Kismet
Attn: C.O.M. Storage
2009 Wright Ave.
LaVerne, CA 91750

For products shipped from Los Angeles, CA facility, ship material to:

KI-ADD
Attn: C.O.M. Storage
6500 S. Avalon Boulevard
Los Angeles, CA 90003

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.




Diagram B

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.V. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M., C.O.L. and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

Purchasing Agent (Dealer or buying organization)

Attention

Address

City

S

late

Zip

Project Name

Type of seating and number of units of each type

Please see information below and check the appropriate box.

Submitted for testing.

Test approved. Submitted for production.

Purchase Order Number

KI Acknowledgement Number


In all instances, send this form to the C.O.M. Specialist.

A Selvage Top and Bottom



B Selvage Side and Side





Folding Chairs and Stools

100, 300, 700 Series® Folding Chairs Gen. Info.



100 Series Steel Seat (101)



100 Series Upholstered Seat (103)



100 Series Upholstered Seat and Back (104)

Features

Seam-welded tubular steel frame	•	•	•
Steel seat	•	•	•
Steel backrest	•	•	•
Polyfoam seat pad		•	•
Polyfoam backrest pad			•
2 welded crossbraces	•	•	•
Wallsaver design	•	•	•
3" frame strengtheners (a KI exclusive)	•	•	•

General Dimensions

Seat height	17-1/2"	17-1/2"	17-1/2"
Overall height	30-1/4"	30-1/4"	30-1/4"
Overall width	18-1/4"	18-1/4"	18-1/4"
Overall depth	19-3/4"	19-3/4"	19-3/4"
Ganging on center	18-1/2"	18-1/2"	18-1/2"

SPECIFICATIONS

100 Series Frames

Electrically seam-welded 19-gauge, 7/8" o.d. tubular steel. 13-gauge "ribbed" linkage.

Backrests

One-piece, 24-gauge cold-rolled with fully curled safety edge, securely welded to frame. 8-1/2" high for maximum support. 2" deep concave shape for maximum support.

104 Upholstered Backrest

24-gauge steel. 14-1/2" x 6" x 1/2" polyfoam stapled to linerboard panel. Replaceable, attached to backrest by screws.

Seats

20-gauge cold-rolled drawn and shaped steel with fully curled edges for strength and safety. Front corners have a "waterfall" shape.

103, 104 Upholstered Seat

20-gauge recessed steel seat pan. 13-1/4" x 13-1/2" x 5/8" polyfoam stapled to linerboard panel. Replaceable, attached by mechanical

fasteners.

300 Series Frames

Electrically seam-welded 19-gauge x 7/8" o.d. tubular steel. 13-gauge "ribbed" linkage. reinforced at pivot points with frame strengtheners. Crossbraces double riveted to each leg.

300 Backrests

One-piece 24-gauge cold-rolled with fully curled safety edge, securely welded to frame. 8-1/2" high for maximum support. 2" deep concave shape for maximum support.

304 Upholstered Backrest

24-gauge steel. 14-1/2" x 6" x 1/2" polyfoam stapled to linerboard panel. Replaceable, attached to backrest by screws.

301 Seats

One-piece 20-gauge cold-rolled with fully curled edge for strength and safety. Front corners have a waterfall shape.

303, 304 Upholstered Seats

20-gauge recessed steel seat pan. 5/8" poly-

foam sealed to linerboard panel. Replaceable, attached by mechanical fasteners.

Feet

Replaceable, nonmarring, durable, linear polypropylene.

300 Series Folding Chair Stenciling

Identification applied to metal backrest. Contact KI.

Frame Finish

Baked on electrostatically applied epoxy powder coating.

INFORMATION

C.O.M. Testing and Production Requirements

KI reserves the right to reject unsuitable material. Orders will not be accepted without prior material approval. Send 1 yard of customer's own material for testing. A 1" square sample swatch for identification must accompany

original orders.

Send C.O.M. marked with your name and P.O. number to:

KI
2112 South Green Street
Tupelo, MS 38801



Folding Chairs and Stools

100, 300, 700 Series® Folding Chairs Gen. Info.



**300 Series Steel Seat
(301)**



**300 Series Upholstered
Seat (303)**



**300 Upholstered Seat
and Back (304)**

Features

Seam-welded tubular steel frame	•	•	•
Steel seat	•	•	•
Steel backrest	•	•	•
Polyfoam seat pad		•	•
Polyfoam backrest pad			•
2 double-riveted crossbraces	•	•	•
Wallsaver design	•	•	•
3" frame strengtheners (a KI exclusive)	•	•	•

General Dimensions

Seat height	17-1/2"	17-1/2"	17-1/2"
Overall height	30-1/4"	30-1/4"	30-1/4"
Overall width	18-1/4"	18-1/4"	18-1/4"
Overall depth	19-1/2"	19-1/2"	19-1/2"
Ganging on center	18-1/2"	18-1/2"	18-1/2"

INFORMATION

Warranty

See Terms for general information.

Folding Chairs and Stools

100, 300, 700 Series® Folding Chairs Gen. Info.



Steel Seat(701)



Upholstered Seat (703)



Upholstered Seat and Back (704)

Features

Seam-welded tubular steel frame	•	•	•
Steel seat	•	•	
Steel backrest	•	•	•
Polyfoam seat pad		•	•
Polyfoam backrest pad			•
3 welded crossbraces	•	•	•
Wallsaver design	•	•	•
3" frame strengtheners (a Kl exclusive)	•	•	•
Steel seat bridge	•		

General Dimensions

Seat height	17-1/2"	17-1/2"	17-1/2"
Overall height	30-1/4"	30-1/4"	30-1/4"
Overall width	18-1/4"	18-1/4"	18-1/4"
Overall depth	19-1/2"	19-1/2"	19-1/2"

SPECIFICATIONS

700 Series® Frames

Electrically seam-welded 19-gauge, 7/8" o.d. tubing. Front legs reinforced at pivot points with frame strengtheners/seat spacers. Three leg braces of 19-gauge, 5/8" o.d. steel tubing.

Steel Backrests

8-1/2" deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edge and spot-welded to frame.

704 Upholstered Backrest

Replaceable backrest panel of 1/2" polyfoam stapled to linerboard base. Attached to backrest by screws.

701 Steel Seat

Seat pivots on 1/4" tempered steel rivets. One-piece 20-gauge cold-rolled drawn and shaped steel with fully curled edges.

703, 704U Upholstered Seats

20-gauge recessed steel seat pan. 5/8" poly-

foam stapled to linerboard panel. Replaceable, attached by mechanical fasteners.

703S, 704S Upholstered Seat

20-gauge recessed steel seat pan. 1" polyfoam stapled to linerboard panel. Replaceable, attached by mechanical fasteners.

"FTAR" Miracle Fold Tablet Arm

Arm folds independently of chair and has a high degree of clearance from seat to underside of tablet arm. Front hingelock of die-formed 14-gauge steel and molded copolymer, 14-gauge, 7/8" o.d. bright chrome tubular steel arm support. Rear dual action hinge laminated of 11- and 14-gauge steel. Tablet is 5/8" high-density MDF faced with high-pressure plastic laminate top and backing sheets.

"TAR" Folding Tablet Arm

Arm folds with folding action of chair. Tubular steel frame is secured under the seat with formed steel brackets. Heavy-duty formed steel hinge is riveted to frame. Tablet is 5/8"

high-density MDF with high-pressure plastic laminate top and backing sheets.

Feet

Replaceable nonmarring linear polypropylene.

Ganging (Armless Models Only)

Riveted male interlocks engage matching twin keyholes on brazed female bracket.

Folding Bookrack

Factory-installed only. 10" x 15-3/4" storage area. 5/16" o.d. steel wire frame with spot-welded 1/4" o.d. crosspieces. Zinc finish.

Folding Chair Stenciling

Identification applied to metal backrest. Contact Kl.

Optional Bright Chrome Finish

Surfaces are nickel-chrome plated.

Frame Finish

Baked on electrostatically applied epoxy powder coating.



Folding Chairs and Stools

100, 300, 700 Series® Folding Chairs Gen. Info.



Tablet Arm (701TAR)



Miracle Fold Tablet Arm (704FTAR)

Features

Seam-welded tubular steel frame	•	•
Steel seat	•	•
Steel backrest	•	•
Polyfoam seat pad		•
Polyfoam backrest pad		•
3 welded crossbraces	•	•
Wallsaver design	•	•
3" frame strengtheners (a KI exclusive)	•	•

General Dimensions

Seat height	17-1/2"	17-1/2"
Overall height	30-1/4"	30-1/4"
Overall width	24"	24"
Overall depth	26-1/4"	26-1/4"
Tablet arm	12-1/2" x 22-1/2"	12-1/2" x 22-1/2"

INFORMATION

Warranty

See Terms for general information.

Folding Chairs and Stools

100 Series Folding Chairs

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight	
		Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color		
 <p>100</p>	Steel Seat <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 2 welded crossbraces, front and rear 3" frame strengtheners (A KI exclusive) Wallsaver design 	Unupholstered	101	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
 <p>100U</p>	Upholstered Seat <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 2 welded crossbraces, front and rear Polyfoam seat pad 3" frame strengtheners (A KI exclusive) Wallsaver design 	1" Seat Pad	103S	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
		5/8" Seat Pad	103U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
 <p>100U</p>	Upholstered Seat and Back <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 2 welded crossbraces, front and rear Polyfoam seat and backrest pad 1/2" polyfoam backrest pad 3" frame strengtheners (A KI exclusive) Wallsaver design 	1" Seat Pad	104S	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
		5/8" Seat Pad	104U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
- D** Select feet/bumper color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Custom Embossed Backrest

Available on upholstered and steel backrest. 3/4" high letters. Three lines maximum. Set-up charge \$194. Upcharge is \$5 per chair. Contact KI to order.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=103
Added Lead Time=1 Week
Added List Price=\$6
Model=104
Added Lead Time=1 Week
Added List Price=\$11

Bookrack

Factory installed only. Folds with chair. 15-3/4" W, 10"D. Zinc finish. Add "/BRK" to model number. Add 1-1/2# to weight. Upcharge is \$12



Folding Chairs and Stools

100 Series Folding Chairs

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1
\$ 43		\$ 30	
N/A	\$ 69	N/A	\$ 49
N/A	56	N/A	39
N/A	\$ 87	N/A	\$ 62
N/A	71	N/A	50

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

300 Series Folding Chairs

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color	
 <p>300</p> <p>Steel Seat</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 2 "double riveted" crossbraces, front and rear 3" frame strengtheners (A KI exclusive) Wallsaver design 	Unupholstered	301	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	10#
 <p>300U</p> <p>Upholstered Seat</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 2 "double riveted" crossbraces, front and rear Polyfoam seat pad 3" frame strengtheners (A KI exclusive) Wallsaver design 	1" Seat Pad	303S	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
	5/8" Seat Pad	303U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
 <p>300U</p> <p>Upholstered Seat and Back</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 2 "double riveted" crossbraces, front and rear Polyfoam seat pad and backrest 1/2" polyfoam backrest pad 3" frame strengtheners (A KI exclusive) Wallsaver design 	1" Seat Pad	304S	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12#
	5/8" Seat Pad	304U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
- D** Select feet/bumper color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Custom Embossed Backrest

Available on upholstered and steel backrest. 3/4" high letters. Three lines maximum. Set-up charge \$194. Upcharge is \$5 per chair. Contact KI to order.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model = 303
Added Lead Time = 1 Week
Added List Price = \$6
Model = 304
Added Lead Time = 1 Week
Added List Price = \$12

Bookrack

Factory installed only. Folds with chair. 15-3/4" W, 10"D. Zinc finish. Add "/BRK" to model number. Add 1-1/2# to weight. Upcharge is \$12

Folding Chairs and Stools

700 Series® Folding Chairs

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight	
		Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color		
 <p>7C</p>	Steel Seat <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 3 welded crossbraces 3" frame strengtheners (A KI exclusive) Wallsaver design 	Unupholstered	701	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
 <p>7UC</p>	Upholstered Seat <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 3 welded crossbraces Polyfoam seat pad 3" frame strengtheners (A KI exclusive) Wallsaver design 	1" Seat Pad	703S	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12#
		5/8" Seat Pad	703U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12#
 <p>7UC</p>	Upholstered Seat and Back <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 3 welded crossbraces Polyfoam seat and backrest pad 1/2" polyfoam backrest pad 3" frame strengtheners (A KI exclusive) Wallsaver design 	1" Seat Pad	704S	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	13#
		5/8" Seat Pad	704U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	13#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
- D** Select feet/bumper color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Custom Embossed Backrest

Available on upholstered and steel backrest. 3/4" high letters. Three lines maximum. Set-up charge \$194. Upcharge is \$5 per chair. Contact KI to order.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model =703
Added Lead Time =1 Week
Added List Price = \$6
Model =704
Added Lead Time =1 Week
Added List Price = \$12

Bookrack

Factory installed only. Folds with chair. 15-3/4" W, 10"D. Zinc finish. Add "/BRK" to model number. Add 1-1/2# to weight. Upcharge is \$12

Chrome

Bright Chrome finish. Add suffix "/CH" under frame color. Available only on the 700 Series® Folding Chairs model 704 with upholstered seat and back. Upcharge is \$44

Folding Chairs and Stools

700 Series® Folding Chairs

MODEL	Features	MODEL NUMBER				
		Basic Model	Frame Color	Upholstery Color	Tablet Arm Color	Feet/Bumper Color
 <p>Tablet Arm Chair</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 3 welded crossbraces Plastic laminate arms fold with chair 3" frame strengtheners (A KI exclusive) Wallsaver design Left hand version available Tablet arm folds with chair 	Steel Seat, Left Hand	701TAL	□□□		□□□	□□□
	Steel Seat, Right Hand	701TAR	□□□		□□□	□□□
	Seat Pad/Steel Back, Left Hand	703TAL/U	□□□	□□□□□	□□□	□□□
	Seat Pad/Steel Back, Right Hand	703TAR/U	□□□	□□□□□	□□□	□□□
	Seat Pad/Padded Back, Left Hand	704TAL/U	□□□	□□□□□	□□□	□□□
	Seat Pad/Padded Back, Right Hand	704TAR/U	□□□	□□□□□	□□□	□□□
 <p>Miracle Fold Tablet Arm</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 3 welded crossbraces, front and rear Plastic laminate arms fold independently of chair 3" frame strengtheners (A KI exclusive) Wallsaver design Left hand version available Tablet arm folds independently of chair 	Steel Seat, Left Hand	701FTAL	□□□		□□□	□□□
	Steel Seat, Right Hand	701FTAR	□□□		□□□	□□□
	Seat Pad/Steel Back, Left Hand	703FTAL/U	□□□	□□□□□	□□□	□□□
	Seat Pad/Steel Back, Right Hand	703FTAR/U	□□□	□□□□□	□□□	□□□
	Seat Pad/Padded Back, Left Hand	704FTAL/U	□□□	□□□□□	□□□	□□□
	Seat Pad/Padded Back, Right Hand	704FTAR/U	□□□	□□□□□	□□□	□□□

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The □ indicates that a choice is required.
•The absence of the □ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
- D** Select tablet arm color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- E** Select feet/bumper color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Custom Embossed Backrest

Available on upholstered and steel backrest. ¾" high letters. Three lines maximum. Set-up charge \$194. Upcharge is \$5 per chair. Contact KI to order.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model =703
Added Lead Time =1 Week
Added List Price = \$6
Model =704
Added Lead Time =1 Week
Added List Price = \$12

Bookrack

Factory installed only. Folds with chair. 15-3/4" W, 10"D. Zinc finish. Add "/BRK" to model number. Add 1-1/2# to weight. Upcharge is \$12

Chrome

Bright Chrome finish. Add suffix "/CH" under frame color. Available only on the 700 Series® Folding Chairs model 704 with upholstered seat and back. Upcharge is \$44



Folding Chairs and Stools

700 Series® Folding Chairs

Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1
18#	\$ 123		\$ 89	
18#	116		82	
18#	N/A	135	N/A	98
18#	N/A	129	N/A	90
19#	N/A	152	N/A	109
19#	N/A	145	N/A	102
19#	\$ 170		\$ 122	
19#	163		114	
20#	N/A	183	N/A	130
20#	N/A	175	N/A	123
20#	N/A	202	N/A	140
20#	N/A	191	N/A	134

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

Auditorium, Comfort Line®, Design Line Chairs Gen. Info.



**Auditorium Upholstered
Seat and Back (731)**



**Auditorium Upholstered
Seat and Back (734)**

Features

Independent seat rise	•	
Interlocking ganging mechanism	•	•
Tubular steel frame	•	•
Steel rod K brace on front leg frame	•	
Reinforced steel insert tubes on front legs	•	•
Two rear crossbraces	•	•
2-1/2" seat cushion	•	
2" seat cushion		•
1/2" back cushion	•	
5/8" back cushion		•
Optional interlocking armrests	•	

General Dimensions

Seat height	18-1/2"	17-1/2"
Overall height - open	31-7/8"	31-1/2"
Overall height - closed	40-3/4"	
Overall width - armless	19"	18-1/4"
Overall width - with arms	21"	
Folded depth	5"	

SPECIFICATIONS

Auditorium 731 Series Frames

Electrically welded 19-gauge x 7/8" o.d. tubular steel. Front legs reinforced with two tubular steel inserts. U-shaped front leg crossbrace. Steel rod "K" brace welded between front leg frame and "U" brace for added strength. Two 19-gauge x 5/8" crossbraces welded to rear legs.

Auditorium 731 Series Upholstered Backrests

1/2" polyfoam attached with screws to 3/16" molded backboard. Steel back panel is welded to frame. Replaceable upholstery.

Auditorium 731 Upholstered Seats

18-gauge x 7/8" tubular steel seat frame with 8" x 3/4" x 18-gauge steel tubes inserted for added strength. 2-1/2" polyfoam attached with screws to 5/8" Novoply™ seat base. Replaceable upholstery. Underside of seat painted to match frame color. Rectangular numbering plate attached to underside of seat.

Auditorium 731 Series Rubber Feet

Nonmarring heavy-duty rubber feet. Rotatable to compensate for wear.

Auditorium 731 Series Armrest with Interlock

Tubular steel to match chair frame. Electrically welded to chair frame. Top of support arm welded to armrest support base. Welded male and female interlocks on armrest support engage with opposite interlocks on chairs when in engaged position.

Auditorium 731 Series Interlocking Ganging Bracket

Heavy-duty steel. Female interlocks with key-hole slots welded to leg. Male shoulder studs riveted to main chair frame and interlock with female interlocks. Each chair provided with two male interlocks and one female interlock.

Auditorium 731 Series Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-one step process.

Auditorium 731 Series Frame Finish

Baked on electrostatically applied epoxy powder coating.

Auditorium 734 Frame

Legs: 19-gauge electrically seam-welded 7/8" o.d. steel tubing. Front legs reinforced with 18 gauge, 3/4" o.d. steel tubing inserts (tube-within-a-tube construction). Frame reinforced at pivot points with frame strengtheners. Two rear and one front crossbraces of 19-gauge, 5/8" o.d. steel tubing welded to legs. Steel pivots on 1/4" tempered steel rivets at front and 3/16" rivets at rear legs.

Auditorium 734 Backrest

8-1/2" deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edges and spot-welded to frame. Replaceable backrest panel is of 5/8" polyfoam on a 1/4" preformed backboard, secured to the backrest with screws.

Auditorium 734 Seat

18-gauge electrically seam-welded 7/8"

square steel tubing at front and sides, reinforced by 18-gauge, 3.4" o.d. tubular steel insert (tube-within-a-tube construction). Back of seat has 18-gauge formed steel angle support. 2" polyfoam bonded to 5/8" Novoply™ base. Replaceable seat cushions fasten to frame with screws.

Auditorium 734 Feet

Replaceable nonmarring linear polypropylene.

Auditorium 734 Ganging (Armless Models Only)

Riveted male interlocks engage matching twin keyholes on brazed female bracket.

Auditorium 734 Folding Arms

Steel frame with a padded and upholstered cushion. Laminated steel frame hinge with 16-gauge, 1/2" o.d. tubular steel arm support.

Auditorium 734 Stenciling

Identification applied to metal backrest. Contact Kl.

Auditorium 734 Optional Bright Chrome



Folding Chairs and Stools

Auditorium, Comfort Line®, Design Line Chairs Gen. Info.



Comfort Line® (702CL)



Design Line Upholstered
Seat and Back (1104)

Features

Seam-welded tubular steel frame	•	•
Polyfoam seat pad		•
Polyfoam backrest pad	•	•
Molded foam seat cushion	•	
3 welded crossbraces	•	
2 welded crossbraces		•
3" frame strengtheners (a KI exclusive)	•	•
Ganging option	•	•

General Dimensions

Seat height	18"	17-1/2"
Overall height	30-3/4"	30-1/4"
Overall width	18-1/4"	18-1/4"
Overall depth	22-1/4"	19-3/4"

Finish

Surfaces are nickel-chrome plated.

Auditorium 734 Frame Finish

Baked on electrostatically applied epoxy powder coating.

Comfort Line® Backrest

Backrest cushion is 5/8" thick. Backrest is reclined an additional 3° to increase comfort.

Comfort Line® Seat

Contoured molded seat cushion with waterfall edge. 1-1/2" thick at the front and 2-1/2" thick at the sides and rear. Seat cushion is 15-1/4" wide by 16-1/4" deep; seat height is 18".

Comfort Line® Feet

Replaceable nonmarring, high-impact polypropylene.

Comfort Line® Frame Finish

Baked on electrostatically applied epoxy powder coating.

Design Line 1100 Series Frames

Legs of electrically seam-welded 19-gauge, 7/8" o.d. steel tubing. Front legs reinforced at pivot points with frame strengtheners. Two leg braces of 19-gauge, 5/8" o.d. steel tubing.

Design Line Steel Backrests

8-1/2" deep, curved 24-gauge cold-rolled steel. Fully curled edges add to backrest rigidity. Backrest pitch enhances proper posture.

Design Line Upholstered Backrests

Replaceable backrest panel of 5/8" polyfoam glued to linerboard. Attached to backrest by screws.

Design Line Upholstered Seats

20-gauge recessed steel seat pan, 1-1/2" polyfoam stapled to liner panel. Replaceable, attached by mechanical fasteners.

Design Line Feet

Replaceable nonmarring, high-impact polypropylene.

Design Line Frame Finish

Baked on electrostatically applied epoxy powder coating.

INFORMATION

C.O.M. Testing and Production Requirements

KI reserves the right to reject unsuitable material. Orders will not be accepted without prior material approval. Send 1 yard of customer's own material for testing. A 1" square sample swatch for identification must accompany original orders.

Send C.O.M. marked with your name and P.O. number to:
KI Tupelo
2112 South Green St.
Tupelo, MS 38801

INFORMATION

Warranty

See Terms for general information.

Folding Chairs and Stools

Front Row Seats® Gen. Info.



**Front Row Seats® 734
Upholstered (FRS734)**



**Front Row Seats® 704
Upholstered Seat/Back
(FRS704)**

Features

Seam-welded tubular steel frame	•	•
Steel seat	•	•
Steel backrest	•	•
Polyfoam seat pad	•	•
Polyfoam backrest pad	•	•
Welded crossbraces	•	•
Wallsaver design	•	•
3" frame strengtheners (a KI exclusive)	•	•
Ganging option	•	•
Tube-within-a-tube construction	•	

General Dimensions

Seat height	17-1/2"	17-1/2"
Overall height	31-1/2"	30-1/4"
Ganging on center	18-1/2"	18-1/2"
Overall width	18"	18-1/4"
Overall depth	20-1/2"	19-1/2"

SPECIFICATIONS

Front Row Seats® 734 Frame

Legs 19-gauge electrically seam-welded 7/8" o.d. steel tubing. Frame reinforced at pivot points with frame strengtheners. Two rear and one front crossbraces of 19-gauge, 5/8" o.d. steel tubing welded to legs. Seat pivots on 1/4" tempered steel rivets at front and 3/16" rivets at rear legs.

Front Row Seats® 734I Independent Folding Seat Frame

Legs 19-gauge electrically seam-welded 7/8" o.d. steel tubing. Front legs reinforced at pivot points with 18-gauge, 3/4" o.d. steel tubing inserts (tube-within-a-tube construction). Two rear crossbraces of 19-gauge, 5/8" o.d. steel tubing welded to legs. Front leg "U" cross-brace of 3/4" o.d., 18-gauge steel tubing welded to legs. Independent-folding seat is hinged by two 11-gauge steel bridges between front and rear legs. Pivots are 1/4" and 3/16" tempered steel rivets.

Front Row Seats® 734 Backrests

8-1/2" deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edges and spot-welded to frame. Replaceable backrest panel is of 5/8" polyfoam on a 1/4" preformed backboard, secured to the backrest with screws.

Front Row Seats® 734 Seat

18-gauge electrically seam-welded 7/8" square steel tubing at front and sides, reinforced by 18-gauge, 3/4" o.d. tubular steel insert (tube-within-a-tube construction). Back of seat has 18-gauge formed steel angle support. 2" polyfoam bonded to 5/8" Novoply™ base. Replaceable seat cushions fasten to frame with screws.

Front Row Seats® 734I Seat

18-gauge electrically seam-welded 7/8" square steel tubing, reinforced by 18-gauge, 3/4" o.d. tubular steel insert (tube-within-a-tube construction). 2-1/2" polyfoam bonded to 5/8" Novoply™ base. Seat cushions are replaceable, fastened to frame with screws.

Front Row Seats® 734 Folding Arms

Steel frame with a padded and upholstered cushion. Laminated steel frame hinge with 16-gauge, 1/2" o.d. tubular steel arm support.

Front Row Seats® 704 Frames

Legs 19-gauge electrically seam-welded 7/8" o.d. tubing. Front legs reinforced at pivot points with frame strengtheners/seat spacers. Three leg braces of 19-gauge, 5/8" o.d. steel tubing.

Front Row Seats® 704 Steel Backrests

8-1/2" deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edge and spot-welded to frame.

Front Row Seats® 704 Upholstered Backrest

Replaceable backrest panel of 1/2" polyfoam stapled to linerboard base. Attached to backrest by screws.

Front Row Seats® 704U Upholstered

Seats

20-gauge recessed steel seat pan. 5/8" polyfoam stapled to linerboard panel. Replaceable, attached by mechanical fasteners, upholstered in vinyl.

Front Row Seats® 704S Upholstered Seats

20-gauge recessed steel seat pan. 1" polyfoam stapled to linerboard panel. Replaceable, attached by mechanical fasteners.

Front Row Seats® Feet

Replaceable nonmarring linear polypropylene.

Front Row Seats® Ganging (Armless Models Only)

Riveted male interlocks engage matching twin keyholes on brazed female bracket.

Front Row Seats® Optional Bright Chrome Finish

Surfaces are nickel-chrome plated.

Front Row Seats® Frame Finish

Baked on electrostatically applied epoxy pow-



Silk Screening charges	Seats Only			Seats and Backs		
	1-Color Logo	2-Color Logo	3-Color Logo	1-Color Logo	2-Color Logo	3-Color Logo
Silk Screen Set-up Charge	\$58.50	\$113.40	\$171.90	\$113.40	\$228.90	\$343.70
25-50 Chairs (per chair)	7.00	13.40	21.40	13.40	28.70	42.80
51-100 Chairs (per chair)	4.10	7.90	11.70	8.20	15.60	23.40
101-250 Chairs (per chair)	2.30	4.60	7.90	4.60	9.30	15.80
250+ Chairs (per chair)	2.10	4.10	6.70	4.10	8.20	13.10
Artwork Charge (per logo)	\$175.40					
Reorders	Set-up Charge – 50% Off 1st					

Minimum Orders:

- Standard Powder Coated or Chrome Finish, 25 Chairs.
- Custom Powder Coated Finish, 100 Chairs, with \$614 Set-Up Change Per Color.

der coating.

INFORMATION

C.O.M. Testing and Production Requirements

KI reserves the right to reject unsuitable material. Orders will not be accepted without prior material approval. Send 1 yard of customer's own material for testing. A 1" square sample swatch for identification must accompany original orders.

Send C.O.M. marked with your name and P.O. number to:

KI Tupelo
2112 South Green St.
Tupelo, MS 38801

Licensing Requirements

The ability to manufacture and market Front Row Seats® may be limited by licensing requirements. Contact KI Customer Service.

INFORMATION

Warranty

See Terms for general information.

Folding Chairs and Stools

Auditorium Folding Chairs

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color	
 <p>731 Auditorium Folding Chair</p> <ul style="list-style-type: none"> Welded tubular steel frame Polyfoam seat and backrest 1/2" polyfoam back; 2-1/2" polyfoam seat Interlocking ganging Independent seat rise Double rear crossbraces 	2-1/2" Seat Pad, 1/2" Back Pad	731	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	50#
	Armrest Center	RARMC	<input type="checkbox"/> <input type="checkbox"/>			2#
	Armrest Left	RARML	<input type="checkbox"/> <input type="checkbox"/>			2#
	Armrest Right	RARMR	<input type="checkbox"/> <input type="checkbox"/>			2#
 <p>734 Upholstered Chair</p> <ul style="list-style-type: none"> Heavy-duty tube-within-a-tube seam-welded steel seat frame and front leg construction 2-1/2" foam cushioned seat 5/8" foam cushioned backrest 3 welded crossbraces 3" frame strengthener (A KI exclusive) 	Nonganging	734	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	19#
	Ganging	734G	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	19#
	Steel Leg Cap	734SC	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	19#
 <p>734 Upholstered Armchair</p> <ul style="list-style-type: none"> Heavy-duty tube-within-a-tube seam-welded steel seat frame and front leg construction 2-1/2" foam cushioned seat 5/8" foam cushioned backrest 3 welded crossbraces Arms fold with chair 3" frame strengthener (A KI exclusive) 	Nonganging	734FM	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	23#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
- D** Select feet/bumper color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Custom Embossed Backrest

Available on upholstered and steel backrest. 3/4" high letters. Three lines maximum. Set-up charge \$194. Upcharge is \$5 per chair. Contact KI to order.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model =731
Added Lead Time =1 Week
Added List Price = \$23
Model =734
Added Lead Time =1 Week
Added List Price = \$24

Bookrack

Available on 734 models only. Factory installed only. Folds with chair. 15-3/4" W, 10"D. Zinc finish. Add "/BR" to model number. Add 1-1/2# to weight. Upcharge is \$14

Chrome

Bright Chrome finish. Add suffix "/CH" under frame color. Upcharge is \$50

Carton Option

For two per carton add "/2P" to end of model number; no upcharge
For one per carton add "/1P" to end of model number; upcharge is \$26.



Folding Chairs and Stools

Auditorium Folding Chairs

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Fabric Grade 2	Freight Excluded Pricing Fabric Grade 3	Freight Excluded Pricing Vinyl Group 2
N/A	\$ 221	\$ 226	\$ 236	\$ 221	N/A	\$ 155	\$ 160	\$ 175	\$ 155
54					39				
54					39				
54					39				
N/A	\$ 239	\$ 247	\$ 252	\$ 239	N/A	\$ 167	\$ 174	\$ 177	\$ 167
N/A	248	257	263	248	N/A	172	180	183	172
N/A	248	257	263	248	N/A	172	180	183	172
N/A	\$ 313	\$ 324	\$ 331	\$ 313	N/A	\$ 217	\$ 227	\$ 232	\$ 217

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.



Folding Chairs and Stools

Comfort Line® Folding Chairs

Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Fabric Grade 2	Freight Excluded Pricing Fabric Grade 3	Freight Excluded Pricing Vinyl Group 2
\$ 172	\$ 187	\$ 190	\$ 172	\$ 122	\$ 130	\$ 134	\$ 122
182	194	198	182	128	136	137	128

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

Design Line Folding Chairs

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight	
		Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color		
 <p>11U</p>	<p>Upholstered Seat</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-gauge steel seat and backrest Tubular steel, front and rear crossbraces Upholstered seat Wallsaver design 3" frame strengtheners (A KI exclusive) 	Upholstered Seat	1103	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
 <p>11U</p>	<p>Upholstered Seat and Back</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-gauge steel seat and backrest Tubular steel, front and rear crossbraces Upholstered seat and back Wallsaver design 3" frame strengtheners (A KI exclusive) 	Upholstered Seat/Back	1104	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- Select upholstery grade/color.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
- Select feet/ bumper color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model =1103
Added Lead Time =1 Week
Added List Price =\$9
Model =1104
Added Lead Time =1 Week
Added List Price =\$13



Folding Chairs and Stools

Design Line Folding Chairs

Delivered Pricing Fabric Grade 1	Freight Excluded Pricing Fabric Grade 1
\$ 82	\$ 58

\$ 104	\$ 74
--------	-------

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

Front Row Seats®

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight		
		Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color			
 <p>FS</p>	Upholstered Seat and Back <ul style="list-style-type: none"> • Artwork silk screened on seat only or seat and backrest • Replaceable polyfoam seat and backrest pad • Seam-welded tubular steel frame with heavy-gauge steel backrest • Wallsaver design • 3" frame strengtheners (A KI exclusive) • 1/2" back pad 	1" Seat Pad; Ganging	FRS704GS	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	13#	
		5/8" Seat Pad; Ganging	FRS704GU	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	13#	
		1" Seat Pad	FRS704S	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	13#	
		5/8" Seat Pad	FRS704U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	13#	
 <p>FS</p>	Upholstered Chair <ul style="list-style-type: none"> • Artwork silk-screened on seat only or seat and backrest • 2" foam cushioned seat; 5/8" cushioned backrest • Heavy-duty tube-within-a-tube seam-welded steel seat frame and front leg construction • 3 welded crossbraces • Wallsaver design 	Ganging	FRS734G	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	19#	
		Nonganging	FRS734	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	19#	
 <p>FS</p>	Upholstered Armchair <ul style="list-style-type: none"> • Artwork silk-screened on seat only or seat and backrest • 2" foam cushioned seat; 5/8" cushioned backrest • Heavy-duty tube-within-a-tube seam-welded steel seat frame and front leg construction • 3 welded crossbraces • Wallsaver design • Arms fold with chair 		FRS734FM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	19#	
				A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
- D** Select feet and bumper color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Special Enamel Frame

Submit paint sample to KI. Orders will not be accepted without prior suitability approval. Add upcharge to standard chair or C.O.M. price. Minimum quantities required.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.
Model =FRS704
Added Lead Time =1 Week
Added List Price = \$9

Chrome

Bright Chrome finish. Add suffix "/CH" under frame color. Upcharge is \$50



Folding Chairs and Stools

Front Row Seats®

Delivered Pricing Vinyl Group 1 & C.O.V.	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
\$ 128	\$ 65
113	62
119	61
105	56
<hr/>	
\$ 230	\$ 154
217	148
<hr/>	
\$ 291	\$ 200

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

Folding Chairs - 05



Steel Seat Single Hinge (301)

Steel Seat Double Hinge (301D)

Steel Seat Double Hinge w/ Three Crossbraces (331D)

Fabric Upholstered Seat and Back (344DF)

Vinyl Upholstered Seat and Back (344DV)

Fabric Upholstered Seat & Back w/ 2" Padded Seat (354DF)

Features

Seam-welded tubular steel frame	•	•	•	•	•	•
Steel seat	•	•	•	•	•	•
Steel backrest	•	•	•	•	•	•
Single hinge	•			•	•	•
Double hinge		•	•	•	•	•
2 double-riveted crossbraces	•	•		•	•	•
3 double-riveted crossbraces			•	•	•	•
3" frame strengtheners (a KI exclusive)	•	•	•	•	•	•
Wallsaver design	•	•	•			

General Dimensions

Seat height	17-1/2"	17-1/2"	17-1/2"	17-1/2"	17-1/2"	19-3/4"
Overall height	30-1/4"	30-1/4"	30-1/4"	31"	31"	32-3/8"
Overall width	18-1/4"	18-1/4"	18-1/4"	18-1/2"	18-1/2"	19"
Overall depth	19-1/2"	19-1/2"	19-1/2"	21"	21"	21"
Folded depth	2-1/2"	2-1/2"	2-1/2"	2-3/4"	2-3/4"	3-3/4"

SPECIFICATIONS 301, 301D, 331D

Frame

Electrically seam-welded 18 ga. x 7/8" o.d. tubular steel. 13-gauge "ribbed" linkage, reinforced at pivot points with both front and rear leg frame strengtheners. 5/8" dia. cross braces double riveted to each leg.

Steel Backrest

One-piece 24-gauge cold-rolled with fully curled safety edge, securely welded to frame. 2" deep concave shape for maximum support. Rounded back for comfort.

Steel Seat

One-piece 22-gauge cold-rolled with fully curled safety edge, securely welded to frame. Front corners have a waterfall shape.

344DV, 344DF

Frame

Electrically seam-welded 18 ga. x 7/8" o.d.

tubular steel. 13-gauge "ribbed" linkage, 3/4" dia. cross braces double riveted to each leg.

Upholstered Backrest

One-piece 24-gauge cold-rolled with fully curled safety edge, securely welded to frame. 7/8" polyfoam stapled to linerboard panel attached with screws to backrest. Higher back for added comfort. Replaceable upholstery.

Upholstered Seat

One-piece 22-gauge cold-rolled with fully curled safety edge, securely welded to frame. 1-3/8" polyfoam sealed to linerboard panel attached with rivets to seat pan.

354DF

Frame

Electrically seam-welded 18 ga. x 7/8" o.d. tubular steel. 13-gauge "ribbed" linkage, 5/8" cross braces double riveted to each leg.

Upholstered Backrest

One-piece 24-gauge cold-rolled with fully

curled safety edge, securely welded to frame. 7/8" polyfoam stapled to 6 mm linerboard panel attached with screws to backrest. Higher back for added comfort. Replaceable upholstery.

Upholstered Seat

20-gauge D-shape tube. 2" polyfoam stapled to 5mm fiberboard attached to frame with 8 metal brackets and rivets.



Folding Chairs and Stools

Folding Chairs - 05



**Steel Seat Double Hinge
w/ Tablet Arm (301DTA)**



**Vinyl Upholstered Seat
Double Hinge w/ Tablet
Arm (301DVTA)**



**Double Tier Storage
Caddy (KDT84)**



**Vertical Storage Caddy
(KV50A)**

Features

Seam-welded tubular steel frame	•	•
Steel seat	•	•
Steel backrest	•	•
Polyfoam seat pad		•
Polyfoam backrest pad		•
Double hinge	•	•
2 double-riveted crossbraces	•	•
Front frame strengtheners	•	•

Features (Capacity)

301, 301D, 331D	84	50
344DV, 344DF	72	42
354DF	48	30
301DTA, 301DVTA	0	25

General Dimensions

Seat height	16-1/2"	17-1/2"		
Overall height	30-1/4"	30-1/4"	67-5/8"	30"
Overall width	21"	21"	33-3/4"	20-7/8"
Overall depth	28-1/4"	28-1/4"	61-1/2"	106-1/2"
Tablet arm	11-1/4" x 21-7/8"	11-1/4" x 21-7/8"		
Tablet arm height from floor	26-1/2"	26-1/2"		
Folded depth	4"	4-1/2"		
Wheels on center			30"	15-1/2"

INFORMATION

Warranty

See Terms for general information.

Folding Chairs and Stools

Folding Chairs - 05

MODEL	Features	MODEL NUMBER		Approx. Packaged Weight
		Basic Model		
 <p>FC</p>	Steel Seat Single Hinge <ul style="list-style-type: none"> • Single hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 3" frame strengtheners (a KI exclusive) • Wallsaver design • Matching feet (BS has black feet) 	Unupholstered Beige	301/BE	10#
		Unupholstered Black	301/BL	10#
		Unupholstered Brown	301/BR	10#
		Unupholstered Baltic	301/BS	10#
		Unupholstered Warm Grey	301/WG	10#
 <p>FC</p>	Steel Seat Double Hinge <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 3" frame strengtheners (a KI exclusive) • Wallsaver design • Matching feet (BS has black feet) 	Unupholstered Beige	301D/BE	10#
		Unupholstered Black	301D/BL	10#
		Unupholstered Brown	301D/BR	10#
		Unupholstered Baltic	301D/BS	10#
		Unupholstered Warm Grey	301D/WG	10#
 <p>FC</p>	Steel Seat Double Hinge w/ 3 Crossbraces <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • Added rear double-riveted crossbrace for superior strength • 3" frame strengtheners (a KI exclusive) • Wallsaver design • Matching feet (BS has black feet) 	Unupholstered Beige	331D/BE	11#
		Unupholstered Black	331D/BL	11#
		Unupholstered Brown	331D/BR	11#
		Unupholstered Baltic	331D/BS	11#
		Unupholstered Warm Grey	331D/WG	11#



HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select base model.

INFORMATION

Cartoning

Model 301 - 4 units per carton
 Model 301D - 4 units per carton
 Model 331D - 4 units per carton



Folding Chairs and Stools

Folding Chairs - 05

Delivered Pricing	Freight Excluded Pricing
\$ 38	\$ 26
38	26
38	26
38	26
38	26

\$ 41	\$ 28
41	28
41	28
41	28
41	28

\$ 45	\$ 32
45	32
45	32
45	32
45	32

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

Folding Chairs - 05

MODEL	Features	MODEL NUMBER		Approx. Packaged Weight
		Basic Model		
 <p>Vinyl Upholstered</p> <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-ripped crossbraces, front and rear • 7/8" polyfoam backrest pad • 1-3/8" polyfoam seat pad • Higher back for comfort 	Beige Frame/Beige Vinyl	344DV/BE/VBE	12#	
	Beige Frame/Brown Vinyl	344DV/BE/VBR	12#	
	Warm Grey Frame/Blue Vinyl	344DV/WG/VBH	12#	
	Warm Grey Frame/Black Vinyl	344DV/WG/VBL	12#	
	Warm Grey Frame/Burgundy Vinyl	344DV/WG/VBU	12#	
	Warm Grey Frame/Grey Vinyl	344DV/WG/VGY	12#	
 <p>Fabric Upholstered</p> <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-ripped crossbraces, front and rear • 7/8" polyfoam backrest pad • 1-3/8" polyfoam seat pad • Higher back for comfort 	Beige Frame/Beige Fabric	344DF/BE/FBE	12#	
	Black Frame/Charcoal Fabric	344DF/BL/FCH	12#	
	Brown Frame/Walnut Fabric	344DF/BR/FWA	12#	
	Warm Grey Frame/Blue Fabric	344DF/WG/FBH	12#	
	Warm Grey Frame/Burgundy Fabric	344DF/WG/FBU	12#	
	Warm Grey Frame/Grey Fabric	344DF/WG/FGY	12#	
 <p>Cushioned Fabric Upholstered</p> <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-ripped crossbraces, front and rear • 7/8" polyfoam backrest pad • 2" polyfoam seat pad • Higher back for comfort 	Beige Frame/Beige Fabric	354DF/BE/FBE	13#	
	Black Frame/Charcoal Fabric	354DF/BL/FCH	13#	
	Brown Frame/Walnut Fabric	354DF/BR/FWA	13#	
	Warm Grey Frame/Blue Fabric	354DF/WG/FBH	13#	
	Warm Grey Frame/Burgundy Fabric	354DF/WG/FBU	13#	
	Warm Grey Frame/Grey Fabric	354DF/WG/FGY	13#	

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

Some models available with Quick Ship leadtimes. See Quick Ship Price List for details.

HOW TO BUILD A MODEL NUMBER

- A** Select base model.

INFORMATION

Cartoning

Model 344DV - 4 units per carton
Model 344DF - 4 units per carton
Model 354DF - 4 units per carton



Folding Chairs and Stools

Folding Chairs - 05

Delivered Pricing	Freight Excluded Pricing
\$ 67	\$ 47
67	47
67	47
67	47
67	47
67	47

\$ 72	\$ 50
72	50
72	50
72	50
72	50
72	50

\$ 83	\$ 58
83	58
83	58
83	58
83	58
83	58

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

Folding Chairs - 05

MODEL	Features	MODEL NUMBER		Approx. Packaged Weight
		Basic Model		
 <p>Tablet Arm and Steel Seat</p> <ul style="list-style-type: none"> • Double-hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 3" front frame strengtheners • Plastic laminate arm folds with the chair • Left hand version available 	Beige Frame/Oak Tablet-Left	301DTAL/BE/LOK	17#	
	Warm Grey Frame/Grey Tablet-Left	301DTAL/WG/LGE	17#	
	Beige Frame/Oak Tablet-Right	301DTAR/BE/LOK	17#	
	Warm Grey Frame/Grey Tablet-Right	301DTAR/WG/LGE	17#	
 <p>Tablet Arm and Vinyl Upholstered Seat</p> <ul style="list-style-type: none"> • Double-hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 3" front frame strengtheners • Plastic laminate arm folds with the chair • Left hand version available • 7/8" polyfoam backrest pad • 1-3/8" polyfoam seat pad 	Warm Grey Frame/Grey Vinyl/Grey Tablet-Left	301DVTAL/WG/VGY/LGE	18#	
	Warm Grey Frame/Grey Vinyl/Grey Tablet-Right	301DVTAR/WG/VGY/LGE	18#	

FC

FC

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select base model.

INFORMATION

Cartoning

Model 301DTAL - 2 units per carton
 Model 301DTAR - 2 units per carton
 Model 301DVTAL - 2 units per carton
 Model 301DVTAR - 2 units per carton



Folding Chairs and Stools

Folding Chairs - 05

Delivered Pricing	Freight Excluded Pricing
\$ 95	\$ 66
95	66
95	66
95	66

\$ 112	\$ 79
112	79

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

Storage Caddies for Folding Chairs - 05

MODEL	Features	W	MODEL NUMBER		Approx. Packaged Weight
			Basic Model		
 <p>CCAD</p>	<p>Vertical Storage Caddy</p> <ul style="list-style-type: none"> • Heavy-duty 16 ga. steel frame • Adjustable endpost - standard • Tablet arm chairs require double the space of non-tablet arm chairs • Beige finish only 	Capacity 50	50"	KV50A/BE/C	63#
 <p>CCAD</p>	<p>Double-Tier Storage Caddy</p> <ul style="list-style-type: none"> • Heavy-duty 11ga., 1"x2" tubular steel • Chairs suspend from tines • NOTE: Cannot store tablet arm chairs • Beige finish only 	Capacity 84	84"	KDT84/BE/C	100#



HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select base model.

INFORMATION

Cartoning

Model KV50A - 1 unit per carton
 Model KDT84 - 1 unit per carton



Folding Chairs and Stools

Storage Caddies for Folding Chairs - 05

Delivered Pricing	Freight Excluded Pricing
\$ 494	\$ 395
\$ 1262	\$ 994

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

Folding Chair Storage and Accessories Gen. Info.



Vertical Storage Caddy (KV) KV25

KV35

KV50



Horizontal Storage Caddy (KH) KH50

KH51



Double-Tier Storage Caddy (KDT84)

Features (Capacity)

100, 300, 700, 1100	25 Chairs	35 Chairs	50 Chairs	50 Chairs	50 Chairs	84 Chairs
734, 702CL	14 Chairs	20 Chairs	27 Chairs			47 Chairs
734FM	11 Chairs	16 Chairs	21 Chairs			36 Chairs

General Dimensions

Length	56-1/2"	80-1/2"	106-1/2"	106-1/2"	106-1/2"	61-1/2"
Width	20-7/8"	20-7/8"	20-7/8"	35-3/8"	33-3/8"	33-3/4"
Height from floor	30"	30"	30"	22"	22"	67-5/8"
Casters on center	15-1/2"	15-1/2"	15-1/2"	15-1/2"	15-1/2"	30"



Replacement Feet (Polypropylene)



Replacement Feet (Rubber)



Replacement Bumper

SPECIFICATIONS

The capacity listed in the above chart is for non tablet Arm Chairs. Tablet arm chairs require double the space. Replacement feet and bumpers are available.

KV Series Vertical Storage Caddy

One-piece bed of 16-gauge steel with sides channeled to 1-1/2" high. To each end, a 4-1/2" x 1-1/2" angle steel member is electrical-welded. To each outside corner of the bed is welded a 14-gauge, 1-1/4" o.d. endpost socket to support removable 1-1/8" o.d., 18-gauge endposts. Loading stops are stamped into the bed. 4" high x 1-1/4" wide roller bearing wheels.

Optional adjustable endpost sockets are constructed of welded steel. Sockets and removable endpost are positioned against partial loads to eliminate load from shifting.

KH Series Horizontal Storage Caddy

One-piece bed of 16-gauge steel with sides channeled to 1-1/2" high. Side rails are fitted

into sockets welded to endposts. Distance between side rails is equal to folded height of chairs from top to bottom crossbrace for snug storage. 4" high x 1-1/4" wide roller bearing wheels.


KV Series Coat and Hat Rack Caddy

Embodies same construction as KV chair caddies. In place of endposts, a frame consisting of 18-gauge, 1-1/8" o.d. seam-welded tubular steel is used. The coat and hat rack frame must be ordered with the KV series caddy.

KDT84 Caddy

Legs, uprights and crossbrace are fabricated of 11-gauge, 1" x 2" tubular steel. Legs are welded to uprights; crossbraces are bolted. Open tubing ends are covered with plastic end caps. Chair suspension tines of 14-gauge, 1" o.d. round tubing. 5" high x 1-3/8" wide roller bearing wheels.

NOTE: Do not use KDT-84 for tablet arm chairs.



**Chair and Coat Storage
Caddy (KVCH) KVCH25**

KVCH35

KVCH50

Features (Capacity)

	KVCH25	KVCH35	KVCH50
100, 300, 700, 1100	25 Chairs	35 Chairs	50 Chairs
734	14 Chairs	20 Chairs	27 Chairs
731			
Coats	26 Coats	38 Coats	51 Coats

General Dimensions

	KVCH25	KVCH35	KVCH50
Length	56-1/2"	80-1/2"	106-1/2"
Width	20-7/8"	20-7/8"	20-7/8"
Height from floor	66-5/8"	66-5/8"	66-5/8"
Wheels on center	15-1/2"	15-1/2"	15-1/2"


INFORMATION

Warranty

See Terms for general information.

Folding Chairs and Stools

Folding Chair Storage and Accessories

	MODEL	Features	MODEL NUMBER			Approx. Packaged Weight	
			Basic Model	Frame Color	Base		
 CCAD	Vertical Storage Caddy	<ul style="list-style-type: none"> One-piece solid bed design All steel construction 4" wheels: 2 fixed, 3 swivel 50 chair caddies have swivel wheel in bed center Beige finish standard (other colors available at an upcharge) 30" high from floor, empty Tablet arm chairs require double the space of non-tablet arm chairs 	Capacity 25	KV25	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	44#
			Capacity 35	KV35	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	52#
			Capacity 50	KV50	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	63#
 CCAD	Horizontal Storage Caddy	<ul style="list-style-type: none"> One-piece solid bed design All steel construction 4" wheels: 2 fixed, 3 swivel Swivel wheel in bed center Models for #100, #300 and #700 chairs Beige finish standard (other colors available at an upcharge) 22" high from floor; 40-1/8" wide loaded Tablet arm chairs require double the space of non-tablet arm chairs 	Capacity 50,700 Series®	KH50	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	68#
			Capacity 50,300 Series Chairs	KH51	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	76#
 CCAD	Chair and Coat Storage Caddy	<ul style="list-style-type: none"> One-piece solid bed design All steel construction 4" wheels: 2 fixed, 3 swivel Round tubular steel uprights and horizontal rack for coat storage 50 chair caddies have swivel wheel in bed center Beige finish standard (other colors available at an upcharge) 66-5/8" high from floor Tablet arm chairs require double the space of non-tablet arm chairs 	Capacity 25	KVCH25	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	68#
			Capacity 35	KVCH35	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	83#
			Capacity 50	KVCH50	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	103#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
 Additional frame colors available. Add \$61 to unit price.
- C** Select base option.
- | | |
|-----------|--|
| C | = Standard swivel/fix wheels |
| SC | = Swivel caddy wheels; add \$16 |
| SW | = Swivel wheels for wood floor; add \$48 |
| WF | = Wood floor-swivel/fix; add \$33 |

OPTIONS

Adjustable Endpost and Sockets

Adapts to KV, KH-50 and KH-51 series chair caddies. Allows endposts to be repositioned to prevent partial loads from shifting. Specify #86.5002 for a KV caddy and #86.5003 for a KH caddy; for field-installable parts or add an "A" in front of frame color when ordering with caddy. Add #10 weight. Upcharge is \$34.

Upcharge is \$20

Folding Chair Caddy Brake Kits

KV and KH folding chair caddies only. Kit adapts to swivel wheels only; for two wheels. Specify: #09.0050
 Upcharge is \$9

Chair Caddy Couplers

Joins caddies in tandem. Hitch bolts to caddy bed frame. "A" coupler kit for two caddies.
 Specify: #86.0225.A
 Upcharge is \$20
 "B" coupler kit for two caddies; has locating pin guide for track.
 Specify: #86.0225.B



Folding Chairs and Stools

Folding Chair Storage and Accessories

Delivered Pricing	Freight Excluded Pricing
\$ 350	\$ 277
392	309
460	361

\$ 542	\$ 426
542	426

\$ 624	\$ 490
663	522
765	603

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

Folding Chair Storage and Accessories

MODEL	Features	MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Frame Color	Base	
 <p>CCAD</p> <p>Double-Tier Storage Caddy</p> <ul style="list-style-type: none"> • Rectangular and square tubular steel construction • Chairs suspended from tines • 5" wheels: 2 fixed, 2 swivel • Beige finish standard (other colors available at an upcharge) • 67-7/8" high from floor, empty • NOTE: Cannot store tablet arm chairs 	Capacity 84	KDT84	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	100#
		A	B	C	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
 Additional frame colors available. Add \$58 to unit price.
- C** Select base option.
C = Standard swivel/fixed wheels
SC = All swivel wheels; add \$17



Folding Chairs and Stools

Folding Chair Storage and Accessories

Delivered Pricing	Freight Excluded Pricing
\$ 1262	\$ 994

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

Folding Chair Storage and Accessories

	MODEL	Features	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Frame Color	
 HRDPT	Replacement Feet • High-impact polypropylene	100,300,700,734	53.6150	<input type="checkbox"/> <input type="checkbox"/>	.02#
 HRDPT	Replacement Feet • Rubber foot	100,300,700	06.0020.BE		.04#
 HRDPT	Ganging Clamp • Removable • Fits 100, 300, and 700 chairs • 1 clamp per chair required		85.1505	<input type="checkbox"/> <input type="checkbox"/>	.1#
 HRDPT	Replacement Bumpers • Plastic bumper fits into top end of rear leg above hinge	100,300,700	53.6154	<input type="checkbox"/> <input type="checkbox"/>	.02#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- Select basic model.
- Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Folding Chairs and Stools

Folding Chair Storage and Accessories

Delivered Pricing	Freight Excluded Pricing
\$ 1	\$ 1
\$ 2	\$ 1
\$ 2	\$ 2
\$ 1	\$ 1

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

Industrial/Mechanical Adjustable Stools Gen. Info.



Lowboy Filing Stool (614)



Steel Seat Stool (630)



Upholstered Seat Stool (618U)



Wood Seat Stool (624WA)

Features

Three height ranges available		•	•	•
Adjustable height legs optional		•	•	•
Masonite hardboard seat	•	•		
Wood seat				•
Casters	•			
Upholstered seat	•		•	

General Dimensions

Seat height	14"	18", 24", 30"	18" - 38"	19" - 39"
Seat diameter	14"	14"	14"	14"
Base spread	13"	15-1/2"	14"	15-1/4"

600 SERIES INDUSTRIAL STOOLS SPECIFICATIONS

Frames

Two leg sections of 18-gauge, 7/8" o.d. seam-welded tubular steel are crossed and welded together. Footring and leg frame are welded into a single unit. Footrings are 18-gauge, 5/8" o.d.; shaped for an enlarged weld area at point of contact with leg. Replaceable polyethylene feet.

Steel Seat

20-gauge die-formed steel pan with fully curled edges for strength and safety. 14" diameter. Tempered hardboard Masonite inset riveted into seat recess.

Upholstered Seat

20-gauge die-formed steel pan. 14" diameter. Replaceable 5/8" foam pad mounted to liner-board, fastened into seat recess with mechanical fasteners. Upholstered in vinyl.

Wood Seat

14" diameter, 1-1/4" maple seat with clear lacquer finish. Attached to seat with screws.

Polypropylene Stool Seats

Injection-molded thermoplastic with integral rib construction for strength. 13" diameter. Color permeates throughout. White marks may occur at four spots on the front edge of seat but does not alter the structural integrity of the chair.

Nonstandard Steel Stool Seat Heights

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required.

Base Spreads

Base spread for 18" stools are 14"; 24" stools are 15-1/4"; 30" stools are 15-1/2".

Glides

Glides are available on standard or adjustable stools. Glides are optional on non-adjustable stools.

Frame Finish

Baked on electrostatically applied epoxy powder coating.



Folding Chairs and Stools

Industrial/Mechanical Adjustable Stools Gen. Info.



**Steel Seat/Back Stool
(618B)**



**Upholstered Seat/Back
Stool (630BU)**



**Wood Seat/Back Stool
(624BW)**



**Polypropylene Seat Stool
(624P)**

Features

Three height ranges available	•	•	•	
Adjustable height legs optional	•	•	•	
Masonite hardboard seat	•			
Wood seat			•	
Upholstered seat		•		
Steel backrest	•		•	
Polypropylene seat				•
Upholstered backrest		•		

General Dimensions

Seat height	18 - 38"	18" - 38"	18" - 38"	18" - 38"
Seat diameter	14"	14"	14"	14"
Backrest height	13-3/8" - 15-3/8"	13-3/8" - 15-3/8"	13-3/8" - 15-3/8"	
Backrest width	11-3/4"	11-3/4"	11-3/4"	
Base spread	14"	15-1/2"	15-1/4"	15-1/4"

INFORMATION

Warranty

See Terms for general information.

Folding Chairs and Stools

Industrial/Mechanical Adjustable Stools Gen. Info.



Adjustable Leg/Back Stool (724BA)



Upholstered Seat Stool (830A)



Upholstered Seat/Back Stool (830BA)



Upholstered Swivel Seat/Back Stool (824SB)

Features

Three height ranges available		•	•	
Adjustable height legs optional	•	•	•	
Masonite hardboard seat	•			
Upholstered seat		•	•	•
Steel backrest	•			
Upholstered backrest			•	•

General Dimensions

Seat width	15"			
Seat depth	14-1/2"			
Seat height	18" - 32"	19" - 39"	18" - 38"	24" - 28"
Seat diameter		14"	14"	14"
Backrest height from seat	13-3/8" - 15-3/8"		13-3/8" - 15-3/8"	13-3/8" - 15-3/8"
Backrest width	11-3/4"		11-3/4"	11-3/4"
Base spread	15"	15-1/2"	15-1/2"	14-1/2"

700, 800 SERIES INDUSTRIAL STOOLS SPECIFICATIONS

Frames

Two leg sections of 18-gauge, 7/8" o.d. seam-welded tubular steel are crossed and welded together. Footring and leg frame are welded into a single unit. Footrings are 18-gauge, 5/8" o.d.; 700 are 16-gauge, 1/2" o.d. Footrings are shaped for an enlarged weld area at point of contact with leg. The 824SB footring is 19-gauge, 5/8" o.d. tubular steel. Replaceable polyethylene feet.

Steel Backrest

18-gauge curved steel back with 6-gauge steel support. 2" height and 2" depth adjustment range.

Upholstered Backrest

18-gauge curved steel back with 6-gauge steel support. 5/8" foam pad upholstered in vinyl. Replaceable. 2" height and 2" depth adjustment range.

700 Series® Steel Seat

Heavy-gauge die-formed steel with fully curled edges for strength and safety. 15" wide, 14-1/2" deep. 1/8" tempered hardboard riveted into seat recess.

800 Series Steel Seat

Heavy-gauge die-formed steel pan, 14" diameter. 1-1/8" foam pad upholstered in vinyl, fastened to linerboard.

824SB Adjustable Height

Seat swivels 360°. Height adjustment is made by rotating a bell on a threaded post. It locks with a set screw. Self-leveling stainless steel capped nylon base glides.

Adjustable Legs

Nickel-plated telescoping leg section is drilled and tapped for set screw. The height range is 8" in 1" increments. Self-leveling stainless steel capped glides.

Base Spreads

Base spread are 13-1/2" (718); 15" (724); 15"

(730); 14" (818); 14-1/2" (824); 15-1/2" (830).

Frame Finish

Baked on electrostatically applied epoxy powder coating.

MECHANICAL ADJUSTABLE STOOLS SPECIFICATIONS

Backrest

6-gauge spring steel support. 2" horizontal adjustment; locks with wing screw. 2" vertical adjustment; locks with hand wheel. Backrest hinged at top.

Steel Seats

14" diameter heavy-gauge die-formed steel with fully curled edges for safety and strength. 1/8" tempered hardboard Masonite in recess. Riveted to lift assembly.

Plywood Seats and Backs

Waterfall design, compound curved for com-

fort. 15-3/8" wide x 15-5/8" deep seat; 13" wide x 6-1/4" high backrest. 5-ply with hardwood veneer surface, sealed and lacquered. Meets NEMA standards. Seats riveted to lift assembly; backrests to back support.

Box Cushion Upholstered Seats, Upholstered Backrests

2" foam cushion fastened to particleboard base. 1" foam on backrest. 15-1/2" wide x 14" deep seat; 13-5/8" wide x 6-1/2" high backrest. Seats riveted to lift assembly; backrests to back support.

Adjustable Height Mechanism

Seat swivels 360°. Height adjustment is made by rotating a bell on a threaded post. Locks with a set screw. 6" height range.

Tubular Steel Bases

Seam-welded tubular steel, welded in an integral unit. Legs: 1.1" x 14-gauge; footrings: 3/4" x 18-gauge; 15" diameter. Self-leveling rubber cushioned glides with a steel base.



Folding Chairs and Stools

Industrial/Mechanical Adjustable Stools Gen. Info.



Steel Seat, Threaded Post Mechanism (ATSSM)



Plywood Seat and Back, Threaded Post Mechanism (ATPBM)



Upholstered Seat and Back, Threaded Post Mechanism (ATUBM)

Features

360° swivel	•	•	•
6" adjustable height range	•	•	•
Masonite hardboard seat	•		
Wood seat/back		•	
Upholstered seat/back			•
Adjustable backrest		•	•
Three height ranges	•	•	•
Optional casters	•	•	•

General Dimensions

Seat width		15-3/8"	15-1/2"
Seat depth		15-5/8"	14"
Seat diameter	14"		
Backrest height		6-1/4"	6-1/2"
Backrest width		13"	13-5/8"
Base spread	16-1/4"	16-1/4"	16-1/4"

Base Spread

All stools maintain a 16-1/4" base spread.

Frame Finish

Baked on electrostatically applied epoxy powder coating.

INFORMATION

Warranty

See Terms for general information.

Folding Chairs and Stools

600 Series Industrial Stools

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight	
		Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color		
 <p>600 600U</p>	Lowboy Filing Stool <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Fixed legs have polyethylene feet 14" diameter steel seat with tempered hard-board inset Casters are standard 	Unupholstered, 14" H	614	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			9#
	Upholstered, 14" H	614U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			10#
 <p>600</p>	Steel Seat Stool <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Fixed leg or adjustable height leg models available Fixed legs have polyethylene feet Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter steel seat with tempered hard-board inset 	Fixed Height, 18" H	618	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8#
		Adjustable Height, 19"-27"H	618A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			11#
		Fixed Height, 24"H	624	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	10#
		Adjustable Height, 25"-33"H	624A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			12#
		Fixed Height, 30"H	630	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
		Adjustable Height, 31"-39"H	630A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			13#
 <p>600U</p>	Upholstered Seat Stool <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Fixed leg or adjustable height leg models available Fixed legs have polyethylene feet Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter steel seat with upholstered seat pad 	Fixed Height, 18" H	618U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8#
		Adjustable Height, 19"-27"H	618UA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		11#
		Fixed Height, 24"H	624U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	10#
		Adjustable Height, 25"-33"H	624UA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		12#
		Fixed Height, 30"H	630U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
		Adjustable Height, 31"-39"H	630UA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		13#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
- D** Select feet color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
Selection of feet color for 614 and 614U will substitute polyethylene feet for casters

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model = Upholstered
Added Lead Time = 1 Week
Added List Price = \$7

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required.
Add Cutting Upcharge \$12 Each

Steel Stool Adjustable Leg and Backrest Components

600 Series Adjustable Backrests: May be added to stools (except models 614 and 614-U). Installation by purchaser, all hardware included. Please specify paint or upholstery color.
Unupholstered #85.5701 \$26 Each
Upholstered #85.5702 \$36 Each

600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #85.5705 \$18/Set of 4 legs



Folding Chairs and Stools

600 Series Industrial Stools

Delivered Pricing Unupholstered	Delivered Pricing Vinyl Group 1 & C.O.V.	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
\$ 92		\$ 69	
N/A	116	N/A	86
\$ 57		\$ 43	
77		57	
62		46	
81		61	
66		50	
85		64	
N/A	\$ 80	N/A	\$ 59
N/A	99	N/A	74
N/A	84	N/A	63
N/A	103	N/A	77
N/A	88	N/A	66
N/A	108	N/A	80

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

600 Series Industrial Stools

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color	
 <p>600</p> <p>Wood Seat</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Fixed legs have polyethylene feet Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter, 1-1/4" maple hardwood seat with clear lacquer finish 	Fixed Height, 18" H	618W	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16#
	Adjustable Height, 19"-27"H	618WA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			18#
	Fixed Height, 24"H	624W	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17#
	Adjustable Height, 25"-33"H	624WA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			19#
	Fixed Height, 30"H	630W	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	18#
	Adjustable Height, 31"-39"H	630WA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			20#
 <p>600</p> <p>Steel Seat/Backrest</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Fixed legs have polyethylene feet Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter steel seat with tempered hard-board inset Steel backrest with 2" vertical and 2" horizontal adjustment 	Fixed Height, 18" H	618B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	15#
	Adjustable Height, 19"-27"H	618BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			17#
	Fixed Height, 24"H	624B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16#
	Adjustable Height, 25"-33"H	624BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			18#
	Fixed Height, 30"H	630B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17#
	Adjustable Height, 31"-39"H	630BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			19#
 <p>600U</p> <p>Upholstered Seat/Backrest</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Fixed legs have polyethylene feet Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter steel seat with vinyl upholstered seat and back pads Backrest has 2" vertical and 2" horizontal adjustment 	Fixed Height, 18" H	618BU	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	14#
	Adjustable Height, 19"-27"H	618BUA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		16#
	Fixed Height, 24"H	624BU	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16#
	Adjustable Height, 25"-33"H	624BUA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		18#
	Fixed Height, 30"H	630BU	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16#
	Adjustable Height, 31"-39"H	630BUA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		18#

A
B
C
D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
- D** Select feet color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required.
Add Cutting Upcharge \$12 Each

Steel Stool Adjustable Leg and Backrest Components

600 Series Adjustable Backrests: May be added to stools (except models 614 and 614-U). Installation by purchaser, all hardware included. Please specify paint or upholstery color.
Unupholstered #85.5701 \$26 Each
Upholstered #85.5702 \$36 Each

600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #85.5705 \$18/Set of 4 legs

California TB133 Fire Safety Code

The above seating products can be manufac-

ured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model = Upholstered
Added Lead Time = 1 Week
Added List Price = \$8



Folding Chairs and Stools

600 Series Industrial Stools

Delivered Pricing Unupholstered	Delivered Pricing Vinyl Group 1 & C.O.V.	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
\$ 117		\$ 87	
134		101	
121		90	
140		105	
124		94	
145		108	
\$ 95		\$ 72	
114		86	
99		74	
119		88	
103		77	
123		91	
N/A	\$ 120	N/A	\$ 89
N/A	140	N/A	103
N/A	123	N/A	92
N/A	144	N/A	107
N/A	128	N/A	96
N/A	147	N/A	110

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

600 Series Industrial Stools

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Frame Color	Seat Color	Feet/Bumper Color	
 <p>600</p> <p>Wood Seat/Backrest Stool</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Enamel frame Fixed legs have polyethylene feet Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter, 1-1/4" maple hardwood seat with clear lacquer finish Steel backrest with 2" vertical and 2" horizontal adjustment 	Fixed Height, 18" H	618BW	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16#
	Adjustable Height, 19"-27"H	618BWA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			18#
	Fixed Height, 24"H	624BW	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17#
	Adjustable Height, 25"-33"H	624BWA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			19#
	Fixed Height, 30"H	630BW	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	18#
	Adjustable Height, 31"-39"H	630BWA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			20#
 <p>600</p> <p>Polypropylene Seat</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Enamel frame Fixed legs have polyethylene feet Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 13" diameter polypropylene seat attaches to steel mounting plate which is welded to legs 	Fixed Height, 18" H	618P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16#
	Adjustable Height, 19"-27"H	618PA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		18#
	Fixed Height, 24"H	624P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17#
	Adjustable Height, 25"-33"H	624PA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		19#
	Fixed Height, 30"H	630P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		18#
	Adjustable Height, 31"-39"H	630PA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		20#
			A	B	C	D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select seat color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- D** Select feet color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required.
Add Cutting Upcharge \$12 Each

Steel Stool Adjustable Leg and Backrest Components

600 Series Adjustable Backrests: May be added to stools (except models 614 and 614-U). Installation by purchaser, all hardware included. Please specify paint or upholstery color.

Unupholstered #85.5701 \$26 Each
Upholstered #85.5702 \$36 Each

600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #85.5705 \$18/Set of 4 legs



Folding Chairs and Stools

600 Series Industrial Stools

Delivered Pricing	Freight Excluded Pricing
\$ 154	\$ 114
174	129
157	119
177	131
162	121
183	134

\$ 74	\$ 55
94	69
78	58
97	73
81	62
101	76

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

700 Series® Industrial Stools



700

MODEL	Features	MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Frame Color	
Adjustable Leg/Backrest Stool	Unupholstered, 18-26"H	718BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	19#
	Unupholstered, 24-32"H	724BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	20#

Adjustable Leg/Backrest Stool

- Seam-welded tubular steel frame with steel seat pan
- Enamel frame
- Adjustable height legs have 8" range in 1" increments and have self-leveling glides
- Nickel plated telescoping leg section locks with set screws
- 15" x 14-1/2" steel seat with tempered hardboard inset
- Steel backrest with 2" vertical and 2" horizontal adjustment

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Steel Stool Adjustable Leg and Backrest Components

700, 800 Series Adjustable Backrests: Installation by purchaser, all hardware included. Please specify paint or upholstery color.

Unupholstered #85.5701 \$26 Each
Upholstered #85.5702 \$36 Each

700, 800 Series Adjustable Legs: May be added to any stool except 824SB. Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify: #85.5705 \$18/Set of 4 legs

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required.
Add Cutting Upcharge \$12 Each



Folding Chairs and Stools

700 Series® Industrial Stools

Delivered Pricing	Freight Excluded Pricing
\$ 132	\$ 100
139	102

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

800 Series Industrial Stools

MODEL	Features	MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Frame Color	Upholstery Color	
 800U <p>Upholstered Seat Stool</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Enamel frame Adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter seat Foam cushioned seat upholstered in vinyl upholstery 	Fixed, 18"H	818	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	9#
	Adjustable, 19-27"H	818A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
	Fixed, 24"H	824	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	10#
	Adjustable, 25-33"H	824A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12#
	Fixed, 30"H	830	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12#
	Adjustable, 31-39"H	830A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	14#
 800U <p>Upholstered Seat/Backrest</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Enamel frame Fixed legs have polyethylene feet Adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter seat Foam cushioned seat and backrest upholstered in vinyl upholstery Backrest has 2" vertical and 2" horizontal adjustment 	Fixed, 18"H	818B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	15#
	Adjustable, 19-27"H	818BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17#
	Fixed, 24"H	824B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16#
	Adjustable, 25-33"H	824BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	18#
	Fixed, 30"H	830B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	18#
	Adjustable, 31-39"H	830BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	20#
 800U <p>Upholstered Swivel Seat/Backrest Stool</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Enamel frame 14" diameter seat Foam cushioned seat and backrest upholstered in vinyl upholstery Backrest has 2" vertical and 2" horizontal adjustment 360° swivel seat, height locks with set screw Self-leveling glides 	Upholstered, 24-28"H	824SB	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	21#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder

OPTIONS

Steel Stool Adjustable Leg and Backrest Components

700, 800 Series Adjustable Backrests: Installation by purchaser, all hardware included. Please specify paint or upholstery color.

Unupholstered #85.5701 \$26 Each
Upholstered #85.5702 \$36 Each

700, 800 Series Adjustable Legs: May be added to any stool except 824SB. Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify: #85.5705 \$18/Set of 4 legs

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required.
Add Cutting Upcharge \$12 Each

California TB133 Fire Safety Code

The above seating products can be manufac-

ured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model = Upholstered
Added Lead Time = 1 Week
Added List Price = \$10



Folding Chairs and Stools

800 Series Industrial Stools

Delivered Pricing Vinyl Group 1 & C.O.V.	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
\$ 95	\$ 72
114	86
99	74
119	88
103	77
123	91
<hr/>	
\$ 140	\$ 103
157	119
144	107
162	121
147	110
165	124
<hr/>	
\$ 220	\$ 164

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

Mechanical Adjustable Stools

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Frame Color	Upholstery Color	Base	
 <p>MAS</p> <p>Steel Seat</p> <ul style="list-style-type: none"> Mechanical height adjustment; threaded post locks with set screw Infinite seat height adjustment in 6" range 14" diameter steel seat with recessed hard-board inset Enamel frame standard Available in three seat height ranges 	17-23"H Seat; 7-1/2"H Footring	ATSSM.1723	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	18#
	19-25"H Seat; 9-1/2"H Footring	ATSSM.1925	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	18#
	24-30"H Seat; 13-1/2"H Footring	ATSSM.2430	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	19#
 <p>MAS</p> <p>Plywood Seat and Backrest</p> <ul style="list-style-type: none"> Mechanical height adjustment; threaded post locks with set screw Infinite seat height adjustment in 6" range Compound curve waterfall seat design, 15-3/8" W x 15-5/8" D Backrest pivots has 2" vertical and horizontal adjustments, 13-5/8" W x 6-1/4" H Enamel frame standard Clear lacquer plywood finish standard Available in three seat height ranges 	17-1/4-23-1/4"H Seat; 7-1/2"H Footring	ATPBM.1723	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	23#
	19-1/4-25-1/4"H Seat; 9-1/2"H Footring	ATPBM.1925	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	23#
	24-1/4-30-1/4"H Seat; 13-1/2"H Footring	ATPBM.2430	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	25#
 <p>MASU</p> <p>Upholstered Seat and Backrest</p> <ul style="list-style-type: none"> Mechanical height adjustment; threaded post locks with set screw Infinite seat height adjustment in 6" range Box cushion upholstered seat with 2" foam, 15-1/2" W x 14" D Foam cushioned backrest pivots and has 2" vertical and horizontal adjustments, 13-5/8" W x 6-1/2" H Enamel frame standard Available in three seat height ranges 	17-1/4-23-1/4"H Seat; 7-1/2"H Footring	ATUBM.1723	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	25#
	21-1/4-27-1/4"H Seat; 9-1/2"H Footring	ATUBM.2127	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	25#
	26-1/4-32-1/4"H Seat; 13-1/2"H Footring	ATUBM.2632	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	27#
			A	B	C	D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
- D** Select base option.
- | | |
|----------|----------------------------|
| C | = Carpet casters; add \$29 |
| G | = Glides (standard) |



Folding Chairs and Stools

Mechanical Adjustable Stools

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1	Delivered Pricing Vinyl Group 2	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Vinyl Group 2
\$ 218			\$ 163		
220			164		
228			169		
\$ 289			\$ 216		
296			219		
300			224		
N/A	\$ 384	\$ 384	N/A	\$ 286	\$ 286
N/A	388	388	N/A	292	292
N/A	395	395	N/A	295	295

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Specifications and prices are subject to change without prior notice.

Folding Chairs and Stools

Medical and Laboratory Stools General Information



Features

Upholstered seat	•	•	•	•
Casters	•	•	•	•
Pneumatic seat height adjustment	•	•	•	•

General Dimensions

Seat height	16" - 21"	22" - 32"	16" - 21"	16" - 21"
Overall height	16" - 21"	22" - 32"	16" - 21"	28" - 36"
Seat diameter	16"	16"	16"	16"
Back size				13"W x 9"H
Overall width	19"	19"	19"	25"

SPECIFICATIONS

Medical & Laboratory Stools are shipped unassembled.

Upholstered Seat

The seat has a unibody molded 2.5" HR foam on plywood.

Pneumatic Ring

The KICL12 and KICL13 stools offer height adjustment with a pneumatic 360-degree, hand-activated ring. The KICL14 and KICL15 stools offer height adjustment with a pneumatic 360-degree, foot-activated ring.

Pneumatic Cylinder

Cylinders have a 5" range, except the KICL13 stool which has a 10" range.

Base

The KICL12, KICL13, and KICL14 have a 20" base. The KICL15 has a 24" base. All bases are die-cast aluminum with a chrome finish.

Casters

All stools have safety soft casters.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KICL
Attn: C.O.M. Department
2009 Wright Ave.
La Verne, CA 91750



INFORMATION

Warranty

See Terms for general information.

Folding Chairs and Stools

Medical and Laboratory Stools

MODEL	MODEL NUMBER		Approx. Packaged Weight
	Basic Model	Upholstery Color	
 EXAM KICL12 Stool <ul style="list-style-type: none"> • 5" seat height range • 360-degree, hand activation pneumatic 	KICL12	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	28#
 EXAM KICL13 Stool <ul style="list-style-type: none"> • 10" seat height range • 360-degree, hand activation pneumatic • 18" chrome footring 	KICL13	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	28#
 EXAM KICL14 Stools <ul style="list-style-type: none"> • 5" seat height range • 360-degree, foot activation pneumatic 	KICL14	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	28#
 EXAM KICL15 Stools <ul style="list-style-type: none"> • 5" seat height range • 360-degree, foot activation pneumatic 	KICL15	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	33#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
B Select upholstery grade/color. Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Added Lead Time = 1 Week
 Added List Price = \$25

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for CL12, CL13, and CL14 is .75 yards per chair of 54" wide nondirectional fabric. C.O.M. requirement for CL15 is 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.



Folding Chairs and Stools

Medical and Laboratory Stools

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2 & C.O.V.
---	--	--	--

\$ 235	\$ 275	\$ 280	\$ 235
--------	--------	--------	--------

\$ 325	\$ 365	\$ 370	\$ 325
--------	--------	--------	--------

\$ 335	\$ 375	\$ 380	\$ 335
--------	--------	--------	--------

\$ 450	\$ 500	\$ 510	\$ 450
--------	--------	--------	--------

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. LaVerne, California 91750** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Product Locator

Folding Chairs and Stools



101
100 Series Folding Chairs: Steel Seat
Page: 8



103S
100 Series Folding Chairs: Upholstered
Seat
Page: 8



104S
100 Series Folding Chairs: Upholstered
Seat and Back
Page: 8



301
300 Series Folding Chairs: Steel Seat
Page: 10



303S
300 Series Folding Chairs: Upholstered
Seat
Page: 10

Folding Chairs and Stools



304S
300 Series Folding Chairs: Upholstered
Seat and Back
Page: 10



701
700 Series® Folding Chairs: Steel Seat
Page: 12



703S
700 Series® Folding Chairs: Upholstered
Seat
Page: 12



704S
700 Series® Folding Chairs: Upholstered
Seat and Back
Page: 12



701FTAL
700 Series® Folding Chairs: Miracle Fold
Tablet Arm
Page: 14

Folding Chairs and Stools



701TAL
700 Series® Folding Chairs: Tablet Arm
Chair
Page: 14



731
Auditorium Folding Chairs: 731 Auditorium
Folding Chair
Page: 20



734
Auditorium Folding Chairs: 734 Upholstered
Chair
Page: 20



734FM
Auditorium Folding Chairs: 734 Upholstered
Armchair
Page: 20



702CL
Comfort Line® Folding Chairs: Folding
Chair
Page: 22

Folding Chairs and Stools



1103
Design Line Folding Chairs: Upholstered
Seat
Page: 24



1104
Design Line Folding Chairs: Upholstered
Seat and Back
Page: 24



FRS704GS
Front Row Seats®: Upholstered Seat and
Back
Page: 26



FRS734
Front Row Seats®: Upholstered Chair
Page: 26



FRS734FM
Front Row Seats®: Upholstered Armchair
Page: 26



Folding Chairs and Stools



301/BE
Folding Chairs - 05: Steel Seat Single Hinge
Page: 30



301D/BE
Folding Chairs - 05: Steel Seat Double Hinge
Page: 30



331D/BE
Folding Chairs - 05: Steel Seat Double Hinge w/ 3 Crossbraces
Page: 30



344DF/BE/FBE
Folding Chairs - 05: Fabric Upholstered
Page: 32



344DV/BE/VBE
Folding Chairs - 05: Vinyl Upholstered
Page: 32

Folding Chairs and Stools



354DF/BE/FBE
Folding Chairs - 05: Cushioned Fabric Upholstered
Page: 32



301DTAL/BE/LOK
Folding Chairs - 05: Tablet Arm and Steel Seat
Page: 34



301DVTAL/WG/VGY/LGE
Folding Chairs - 05: Tablet Arm and Vinyl Upholstered Seat
Page: 34



KDT84/BE/C
Storage Caddies for Folding Chairs - 05: Double-Tier Storage Caddy
Page: 36



KV50A/BE/C
Storage Caddies for Folding Chairs - 05: Vertical Storage Caddy
Page: 36

Folding Chairs and Stools



KH50
Folding Chair Storage and Accessories: Horizontal Storage Caddy
Page: 40



KV25
Folding Chair Storage and Accessories: Vertical Storage Caddy
Page: 40



KVCH25
Folding Chair Storage and Accessories: Chair and Coat Storage Caddy
Page: 40



KDT84
Folding Chair Storage and Accessories: Double-Tier Storage Caddy
Page: 42



06.0020.BE
Folding Chair Storage and Accessories: Replacement Feet
Page: 44



53.6150
Folding Chair Storage and Accessories: Replacement Feet
Page: 44

Folding Chairs and Stools



53.6154
Folding Chair Storage and Accessories: Replacement Bumpers
Page: 44



85.1505
Folding Chair Storage and Accessories: Ganging Clamp
Page: 44



614
600 Series Industrial Stools: Lowboy Filing Stool
Page: 50



618
600 Series Industrial Stools: Steel Seat Stool
Page: 50



618U
600 Series Industrial Stools: Upholstered Seat Stool
Page: 50



618B
600 Series Industrial Stools: Steel Seat/Backrest
Page: 52

Product Locator

Folding Chairs and Stools



618BU
600 Series Industrial Stools: Upholstered
Seat/Backrest
Page: 52



618W
600 Series Industrial Stools: Wood Seat
Page: 52



618BW
600 Series Industrial Stools: Wood
Seat/Backrest Stool
Page: 54



618P
600 Series Industrial Stools: Polypropylene
Seat
Page: 54



718BA
700 Series® Industrial Stools: Adjustable
Leg/Backrest Stool
Page: 56

Folding Chairs and Stools



818
800 Series Industrial Stools: Upholstered
Seat Stool
Page: 58



818B
800 Series Industrial Stools: Upholstered
Seat/Backrest
Page: 58



824SB
800 Series Industrial Stools: Upholstered
Swivel Seat/Backrest Stool
Page: 58



ATPBM.1723
Mechanical Adjustable Stools: Plywood Seat
and Backrest
Page: 60



ATSSM.1723
Mechanical Adjustable Stools: Steel Seat
Page: 60

Folding Chairs and Stools



ATUBM.1723
Mechanical Adjustable Stools: Upholstered
Seat and Backrest
Page: 60



KICL12
Medical and Laboratory Stools: KICL12
Stool
Page: 64



KICL13
Medical and Laboratory Stools: KICL13
Stool
Page: 64



KICL14
Medical and Laboratory Stools: KICL14
Stools
Page: 64



KICL15
Medical and Laboratory Stools: KICL15
Stools
Page: 64



Index

Model No.	Description	Page	Model No.	Description	Page
06.0020.BE	Folding Chair Storage and Accessories: Replacement Feet	44	KICL14	Medical and Laboratory Stools: KICL14 Stools	64
101	100 Series Folding Chairs: Steel Seat	8	KICL15	Medical and Laboratory Stools: KICL15 Stools	64
103S	100 Series Folding Chairs: Upholstered Seat	8	KV25	Folding Chair Storage and Accessories: Vertical Storage Caddy	40
104S	100 Series Folding Chairs: Upholstered Seat and Back	8			
1103	Design Line Folding Chairs: Upholstered Seat	24	KV50A/BE/C	Storage Caddies for Folding Chairs - 05: Vertical Storage Caddy	36
1104	Design Line Folding Chairs: Upholstered Seat and Back	24			
301	300 Series Folding Chairs: Steel Seat	10	KVCH25	Folding Chair Storage and Accessories: Chair and Coat Storage Caddy	40
301/BE	Folding Chairs - 05: Steel Seat Single Hinge	30			
301D/BE	Folding Chairs - 05: Steel Seat Double Hinge	30			
301DTAL/BE/LOK	Folding Chairs - 05: Tablet Arm and Steel Seat	34			
301DVTAL/WG/VGY/LGE	Folding Chairs - 05: Tablet Arm and Vinyl Upholstered Seat	34			
303S	300 Series Folding Chairs: Upholstered Seat	10			
304S	300 Series Folding Chairs: Upholstered Seat and Back	10			
331D/BE	Folding Chairs - 05: Steel Seat Double Hinge w/ 3 Crossbraces	30			
344DF/BE/FBE	Folding Chairs - 05: Fabric Upholstered	32			
344DV/BE/VBE	Folding Chairs - 05: Vinyl Upholstered	32			
354DF/BE/FBE	Folding Chairs - 05: Cushioned Fabric Upholstered	32			
53.6150	Folding Chair Storage and Accessories: Replacement Feet	44			
53.6154	Folding Chair Storage and Accessories: Replacement Bumpers	44			
614	600 Series Industrial Stools: Lowboy Filing Stool	50			
618	600 Series Industrial Stools: Steel Seat Stool	50			
618B	600 Series Industrial Stools: Steel Seat/Backrest	52			
618BU	600 Series Industrial Stools: Upholstered Seat/Backrest	52			
618BW	600 Series Industrial Stools: Wood Seat/Backrest Stool	54			
618P	600 Series Industrial Stools: Polypropylene Seat	54			
618U	600 Series Industrial Stools: Upholstered Seat Stool	50			
618W	600 Series Industrial Stools: Wood Seat	52			
701	700 Series® Folding Chairs: Steel Seat	12			
701FTAL	700 Series® Folding Chairs: Miracle Fold Tablet Arm	14			
701TAL	700 Series® Folding Chairs: Tablet Arm Chair	14			
702CL	Comfort Line® Folding Chairs: Folding Chair	22			
703S	700 Series® Folding Chairs: Upholstered Seat	12			
704S	700 Series® Folding Chairs: Upholstered Seat and Back	12			
718BA	700 Series® Industrial Stools: Adjustable Leg/Backrest Stool	56			
731	Auditorium Folding Chairs: 731 Auditorium Folding Chair	20			
734	Auditorium Folding Chairs: 734 Upholstered Chair	20			
734FM	Auditorium Folding Chairs: 734 Upholstered Armchair	20			
818	800 Series Industrial Stools: Upholstered Seat Stool	58			
818B	800 Series Industrial Stools: Upholstered Seat/Backrest	58			
824SB	800 Series Industrial Stools: Upholstered Swivel Seat/Backrest Stool	58			
85.1505	Folding Chair Storage and Accessories: Ganging Clamp	44			
ATPBM.1723	Mechanical Adjustable Stools: Plywood Seat and Backrest	60			
ATSSM.1723	Mechanical Adjustable Stools: Steel Seat	60			
ATUBM.1723	Mechanical Adjustable Stools: Upholstered Seat and Backrest	60			
FRS704GS	Front Row Seats®: Upholstered Seat and Back	26			
FRS734	Front Row Seats®: Upholstered Chair	26			
FRS734FM	Front Row Seats®: Upholstered Armchair	26			
KDT84	Folding Chair Storage and Accessories: Double-Tier Storage Caddy	42			
KDT84/BE/C	Storage Caddies for Folding Chairs - 05: Double-Tier Storage Caddy	36			
KH50	Folding Chair Storage and Accessories: Horizontal Storage Caddy	40			
KICL12	Medical and Laboratory Stools: KICL12 Stool	64			
KICL13	Medical and Laboratory Stools: KICL13 Stool	64			



**You make the rules.
We make the rest.®**

Of course KI solutions work better for you. They're made for you. No one pays more attention to customer needs than we do. We don't design our furniture to win awards (even though it does). We don't rely on one-size-fits-all solutions (even though they would make our life easier). We find out what you need. And, we make it. The same applies to our service, distribution channels...everything we do. It's all built around knowing what you want and giving you the choice. KI solutions work, because we're working for you.

KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
1-800-424-2432
www.ki.com

KI is a registered trademark of Krueger International, Inc. Working For You and Pallas are registered trademarks of Krueger International, Inc.

© 2005 KI
All Rights Reserved.
Litho in USA.
Code KI-11390/KI/WF/305