

September 3, 2007
800-424-2432



WORKING
FOR
YOU



Ordering C.O.M., C.O.L., and C.O.V.	Ordering C.O.M., C.O.L., and C.O.V.	2
Promenade® Seating System	General Information	4
	Tandem Seating	6
	Seating Components	10
	Arm and Base Components	12
	Fiberglass Elements	14
	Beam Mounted Tables	20
	Freestanding Planters	22
Logix® System	General Information	24
	Seating Units	26
	Table Units	32
	Seat Level Table Units	34
	Planters	36
	Trash Receptacles	40
Fiberglass Elements	General Information	44
	Rectangular/Drum Shapes	46
Benches	General Information	48
	Benches	50
Planters	General Information	52
	Avenue®	54
	Galleria®	56
	Tempe®	58
	Tucson®	62
Waste Receptacles and Sand Urns	General Information	64
	Side Access Receptacles	66
	Top Access Receptacles	68
	Sand Urns	88
	Tray/Trash Receptacles	92
Reclaim® Recycling Containers and Centers	General Information	94
	Containers	96
	Centers	98
Product Locator	Product Locator	100
Index	Index	106

Ordering C.O.M., C.O.L., and C.O.V.


How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI
1330 Bellevue Street
Green Bay, WI 54302
Attn: C.O.M. Specialist

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing

For products shipped from Green Bay, WI facility, ship upholstery material to:

KI
Attn: C.O.M. Storage
1330 Bellevue Street
Green Bay, WI 54302

For products shipped from Manitowoc, WI facility, ship upholstery material to:

KI Manitowoc
Attn: C.O.M. Storage
1400 South 41st Street
Manitowoc, WI 54220

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo
Attn: C.O.M. Storage
2112 South Green Street
Tupelo, MS 38801

For products shipped from Bonduel, WI facility, ship material to:

KI
Attn: C.O.M. Storage
204 West South Street
Bonduel, WI 54107

For products shipped from LaVerne, CA facility, ship material to:

Impress/Kismet
Attn: C.O.M. Storage
2009 Wright Ave.
LaVerne, CA 91750

For products shipped from Los Angeles, CA facility, ship material to:

KI-ADD
Attn: C.O.M. Storage
6500 S. Avalon Boulevard
Los Angeles, CA 90003

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.




Diagram B

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.V. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M., C.O.L. and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

Purchasing Agent (Dealer or buying organization)

Attention

Address

City S late Zip

Project Name

Type of seating and number of units of each type

Please see information below and check the appropriate box.

Submitted for testing.

Test approved. Submitted for production.

Purchase Order Number

KI Acknowledgement Number


In all instances, send this form to the C.O.M. Specialist.

A Selvage Top and Bottom



B Selvage Side and Side





Promenade® Seating System

General Information



Tandem Seating w/Trash Receptacles PRM3S/OT



Seat w/Fiberglass Table Elements PRM

Features	Seating		Beam Mounted Tables			Fiberglass Elements, Freestanding or for attaching beam		Freestanding Cylindrical Elements		
	Seat	Bench	Full Size Rectangle	Half Round	Corner Table	Square	Half Round	Planter	Trash Receptacle	
Steel construction	•	•	•	•	•			•	•	
Fiberglass construction						•	•	•	•	
Upholstery available	•	•								
Laminates available			•	•	•	•				
Suitable for outdoor use	•(steel)	•(steel)	•(steel)	•(steel)	•(steel)	•	•			
Dimensions										
overall width	21"	21"	21"	14"	20¼"	30"	22½"	11¼"	16" & 20" dia.	16" & 20" dia.
overall depth	26⅝"	22½"	22½"	22½"	22½"	30"	22½"	22½"		
overall height	31⅝"	16"	16"	16"	16"	16"	19" & 25"	19" & 25"	28" & 36"	28" & 36"
seat height	17⅝"	16"								
Bench w/fixed bases		14 ⅛"								
Bench w/embedded bases		14 ⅛"								
Bench w/movable bases		14 ⅞"	(w/glides fully inserted)							
Seat w/fixed bases	16"									
Seat w/embedded bases	16"									
Seat w/movable bases	16 ¾"		(w/glides fully inserted)							
Overall Dimensions										
Seat height w/fixed bases	30"									
Seat height w/embedded bases	30"									
Seat height w/movable bases	30 ¾"		(w/glides fully inserted)							

*For units with upholstery, add additional ⅞" **Note:** Tables are the same height as benches. Glides could add ½" when fully extended.

SPECIFICATIONS

Seat, Benches, Metal Tables, Freestanding Trash Receptacles or Planters with Perforated Steel Exteriors

14-ga. Sheet steel, die formed and welded to a 1" x 14 ga. Seam welded tubular steel frame. Perforations are 3/8" diameter.

Arms

Constructed of 1" x 14-ga. Tubular steel, die formed and welded to mounting yoke. Textured plastic arm cap is permanently attached.

Mounting

Seats, benches and tables have steel spiders and yokes welded into an integral unit. The yoke is placed over the steel beam and secured with bolts.

Beams

Beams 11-ga. 1-1/2" x 2" seamless steel. Plastic end caps.

Freestanding Base

14-ga., 1.5 x 4 rectangular seam welded tubular steel column. Cast aluminum base is bolted to the column. Either a yoke or yoke cover are welded to the top for securing to the beam with bolts. Adjustable glides.

Wallsaver Extension

Attaches to base with rear glide. Contacts the wall at the floor to prevent seat back from touching the wall. Black only.

Anchored Base

The base may be drilled for anchoring with 3/8" diameter bolts. Anchoring bolts not provided.

Embedded Base

14-ga., 1.5 x 4 rectangular seam welded tubular steel column. 16" length for embedding in concrete. Either a yoke or yoke cover are welded to the top for securing to the beam with bolts.

Metal Finish

Indoor finishes are nonchipping epoxy powder, electrostatically applied, then baked on. Outdoor finishes are nonchipping polyester powder, electrostatically applied, then baked on over a rust-inhibiting sealer.

Fiberglass Finishes

Gloss - Integrally colored gel coat buffed to a smooth shiny finish.

Matte - Integrally colored gel coat sanded to remove the gloss and coated with a dull finishing sealer.

Terra Cotta - Integrally colored gel coat is lightly textured to remove the gloss and coated with a dull finishing sealer.

Polycrete - Natural sand is embedded into colored gel coat then sand blasted to a smooth finish. Surface is coated with a dull finishing sealer.

Granex - Synthetic granules are embedded into layers of polyester resin to create a unique speckled appearance with exceptional durability.

"L" Corner Table Assembly

For mounting modular units at a 90 degree angle. Corners are formed by mounting beam extensions joined by a table top and supported by a leg for each beam. A 2-5/8" o.d. leg with a leveling glide supports the back corner of the table top. Corner table surfaces match in-line tables.

Plastic Laminate In-line Tables

May be used in place of seats on the beam, or for corner table applications. Solid core top 7/8" thick consisting of high-density particle board with plastic laminate surface and vinyl bullnose edge. Rounded corners. For interior use only.

Fiberglass Elements

Dimensions shown are nominal. If dimensions are critical contact KI. Nominal 3/16" wall thickness. Sides which may have beams attached have ¾" thick plywood embedded in fiberglass. These are drilled at the factory for beam installation as required by the order. Mounting hardware is supplied.




Table Elements

Half-round shapes have solid fiberglass table tops.

Full size shapes are available with fiberglass or plastic laminate table tops.

Square shapes may be stacked to three high to form pylons.

Planter Elements

Square shapes are available as planters with a fiberglass liner.

Freestanding Planter/Trash Receptacles

Outer surface is constructed of perforated steel welded to tubular steel rings top and bottom. Material is the same as used on seats and tables.

A fiberglass liner is provided for planter or trash receptacle use. A top lid of fiberglass is provided for trash receptacles.

Fire Retardants

Fire retardant resins are added to the fiberglass. Fire retardant treatment (FR) meets

California's TB133 fire code requirements and the New York Port Authority requirements.

Sand Weighting

Fiberglass elements have an enclosed bottom. Bagged sand can be placed in the units when extra stability is needed.

Anchoring

Fiberglass elements may be anchored to floors or permanent hard surface. Factory installed 3/8" diameter holes can be specified and include expansion bolts.

Order Review/Design Service

It is KI's policy with this product to check all incoming orders for accuracy. When ordering, please provide a plan-view sketch and identify desired components.

KI will provide a design and engineering service, upon request, to tailor this product to your needs. This includes a comprehensive proposal. Contact KI for further information.

INFORMATION

Design

Designed by the KI Design Team.

C.O.M. and C.O.V. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 12" x 12" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Leather must be free of imperfections.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1330 Bellevue Street
Green Bay, WI 54302

INFORMATION

Warranty

See Terms for general information.

Promenade® Seating System

Tandem Seating

MODEL	W x D x H	MODEL NUMBER						Approx. Packaged Weight
		Basic Model	Table Style	Frame Color	Surface Finish	Edge Color	Upholstery Color	
 <p>PRM2 PRM3 PRM4</p> <p>SEAT - Armless Unupholstered with Movable Base</p> <ul style="list-style-type: none"> Seats and tables clamp to mounting beam. Tables interchange with seats anywhere on the beam Laminate tables are full size, 22-1/2" D x 21" W 	48 x 26 x 32"	PRM2/S1/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	107#	
	48 x 26 x 32"	PRM2/S2/0T		<input type="checkbox"/>			72#	
	72 x 26 x 32"	PRM3/S2/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	135#	
	72 x 26 x 32"	PRM3/S3/0T		<input type="checkbox"/>			99#	
	96 x 26 x 32"	PRM4/S3/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	163#	
	96 x 26 x 32"	PRM4/S4/0T		<input type="checkbox"/>			127#	
 <p>PRM2U PRM3U PRM4U</p> <p>SEAT - Armless Upholstered with Movable Base</p> <ul style="list-style-type: none"> Seats and tables clamp to mounting beam. Tables interchange with seats anywhere on the beam Laminate tables are full size, 22-1/2" D x 21" W Foam pads on upholstered units for additional comfort in interior settings. May be removed for cleaning or reupholstery 	48 x 26 x 32"	PRM2U/S1/1T	<input type="checkbox"/>	119#				
	48 x 26 x 32"	PRM2U/S2/0T		<input type="checkbox"/>			<input type="checkbox"/>	83#
	72 x 26 x 32"	PRM3U/S2/1T	<input type="checkbox"/>	153#				
	72 x 26 x 32"	PRM3U/S3/0T		<input type="checkbox"/>			<input type="checkbox"/>	117#
	96 x 26 x 32"	PRM4U/S3/1T	<input type="checkbox"/>	187#				
	96 x 26 x 32"	PRM4U/S4/0T		<input type="checkbox"/>			<input type="checkbox"/>	151#

A B C D E F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select table style.
SL = Square laminate
SM = Square metal; add \$100
- C** Select frame color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
 Outdoor finishes to be ordered with non-table units.
- D** Select surface finish.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- E** Select table edge color.
 Refer to color addendum at ki.com or in

KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- F** Select upholstery grade/color.
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder

FINISH INFORMATION

C.O.M. and C.O.V. Upholstery

For 10 seats or less, supply the following:

Seats require 3/4 yard of 54" wide nondirectional fabric or vinyl.

Benches require 3/4 yards of 54" wide nondirectional fabric or vinyl.

For 11 or more seats or pattern or directional material, see "ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
 Add FR to end of model number.
 Add upcharge.



Promenade® Seating System

Tandem Seating

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Fire Retardant add to list price
\$ 1245									N/A
1090									N/A
1604									N/A
1447									N/A
1962									N/A
1804									N/A
N/A	\$ 1555	\$ 1670	\$ 1685	\$ 1555	\$ 1614	\$ 1653	\$ 1690	\$ 1731	\$ 104
N/A	1397	1515	1529	1397	1457	1496	1535	1574	104
N/A	2066	2242	2263	2066	2157	2215	2273	2332	157
N/A	1910	2085	2105	1910	2000	2058	2116	2175	157
N/A	2579	2812	2839	2579	2700	2776	2854	2931	209
N/A	2422	2654	2682	2422	2541	2619	2697	2773	209

OPTIONS

Outdoor Coating

For unupholstered units without tables the outdoor coating upcharges are:

- 2 place = \$108
- 3 place = \$146
- 4 place = \$180.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Promenade® Seating System

Tandem Seating

MODEL	W x D x H	MODEL NUMBER						Approx. Packaged Weight
		Basic Model	Table Style	Frame Color	Surface Finish	Edge Color	Upholstery Color	
 <p>BENCH - Armless Unupholstered with Movable Base</p> <ul style="list-style-type: none"> Benches and tables clamp to mounting beam. Tables interchange with benches anywhere on the beam. Laminate tables are full size, 22-1/2" D x 21" W <p>PRM2 PRM3 PRM4</p>	48 x 26 x 32"	PRM2/B1/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	107#	
	48 x 26 x 32"	PRM2/B2/0T		<input type="checkbox"/>			72#	
	72 x 26 x 32"	PRM3/B2/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	135#	
	72 x 26 x 32"	PRM3/B3/0T		<input type="checkbox"/>			99#	
	96 x 26 x 32"	PRM4/B3/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	163#	
	96 x 26 x 32"	PRM4/B4/0T		<input type="checkbox"/>			127#	
 <p>BENCH - Armless Upholstered with Movable Base</p> <ul style="list-style-type: none"> Benches and tables clamp to mounting beam. Tables interchange with benches anywhere on the beam. Laminate tables are full size, 22-1/2" D x 21" W Foam pads on upholstered units for additional comfort in interior settings. May be removed for cleaning or reupholstery <p>PRM2U PRM3U PRM4U</p>	48 x 26 x 32"	PRM2U/B1/1T	<input type="checkbox"/>	119#				
	48 x 26 x 32"	PRM2U/B2/0T		<input type="checkbox"/>			<input type="checkbox"/>	83#
	72 x 26 x 32"	PRM3U/B2/1T	<input type="checkbox"/>	153#				
	72 x 26 x 32"	PRM3U/B3/0T		<input type="checkbox"/>			<input type="checkbox"/>	117#
	96 x 26 x 32"	PRM4U/B3/1T	<input type="checkbox"/>	187#				
	96 x 26 x 32"	PRM4U/B4/0T		<input type="checkbox"/>			<input type="checkbox"/>	151#
			A	B	C	D	E	F

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select table style.
SL = Square laminate
SM = Square metal; add \$100
- C** Select frame color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
 Outdoor finishes to be ordered with non-table units.
- D** Select surface finish.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- E** Select table edge color.
 Refer to color addendum at ki.com or in

KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- F** Select upholstery grade/color.
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder

FINISH INFORMATION

C.O.M. and C.O.V. Upholstery

For 10 seats or less, supply the following:

Seats require 3/4 yard of 54" wide nondirectional fabric or vinyl.

Benches require 3/4 yards of 54" wide nondirectional fabric or vinyl.

For 11 or more seats or pattern or directional material, see "ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
 Add FR to end of model number.
 Add upcharge.



Promenade® Seating System

Tandem Seating

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Fire Retardant add to list price
\$ 1245									N/A
1090									N/A
1604									N/A
1447									N/A
1962									N/A
1804									N/A
N/A	\$ 1555	\$ 1670	\$ 1685	\$ 1555	\$ 1614	\$ 1653	\$ 1690	\$ 1731	\$ 104
N/A	1397	1515	1529	1397	1457	1496	1535	1574	104
N/A	2066	2242	2263	2066	2157	2215	2273	2332	157
N/A	1910	2085	2105	1910	2000	2058	2116	2175	157
N/A	2579	2812	2839	2579	2700	2776	2854	2931	209
N/A	2422	2654	2682	2422	2541	2619	2697	2773	209

OPTIONS

Outdoor Coating

For unupholstered units without tables the outdoor coating upcharges are:

- 2 place = \$108
- 3 place = \$146
- 4 place = \$180.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Promenade® Seating System

Seating Components

MODEL	Features	W x D x H	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Frame Color	Upholstery Color	
 HRDPT PROMU	Armless Seat <ul style="list-style-type: none"> • Heavy gauge perforated steel backrest and seat welded to tubular steel frame • Seats clamp to mounting beam and may be interchanged with full size tables • Foam pads on upholstered units for additional comfort in interior settings. May be removed for cleaning or reupholstery • Seat price includes mounting beam 	Perforated Steel Seat 21 x 26 x 32"	PRMSEAT	<input type="checkbox"/> <input type="checkbox"/>		24#
		Upholstered Seat 21 x 26 x 32"	PRSB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	30#
 HRDPT PROMU	Bench Seat <ul style="list-style-type: none"> • Heavy gauge perforated steel seat welded to tubular steel frame • Seats clamp to mounting beam and may be interchanged with full size tables • Foam pads on upholstered units for additional comfort in interior settings. May be removed for cleaning or reupholstery • Seat price includes mounting beam 	Perforated Steel Bench 21 x 22½ x 16"	PRMBENCH	<input type="checkbox"/> <input type="checkbox"/>		20#
		Upholstered Bench 21 x 22½ x 16"	PRMB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	25#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
 Outdoor finishes to be ordered with non-table units.
- C** Select upholstery grade/color.
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder

FINISH INFORMATION

C.O.M. and C.O.V. Upholstery

For 10 seats or less, supply the following:

Seats require 3/4 yard of 54" wide nondirectional fabric or vinyl.

Benches require 3/4 yards of 54" wide nondirectional fabric or vinyl.

For 11 or more seats or pattern or directional material, see "ordering C.O.M, C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
 Add FR to end of model number.
 Add upcharge.

OPTIONS

Outdoor Coating

For a perforated steel seat the outdoor coating upcharge is \$34, for a perforated steel bench the outdoor coating upcharge is \$31.



Promenade® Seating System

Seating Components

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Fire Retardant add to list price
\$ 358									N/A
N/A	513	571	577	513	543	563	581	601	51
\$ 358									N/A
N/A	513	571	577	513	543	563	581	601	51

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Promenade® Seating System

Arm and Base Components

MODEL	Features	MODEL NUMBER		Approx. Packaged Weight	
		Basic Model	Frame Color		
 HRDPT	Universal Loop Arm <ul style="list-style-type: none"> May be used individually or in pairs between each pair of seats Clamps to beam and is secured with bolts. Removable Arm has black high-impact rigid PVC armrest permanently attached 	Tubular Steel Armrest	PRMLA	<input type="checkbox"/> <input type="checkbox"/>	7#
 PRMFBASE PRMFBASE PRMMOBASE PRMMOBASE HRDPT	Freestanding Base <ul style="list-style-type: none"> Heavy gauge tubular steel column. Cast aluminum leg with adjustable glides Clamps to beam directly or may be used for clamping to seats or tables and the beam. Secured with bolts. Removable Base is drilled for anchoring bolts when fixed base option is specified Inboard base sits directly under center of seat Outboard base can be attached at any location on the beam 	Fixed Inboard Base Fixed Outboard Base Movable Inboard Base Movable Outboard Base	PRMFBASE PRMFBASE PRMMOBASE PRMMOBASE	<input type="checkbox"/> <input type="checkbox"/>	10#
 PRMEOBASE PRMEOBASE HRDPT	Embedded Base <ul style="list-style-type: none"> Heavy gauge tubular steel column has extra length. Clamps to beam directly or may be used for clamping to seats or tables and the beam. Secured with bolts. Removable 	Embedded in Concrete Inboard Embedded in Concrete Outboard	PRMEBASE PRMEOBASE	<input type="checkbox"/> <input type="checkbox"/>	8#
 HRDPT	Back-to-Back Ganging Bar <ul style="list-style-type: none"> Connects two units back to back 		87.6232	<input type="checkbox"/> <input type="checkbox"/>	5#
	Wallsaver Extension <ul style="list-style-type: none"> Heavy gauge steel, held in place by rear glide Available in black only. 		PWSE.BL		1#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
B Select frame color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
 Outdoor finishes to be ordered with non-table units.

OPTIONS

Outdoor Coating

For the following arm and base components, the upcharges for outdoor coating applies:

- Universal Arm Rest = \$6
- Movable Freestanding Base = \$19
- Fixed Freestanding Base = \$21
- Embedded Base = \$14
- Back-to-Back Ganging Bar = \$6



Promenade® Seating System

Arm and Base Components

Delivered Pricing

\$ 89

\$ 206

206

187

187

\$ 120

120

\$ 73

\$ 40

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Bondue, Wisconsin 54107** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Promenade® Seating System

Fiberglass Elements



PROM

MODEL	Features	W x D	MODEL NUMBER					
			Basic Model	Beam Type	Finish	Element Color	Top Insert	
Cube Fiberglass Element-Planter <ul style="list-style-type: none"> Available as planter or tabletop with fiberglass or laminate inserts Mounting beam for seating may be attached to 1, 2, 3 or 4 sides Seamless one-piece molded fiberglass construction for strength. Sides have 3/4" plywood embedded in fiberglass Cement weighting or anchoring to the floor is optional. 	Standard 19" H, 1 Segment	22 1/2 x 22 1/2"	PRMSBE191PL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium 19" H, 1 Segment	22 1/2 x 22 1/2"	PRMSBE191PL/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard 34" H, 2 Segments	22 1/2 x 22 1/2"	PRMSBE192PL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium 34" H, 2 Segments	22 1/2 x 22 1/2"	PRMSBE192PL/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard 49" H, 3 Segments	22 1/2 x 22 1/2"	PRMSBE193PL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium 49" H, 3 Segments	22 1/2 x 22 1/2"	PRMSBE193PL/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Cube Fiberglass Element-Fiberglass Table Top	Standard 19" H, 1 Segment	22 1/2 x 22 1/2"	PRMSBE191FG	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium 19" H, 1 Segment	22 1/2 x 22 1/2"	PRMSBE191FG/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard 34" H, 2 Segments	22 1/2 x 22 1/2"	PRMSBE192FG	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium 34" H, 2 Segments	22 1/2 x 22 1/2"	PRMSBE192FG/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard 49" H, 3 Segments	22 1/2 x 22 1/2"	PRMSBE193FG	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium 49" H, 3 Segments	22 1/2 x 22 1/2"	PRMSBE193FG/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Cube Fiberglass Element-Laminate Table Top	Standard 19" H, 1 Segment	22 1/2 x 22 1/2"	PRMSBE191LA	<input type="checkbox"/>				
	Premium 19" H, 1 Segment	22 1/2 x 22 1/2"	PRMSBE191LA/P	<input type="checkbox"/>				
	Standard 34" H, 2 Segments	22 1/2 x 22 1/2"	PRMSBE192LA	<input type="checkbox"/>				
	Premium 34" H, 2 Segments	22 1/2 x 22 1/2"	PRMSBE192LA/P	<input type="checkbox"/>				
	Standard 49" H, 3 Segments	22 1/2 x 22 1/2"	PRMSBE193LA	<input type="checkbox"/>				
	Premium 49" H, 3 Segments	22 1/2 x 22 1/2"	PRMSBE193LA/P	<input type="checkbox"/>				

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select number of sides w/beams.

00 = Square base, freestanding

01 = Square base, 1 side

02 = Square base, 2 opposite sides

03 = Square base, 3 sides

04 = Square base, 4 sides

A2 = Square base, 2 adjacent sides

C Select finish.

AF = Gloss Finish

GX = Granex Finish

MT = Matte Finish

PT = Polycrete Finish (Premium)

TC = Terra Cotta Finish (Premium)

D Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder.

See addendum for finishes and colors.

E Select element top surface.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
 Add FR to end of model number.
 Add upcharge.

Anchoring

Factory applied 3/8" diameter holes on bottom of element.
 Add /AN to end of model number .
 Upcharge \$32/element

Concrete Weighting

Factory applied concrete.
 Add /CW to end of model number.
 Upcharge \$130/element

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Promenade® Seating System

Fiberglass Elements

Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
69#	\$ 1416	\$ 122
69#	1534	122
117#	2359	227
117#	2477	227
165#	3303	329
165#	3421	329
60#	\$ 1179	\$ 116
60#	1298	116
108#	2359	207
108#	2477	207
156#	3303	318
156#	3421	318
63#	\$ 1179	\$ 116
63#	1298	116
111#	2359	207
111#	2477	207
159#	3303	318
159#	3421	318

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Bondue, Wisconsin 54107 factory. Freight
class #125.

Specifications and prices are subject to change
without prior notice.

Promenade® Seating System

Fiberglass Elements

MODEL	Features	W x D	MODEL NUMBER				
			Basic Model	Beam Type	Finish	Element Color	Top Insert
 <p>Square Fiberglass Element-Planter</p> <ul style="list-style-type: none"> Available as planter or tabletop with fiberglass or laminate inserts Mounting beam for seating may be attached to 1, 2, 3 or 4 sides Seamless one-piece molded fiberglass construction for strength. Sides have 3/4" plywood embedded in fiberglass Cement weighting or anchoring to the floor is optional. 	Standard 25" H, 1 Segment	22 1/2 x 22 1/2"	PRMSBE251PL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Premium 25" H, 1 Segment	22 1/2 x 22 1/2"	PRMSBE251PL/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Standard 46" H, 2 Segments	22 1/2 x 22 1/2"	PRMSBE252PL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Premium 46" H, 2 Segments	22 1/2 x 22 1/2"	PRMSBE252PL/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Standard 67" H, 3 Segments	22 1/2 x 22 1/2"	PRMSBE253PL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Premium 67" H, 3 Segments	22 1/2 x 22 1/2"	PRMSBE253PL/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Square Fiberglass Element-Fiberglass Table Top</p>	Standard 25" H, 1 Segment	22 1/2 x 22 1/2"	PRMSBE251FG	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Premium 25" H, 1 Segment	22 1/2 x 22 1/2"	PRMSBE251FG/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Standard 46" H, 2 Segments	22 1/2 x 22 1/2"	PRMSBE252FG	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Premium 46" H, 2 Segments	22 1/2 x 22 1/2"	PRMSBE252FG/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Standard 67" H, 3 Segments	22 1/2 x 22 1/2"	PRMSBE253FG	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Premium 67" H, 3 Segments	22 1/2 x 22 1/2"	PRMSBE253FG/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<p>Square Fiberglass Element-Laminate Table Top</p>	Standard 25" H, 1 Segment	22 1/2 x 22 1/2"	PRMSBE251LA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Premium 25" H, 1 Segment	22 1/2 x 22 1/2"	PRMSBE251LA/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Standard 46" H, 2 Segments	22 1/2 x 22 1/2"	PRMSBE252LA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Premium 46" H, 2 Segments	22 1/2 x 22 1/2"	PRMSBE252LA/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Standard 67" H, 3 Segments	22 1/2 x 22 1/2"	PRMSBE253LA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Premium 67" H, 3 Segments	22 1/2 x 22 1/2"	PRMSBE253LA/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select number of sides w/beams.

00 = Square base, freestanding

01 = Square base, 1 side

02 = Square base, 2 opposite sides

03 = Square base, 3 sides

04 = Square base, 4 sides

A2 = Square base, 2 adjacent sides

C Select finish.

AF = Gloss Finish

GX = Granex Finish

MT = Matte Finish

PT = Polycrete Finish (Premium)

TC = Terra Cotta Finish (Premium)

D Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes

binder.

See addendum for finishes and colors.

E Select element top surface.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Anchoring

Factory applied 3/8" diameter holes on bottom of element.
Add /AN to end of model number.
Upcharge \$32/element

Concrete Weighting

Factory applied concrete.
Add /CW to end of model number.
Upcharge \$130/element

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Promenade® Seating System

Fiberglass Elements

Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
84#	\$ 1534	\$ 147
84#	1652	147
141#	2832	273
141#	2949	273
199#	3538	400
199#	3657	400
75#	\$ 1652	\$ 120
75#	1769	120
132#	2949	242
132#	3067	242
190#	3657	362
190#	3775	362
78#	\$ 1534	\$ 120
78#	1652	120
135#	2595	242
135#	2713	242
193#	3775	362
193#	3893	362

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Bondue, Wisconsin 54107 factory. Freight
class #125.

Specifications and prices are subject to change
without prior notice.

Promenade® Seating System

Fiberglass Elements

MODEL	Features	W x D	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Finish	Element Color	
  PROM	Half Round Fiberglass Element <ul style="list-style-type: none"> Available with one-piece fiberglass top only Mounting beam for seating attaches to straight side. Drilled at factory to fasten beam Seamless one-piece molded fiberglass construction for strength. Straight sides have 3/4" plywood embedded in fiberglass Cement weighting or anchoring to the floor are optional For stability element is always connected to beam 	Standard 19" H Fiberglass Top 11 1/4" x 22 1/2"	PRMHBE191	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	22#
		Premium 19" H Fiberglass Top 11 1/4" x 22 1/2"	PRMHBE191/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	22#
		Standard 25" H Fiberglass Top 11 1/4" x 22 1/2"	PRMHBE251	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	28#
		Premium 25" H Fiberglass Top 11 1/4" x 22 1/2"	PRMHBE251/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	28#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish

MT = Matte Finish

PT = Polycrete Finish (Premium)

TC = Terra Cotta Finish (Premium)

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
 Add FR to end of model number.
 Add upcharge.

Anchoring

Factory applied 3/8" diameter holes on bottom of element.
 Add /AN to end of model number.
 Upcharge \$32/element

Concrete Weighting

Factory applied concrete.
 Add /CW to end of model number.
 Upcharge \$130/element

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Promenade® Seating System

Fiberglass Elements

Delivered Pricing

Fire
Retardant
add to list price

\$ 826	\$ 63
944	63
944	75
1062	75

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Promenade® Seating System

Beam Mounted Tables

	Features	W x D x H	MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Table Finish	Table Surface	Edge Color	
	Full Size Perforated Steel	21 x 22½ x 16"	PRMSMT.BL				34#
	Full Size Plastic Laminate	21 x 22½ x 16"	PRMSLT	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	15#
							
HRDPT PMSL							
Beam Mounted Inline Full Size Tables							
• Tables clamp to mounting beam and are secured with bolts.							
• Full size table may be interchanged with seat or bench.							
• Table price includes mounting beam.							
• Plastic laminate tables are suitable for indoor applications only.							
	Connects 2 Freestanding Units, Perforated Steel	30 x 30 x 16"	PRMSMTL.BL				90#
	Connects to 1 Freestanding Unit, Perforated Steel	30 x 30 x 16"	PRMSMTLO.BL				90#
	Connects to 1 Freestanding Unit, Laminate	30 x 30 x 16"	PRMSLTLO	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	66#
	Connects 2 Freestanding Units, Laminate	30 x 30 x 16"	PRMSLT	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	66#
							
HRDPT PMSC							
Beam Mounted Corner Table							
• Heavy gauge steel surface welded to a tubular steel frame.							
• Tables clamp to mounting beam and are secured with bolts.							
• Joins two units at right angles.							
• May be attached to one unit at end.							
• When specifying, units to be attached must be identified.							
• Includes corner table leg and mounting beam extensions.							
			A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select table model.
- B** Select metal component color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select table surface.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- D** Select edge color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

OPTIONS

Outdoor Coating

For the following beam mounted table, the upcharges for outdoor coating applies:
Full Size Perforated Steel Table = \$34
Perforated Steel Corner Table(connects two units) = \$82
Perforated Steel Corner Table(connects to one unit) = \$79



Promenade® Seating System

Beam Mounted Tables

Delivered Pricing

\$ 357
236

\$ 831
795
446
817

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Promenade® Seating System

Freestanding Planters

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Metal Finish	Finish	Element Color	
 <p>PRML</p> <p>Freestanding Planters</p> <ul style="list-style-type: none"> • Sturdy perforated steel exterior • Tubular steel frame • Liner and top are seamless one piece construction for strength and to resist damage • Fiberglass lid available in all fiberglass finishes 	16" diameter, 28" H, 0.6 cu. ft. Capacity	PRM1628APR	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	42#
	16" diameter, 36" H, 1.2 cu. ft. Capacity	PRM1636APR	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	55#
	20" diameter, 28" H, 0.9 cu. ft. Capacity	PRM2028APR	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	52#
	20" diameter, 36" H, 1.4 cu. ft. Capacity	PRM2036APR	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	67#
 <p>PRML</p> <p>Freestanding Trash Receptacle</p> <ul style="list-style-type: none"> • Sturdy perforated steel exterior • Tubular steel frame • Liner and top are seamless one piece fiberglass construction for strength and to resist damage • Fiberglass lid available in all fiberglass finishes 	16" diameter, 28" H, 16 gal. Capacity	PRM1628TR	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	47#
	16" diameter, 36" H, 20 gal. Capacity	PRM1636TR	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	60#
	20" diameter, 28" H, 25 gal. Capacity	PRM2028TR	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	57#
	20" diameter, 36" H, 30 gal. Capacity	PRM2036TR	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	72#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select steel outer cylinder color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
See addendum for indoor and outdoor powder-coated finishes.
- C** Select finish.
- | | |
|-----------|--------------------------------|
| AF | = Gloss Finish |
| GX | = Granex Finish |
| MT | = Matte Finish |
| PT | = Polycrete Finish (Premium) |
| TC | = Terra Cotta Finish (Premium) |
- D** Select element color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

OPTIONS

Outdoor Coating

For the following freestanding planters, the upcharges for outdoor coating applies:

Model PRM1628APR = \$65
Model PRM1636APR = \$70
Model PRM2028APR = \$69
Model PRM2036APR = \$73
Model PRM1628TR = \$73
Model PRM1638TR = \$77
Model PRM2028TR = \$75
Model PRM2036TR = \$79



Promenade® Seating System

Freestanding Planters

Delivered Pricing

Fire
Retardant
add to list price

\$ 1062
1179
1121
1298

\$ 79
89
92
97

\$ 1179
1298
1416
1475

\$ 94
103
113
122

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Logix[®] System

General Information



Quarter Circle Inside Back, Quarter Circle Planter



Corner Seat, Square Seat, Square Seat Level Table, Quarter Circle Seat Level Table

General


- Two-piece molded fiberglass construction. Available in all fiberglass finishes.
- May be weighted for added stability.

Seating

- Upholstered seating modules available in KI fabrics, vinyls or C.O.M.
- Seat backs and arms are supported by fiberglass liners secured to the base and covered by polyurethane foam and fabric.
- Cushions are supported by plywood base covered with polyurethane foam and fabric.
- Cushions fasten with velcro.

Seating


	Square	Narrow	Corner	Quarter Circle	Inside Curved	Outside Curved	45° Wedge	60° Wedge
Overall Dimensions								
width	30"	12"	30"	30"	23½", 29¼"	29¼", 23½"	23"	30"
depth	30"	30"	30"	30"	30"	30"	30"	30"
height	30"	30"	30"	30"	30"	30"	30"	30"
seat height	17"	17"	17"	17"	17"	17"	17"	17"



PVC Standpipe



Ganging Straps included with all units to maintain spacing and alignment.



Sand Weighting

SPECIFICATIONS

Base Units

Bases are constructed of fiberglass reinforced plastic with a nominal wall thickness of 3/16". All side walls have a 1.5° draft.

Recessed Bases

All recessed bases are same color as the body and are 2-1/2" deep and 3" high.

Dimensions

Nominal dimensions are given. If dimensions are critical, please write for exact measurements.

Outdoor Use

Not recommended for upholstered units.

Table Surfaces

1" thick veneer or plastic laminate covered plywood.

Fiberglass Finishes

Gloss - Integrally colored gel coat buffed to a smooth shiny finish.

Matte - Integrally colored gel coat sanded to remove the gloss and coated with a dull finishing sealer.

Terra Cotta - Integrally colored gel coat is lightly textured to remove the gloss and coated with a dull finishing sealer.

Polycrete - Natural sand is embedded into colored gel coat then sand blasted to a smooth finish. Surface is coated with a dull finishing sealer.

Granex - Synthetic granules are embedded into layers of polyester resin to create a unique speckled appearance with exceptional durability.

Custom Work

We welcome the opportunity to discuss variations of standard product design, including special sizes and details. We also welcome the challenge or quoting on your special project requirements.

Fire Retardants

Special resins are added to the fiberglass. Fire retardant treatment meets California's

TB133 fire code requirements and the New York Port Authority requirements.

Sand Weighting

The following products offer options for sand weighting. Sand is not provided.

Seating Capacity 200# max. Opening Under cushion


60° Wedge Inside Back, 60° Wedge Planter
Tables

- Tables available 12" or 17" high.
- 12" table has top in plastic laminate.
- 17" seat level table has solid color fiberglass top.

Planters

- Heights in one through four modules – 12, 22, 32 or 42" high.
- Includes fiberglass liner
- PVC standpipe available for water maintenance.

Receptacles

- Heights in one through four modules – 12, 22, 32 or 42" high.
- Covers fit securely and are easily removable to change trash liner.

Tables, Planters, Receptacles



	Square	Narrow	Quarter Circle	Curved	45° Wedge	60° Wedge
Overall Dimensions						
width	30"	12"	30"	30"	23"	30"
depth	30"	30"	30"	30"	30"	30"
height (one unit high)	12"	12"	12"	12"	12"	12"
height (two units high)	22"	22"	22"	22"	22"	22"
height (three units high)	32"	32"	32"	32"	32"	32"
height (four units high)	42"	42"	42"	42"	42"	42"

INFORMATION
Warranty

See Terms for general information.

Logix® System

Seating Units

MODEL	Features	W x D x H	MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Finish	Element Color	Upholstery Color	
 Square Seat with Back • C.O.M. 2-1/2 yards • 17"H Seat	Standard	30 x 30 x 30"	SSQSSB1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34#
	Premium	30 x 30 x 30"	SSQSSB1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34#
 Square Backless Seat • C.O.M. 2 yards • 17"H Seat	Standard	30 x 30 x 17"	SSQSS01	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30#
	Premium	30 x 30 x 17"	SSQSS01/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30#
 Narrow Seat with Back • C.O.M. 2-1/2 yards • 17"H Seat	Standard	12 x 30 x 30"	SRTSSB1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18#
	Premium	12 x 30 x 30"	SRTSSB1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18#
 Narrow Backless Seat • C.O.M. 1-1/2 yards • 17"H Seat	Standard	12 x 30 x 17"	SRTSS01	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16#
	Premium	12 x 30 x 17"	SRTSS01/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16#

A
B
C
D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select finish.
- | | |
|-----------|---------------------------|
| AF | = Gloss Finish |
| GX | = Granex Finish (Premium) |
| MT | = Matte Finish |
| PT | = Polycrete Finish |
| TC | = Terra Cotta Finish |
- Model numbers with 'P' use GX=Granex Finish only
- C** Select element color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- D** Select upholstery grade/color
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
 Add FR to end of model number.
 Add upcharge.

Sand Weighting

A body closure and plug are factory applied in base of product to contain sand. Pre-bagged sand is recommended. Sand is not included.

Add /SW to end of model number.
 Upcharge \$88 list/unit

C.O.M. Upholstery

The yardage shown above is based on 54" wide nondirectional fabric for orders of 10 seats or less. For testing and larger orders, see "ordering C.O.M., C.O.V. and C.O.L. section".

Custom Fiberglass Color

Custom colors are available on a special

order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Fire Retardant add to list price
\$ 1413 1694	\$ 1493 1775	\$ 1517 1798	\$ 1413 1694	\$ 1509 1789	\$ 1572 1854	\$ 1637 1919	\$ 1701 1983	\$ 132 132
\$ 1142 1369	\$ 1207 1433	\$ 1225 1451	\$ 1142 1369	\$ 1220 1446	\$ 1271 1497	\$ 1322 1549	\$ 1375 1600	\$ 106 106
\$ 1152 1381	\$ 1215 1445	\$ 1233 1463	\$ 1152 1381	\$ 1228 1458	\$ 1279 1510	\$ 1330 1560	\$ 1381 1612	\$ 108 108
\$ 898 1077	\$ 945 1126	\$ 959 1139	\$ 898 1077	\$ 955 1135	\$ 993 1172	\$ 1030 1212	\$ 1071 1251	\$ 84 84

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C




Shipping

 Shipped **assembled freight prepaid f.o.b. Bondue, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix[®] System

Seating Units

MODEL	Features	W x D x H	MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Finish	Element Color	Upholstery Color	
 LXST	12° Curved Seat with Outside Back • C.O.M. 2-1/2 yards • 23-1/2" (front) x 30" (back) • 17"H Seat	Standard 30 x 30 x 30"	SCRSSB01	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34#
		Premium 30 x 30 x 30"	SCRSSB01/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34#
 LXST	12° Curved Seat with Inside Back • C.O.M. 2-1/2 yards • 30" (front) x 23-1/2" (back) • 17"H Seat	Standard 30 x 30 x 30"	SCRSSB1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34#
		Premium 30 x 30 x 30"	SCRSSB1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34#
 LXST	12° Curved Backless Seat • C.O.M. 1-1/2 yards • 23-1/2" (front) x 30"W (back)	Standard 30 x 30 x 17"	SCRSS01	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30#
		Premium 30 x 30 x 17"	SCRSS01/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30#
 LXST	Corner Seat with Back • C.O.M. 3-1/2 yards • 17"H Seat	Standard 30 x 30 x 30"	SSQSSA1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	40#
		Premium 30 x 30 x 30"	SSQSSA1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	40#
 LXST	Quarter Circle Seat with Inside Back • C.O.M. 3-1/2 yards • 17"H Seat	Standard 30 x 30 x 30"	SQRSSB1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32#
		Premium 30 x 30 x 30"	SQRSSB1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish
GX = Granex Finish (Premium)
MT = Matte Finish
PT = Polycrete Finish
TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

D Select upholstery grade/color.

Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
 Add FR to end of model number.
 Add upcharge.

Sand Weighting

A body closure and plug are factory applied in base of product to contain sand. Pre-bagged sand is recommended. Sand is not included.

Add /SW to end of model number.
 Upcharge \$88 list/unit

C.O.M. Upholstery

The yardage shown above is based on 54" wide nondirectional fabric for orders of 10 seats or less. For testing and larger orders, see "ordering C.O.M., C.O.V. and C.O.L. section".

Custom Fiberglass Color

Custom colors are available on a special

order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Fire Retardant add to list price
\$ 1413	\$ 1493	\$ 1517	\$ 1413	\$ 1509	\$ 1572	\$ 1637	\$ 1701	\$ 132
1694	1775	1798	1694	1789	1854	1919	1983	132

\$ 1413	\$ 1493	\$ 1517	\$ 1413	\$ 1509	\$ 1572	\$ 1637	\$ 1701	\$ 132
1694	1775	1798	1694	1789	1854	1919	1983	132

\$ 1142	\$ 1207	\$ 1225	\$ 1142	\$ 1220	\$ 1271	\$ 1322	\$ 1375	\$ 106
1369	1433	1451	1369	1446	1497	1549	1600	106

\$ 1623	\$ 1736	\$ 1770	\$ 1623	\$ 1759	\$ 1848	\$ 1940	\$ 2028	\$ 152
1950	2063	2095	1950	2085	2175	2262	2353	152

\$ 1123	\$ 1204	\$ 1227	\$ 1123	\$ 1238	\$ 1302	\$ 1367	\$ 1430	\$ 104
1348	1428	1451	1348	1463	1526	1591	1656	104

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C


Shipping

 Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix[®] System

Seating Units

MODEL	Features	W x D x H	MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Finish	Element Color	Upholstery Color	
 LXST Quarter Circle Backless Seat <ul style="list-style-type: none"> • C.O.M. 2-1/2 yards 	Standard	30 x 30 x 17"	SQRSS01	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30#
	Premium	30 x 30 x 17"	SQRSS01/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30#
 LXST 45° Curved Wedge Seat with Outside Back <ul style="list-style-type: none"> • C.O.M. 2-1/2 yards • 17"H Seat 	Standard	23 x 30 x 30"	SWGSSB01	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18#
	Premium	23 x 30 x 30"	SWGSSB01/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18#
 LXST 45° Curved Wedge Seat with Inside Back <ul style="list-style-type: none"> • C.O.M. 2 yards • 17"H Seat 	Standard	23 x 30 x 30"	SWGSSB1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16#
	Premium	23 x 30 x 30"	SWGSSB1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16#
 LXST 45° Curved Wedge Backless Seat <ul style="list-style-type: none"> • C.O.M. 2 yards 	Standard	23 x 30 x 17"	SWGSS01	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15#
	Premium	23 x 30 x 17"	SWGSS01/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15#

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

D Select upholstery grade/color.

Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.

Add FR to end of model number.
Add upcharge.

Sand Weighting

A body closure and plug are factory applied in base of product to contain sand. Pre-bagged sand is recommended. Sand is not included.

Add /SW to end of model number.
Upcharge \$88 list/unit

C.O.M. Upholstery

The yardage shown above is based on 54" wide nondirectional fabric for orders of 10 seats or less. For testing and larger orders, see "ordering C.O.M., C.O.V. and C.O.L. section".

Custom Fiberglass Color

Custom colors are available on a special

order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Fire Retardant add to list price
---	--	--	---------------------------------------	--	--	--	--	--

\$ 1142	\$ 1207	\$ 1225	\$ 1142	\$ 1220	\$ 1271	\$ 1322	\$ 1375	\$ 106
1369	1433	1451	1369	1446	1497	1549	1600	106

\$ 959	\$ 1023	\$ 1042	\$ 959	\$ 1038	\$ 1088	\$ 1138	\$ 1190	\$ 91
1150	1214	1232	1150	1227	1278	1329	1380	91

\$ 959	\$ 1023	\$ 1042	\$ 959	\$ 1038	\$ 1088	\$ 1138	\$ 1190	\$ 91
1150	1214	1232	1150	1227	1278	1329	1380	91

\$ 770	\$ 823	\$ 836	\$ 770	\$ 848	\$ 900	\$ 950	\$ 1001	\$ 72
924	974	988	924	999	1051	1101	1154	72

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C



Shipping

 Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix[®] System

Table Units

MODEL	Features	W x D x H	MODEL NUMBER				Approx. Packaged Weight
			Basic Model	Finish	Element Color	Top Finish Color	
 LXTB	Laminate Top - Standard	30 x 30 x 12"	SSQTLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	33#
	Laminate Top - Premium	30 x 30 x 12"	SSQTLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	33#
 LXTB	Laminate Top - Standard	12 x 30 x 12"	SRTTLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30#
	Laminate Top - Premium	12 x 30 x 12"	SRTTLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30#
 LXTB	Laminate Top - Standard	30 x 30 x 12"	SQRTLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31#
	Laminate Top - Premium	30 x 30 x 12"	SQRTLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31#
 LXTB	Laminate Top - Standard	30 x 30 x 12" • 23-1/2"W (fr) x 30"W (bk)	SCRTLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	33#
	Laminate Top - Premium	30 x 30 x 12"	SCRTLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	33#
 LXTB	Laminate Top - Standard	23 x 30 x 12"	SWGTLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16#
	Laminate Top - Premium	23 x 30 x 12"	SWGTLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16#

A **B** **C** **D**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select finish .
- | | |
|-----------|---------------------------|
| AF | = Gloss Finish |
| GX | = Granex Finish (Premium) |
| MT | = Matte Finish |
| PT | = Polycrete Finish |
| TC | = Terra Cotta Finish |
- Model numbers with 'P' use GX=Granex Finish only
- C** Select base finish and color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- D** Select top surface color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Delivered Pricing	Fire Retardant add to list price
\$ 1225	\$ 116
1470	116
\$ 1027	\$ 96
1231	96
\$ 1071	\$ 100
1285	100
\$ 1225	\$ 116
1470	116
\$ 835	\$ 78
1000	78

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C

Shipping

 Shipped **assembled freight prepaid f.o.b. Bondue, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix® System

Seat Level Table Units

MODEL	Features	W x D x H	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Finish	Element Color	
 LXTB	Fiberglass Top - Standard	30 x 30 x 17"	SSQTSLT1	<input type="checkbox"/>	<input type="checkbox"/>	34#
	Fiberglass Top - Premium	30 x 30 x 17"	SSQTSLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	34#
 LXTB	Fiberglass Top - Standard	12 x 30 x 17"	SRTTSLT1	<input type="checkbox"/>	<input type="checkbox"/>	31#
	Fiberglass Top - Premium	12 x 30 x 17"	SRTTSLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	31#
 LXTB	Fiberglass Top - Standard	30 x 30 x 17"	SQRTSLT1	<input type="checkbox"/>	<input type="checkbox"/>	32#
	Fiberglass Top - Premium	30 x 30 x 17"	SQRTSLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	32#
 LXTB	Fiberglass Top - Standard	30 x 30 x 17"	SCRTSLT1	<input type="checkbox"/>	<input type="checkbox"/>	34#
	Fiberglass Top - Premium	30 x 30 x 17"	SCRTSLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	34#
 LXTB	Fiberglass Top - Standard	23 x 30 x 17"	SWGTSLT1	<input type="checkbox"/>	<input type="checkbox"/>	25#
	Fiberglass Top - Premium	23 x 30 x 17"	SWGTSLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	25#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select finish .
- | | |
|-----------|---------------------------|
| AF | = Gloss Finish |
| GX | = Granex Finish (Premium) |
| MT | = Matte Finish |
| PT | = Polycrete Finish |
| TC | = Terra Cotta Finish |
- Model numbers with 'P' use GX=Granex Finish only
- C** Select element color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Delivered Pricing	Fire Retardant add to list price
\$ 1369	\$ 128
1652	128
\$ 1108	\$ 102
1336	102
\$ 1192	\$ 112
1431	112
\$ 1369	\$ 128
1652	128
\$ 921	\$ 88
1112	88

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C

Shipping

 Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix® System

Planters

MODEL	Features	W x D x H	MODEL NUMBER			
			Basic Model	Finish	Element Color	
 LXPL	Square Planter • Net opening is 18-1/2 x 18-1/2"	One unit high, Standard, 2.0 cu. ft. Capacity	30 x 30 x 12"	SSQP1	<input type="checkbox"/>	<input type="checkbox"/>
		One unit high, Premium, 2.0 cu. ft. Capacity	30 x 30 x 12"	SSQP1/P	<input type="checkbox"/>	<input type="checkbox"/>
		Two unit high, Standard, 4.3 cu. ft. Capacity	30 x 30 x 22"	SSQP2	<input type="checkbox"/>	<input type="checkbox"/>
		Two unit high, Premium, 4.3 cu. ft. Capacity	30 x 30 x 22"	SSQP2/P	<input type="checkbox"/>	<input type="checkbox"/>
		Three unit high, Standard, 6.8 cu. ft. Capacity	30 x 30 x 32"	SSQP3	<input type="checkbox"/>	<input type="checkbox"/>
		Three unit high, Premium, 6.8 cu. ft. Capacity	30 x 30 x 32"	SSQP3/P	<input type="checkbox"/>	<input type="checkbox"/>
		Four unit high, Standard, 9.2 cu. ft. Capacity	30 x 30 x 42"	SSQP4	<input type="checkbox"/>	<input type="checkbox"/>
		Four unit high, Premium, 9.2 cu. ft. Capacity	30 x 30 x 42"	SSQP4/P	<input type="checkbox"/>	<input type="checkbox"/>
 LXPL	Narrow Planter • Net opening is 22-1/2 x 4-1/2"	One unit high, Standard, 2.0 cu. ft. Capacity	12 x 30 x 12"	S RTP1	<input type="checkbox"/>	<input type="checkbox"/>
		One unit high, Premium, 2.0 cu. ft. Capacity	12 x 30 x 12"	S RTP1/P	<input type="checkbox"/>	<input type="checkbox"/>
		Two unit high, Standard, 2.3 cu. ft. Capacity	12 x 30 x 22"	S RTP2	<input type="checkbox"/>	<input type="checkbox"/>
		Two unit high, Premium, 2.3 cu. ft. Capacity	12 x 30 x 22"	S RTP2/P	<input type="checkbox"/>	<input type="checkbox"/>
		Three unit high, Standard, 3.4 cu. ft. Capacity	12 x 30 x 32"	S RTP3	<input type="checkbox"/>	<input type="checkbox"/>
		Three unit high, Premium, 3.4 cu. ft. Capacity	12 x 30 x 32"	S RTP3/P	<input type="checkbox"/>	<input type="checkbox"/>
		Four unit high, Standard, 4.5 cu. ft. Capacity	12 x 30 x 42"	S RTP4	<input type="checkbox"/>	<input type="checkbox"/>
		Four unit high, Premium, 4.5 cu. ft. Capacity	12 x 30 x 42"	S RTP4/P	<input type="checkbox"/>	<input type="checkbox"/>
 LXPL	Quarter Circle Planter • Net opening is 25-1/2 x 17"	One unit high, Standard, 1.0 cu. ft. Capacity	30 x 30 x 12"	S QRP1	<input type="checkbox"/>	<input type="checkbox"/>
		One unit high, Premium, 1.0 cu. ft. Capacity	30 x 30 x 12"	S QRP1/P	<input type="checkbox"/>	<input type="checkbox"/>
		Two unit high, Standard, 2.2 cu. ft. Capacity	30 x 30 x 22"	S QRP2	<input type="checkbox"/>	<input type="checkbox"/>
		Two unit high, Premium, 2.2 cu. ft. Capacity	30 x 30 x 22"	S QRP2/P	<input type="checkbox"/>	<input type="checkbox"/>
		Three unit high, Standard, 3.4 cu. ft. Capacity	30 x 30 x 32"	S QRP3	<input type="checkbox"/>	<input type="checkbox"/>
		Three unit high, Premium, 3.4 cu. ft. Capacity	30 x 30 x 32"	S QRP3/P	<input type="checkbox"/>	<input type="checkbox"/>
		Four unit high, Standard, 4.6 cu. ft. Capacity	30 x 30 x 42"	S QRP4	<input type="checkbox"/>	<input type="checkbox"/>
		Four unit high, Premium, 4.6 cu. ft. Capacity	30 x 30 x 42"	S QRP4/P	<input type="checkbox"/>	<input type="checkbox"/>

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select finish .
- | | |
|-----------|---------------------------|
| AF | = Gloss Finish |
| GX | = Granex Finish (Premium) |
| MT | = Matte Finish |
| PT | = Polycrete Finish |
| TC | = Terra Cotta Finish |
- Model numbers with 'P' use GX=Granex Finish only
- C** Select element color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
 Add FR to end of model number.
 Add upcharge.

Stand Pipe

Two-inch diameter PVC pipe permanently attached to the inside of the container for extracting excess water.
 Add /ST to end of model number
 Upcharge \$45 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
28#	\$ 1142	\$ 106
28#	1369	106
48#	1796	167
48#	2154	167
71#	2437	227
71#	2922	227
96#	3076	286
96#	3691	286
18#	\$ 975	\$ 92
18#	1170	92
31#	1462	136
31#	1754	136
44#	1924	179
44#	2307	179
57#	2398	223
57#	2877	223
26#	\$ 1142	\$ 106
26#	1369	106
46#	1796	167
46#	2154	167
69#	2437	227
69#	2922	227
94#	3076	286
94#	3691	286

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C

Shipping

 Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix® System

Planters

MODEL	Features	W x D x H	MODEL NUMBER		
			Basic Model	Finish	Element Color
 <p>12° Curved Planter • Net opening is 18 x 15"</p>	One unit high, Standard, 1.7 cu. ft. Capacity	30 x 30 x 12"	SCR1P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	One unit high, Premium, 1.7 cu. ft. Capacity	30 x 30 x 12"	SCR1P/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	Two unit high, Standard, 3.4 cu. ft. Capacity	30 x 30 x 22"	SCR2P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	Two unit high, Premium, 3.4 cu. ft. Capacity	30 x 30 x 22"	SCR2P/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	Three unit high, Standard, 5.3 cu. ft. Capacity	30 x 30 x 32"	SCR3P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	Three unit high, Premium, 5.3 cu. ft. Capacity	30 x 30 x 32"	SCR3P/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	Four unit high, Standard, 7.3 cu. ft. Capacity	30 x 30 x 42"	SCR4P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	Four unit high, Premium, 7.3 cu. ft. Capacity	30 x 30 x 42"	SCR4P/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	 <p>45° Curved Wedge Planter • Net opening is 15 x 12"</p>	One unit high, Standard, 0.4 cu. ft. Capacity	23 x 30 x 12"	SWG1P	<input type="checkbox"/> <input type="checkbox"/>
One unit high, Premium, 0.4 cu. ft. Capacity		23 x 30 x 12"	SWG1P/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Two unit high, Standard, 0.8 cu. ft. Capacity		23 x 30 x 22"	SWG2P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Two unit high, Premium, 0.8 cu. ft. Capacity		23 x 30 x 22"	SWG2P/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Three unit high, Standard, 1.3 cu. ft. Capacity		23 x 30 x 32"	SWG3P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Three unit high, Premium, 1.3 cu. ft. Capacity		23 x 30 x 32"	SWG3P/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Four unit high, Standard, 1.8 cu. ft. Capacity		23 x 30 x 42"	SWG4P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Four unit high, Premium, 1.8 cu. ft. Capacity		23 x 30 x 42"	SWG4P/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
				A	B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select finish .
- | | |
|-----------|---------------------------|
| AF | = Gloss Finish |
| GX | = Granex Finish (Premium) |
| MT | = Matte Finish |
| PT | = Polycrete Finish |
| TC | = Terra Cotta Finish |
- C** Select element color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Stand Pipe

Two-inch diameter PVC pipe permanently attached to the inside of the container for extracting excess water.
Add /ST to end of model number
Upcharge \$45 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
28#	\$ 1142	\$ 106
28#	1369	106
48#	1796	167
48#	2154	167
71#	2437	227
71#	2922	227
96#	3076	286
96#	3691	286
13#	\$ 975	\$ 92
13#	1170	92
24#	1462	136
24#	1754	136
35#	1924	179
35#	2307	179
47#	2398	223
47#	2877	223

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C

Shipping

 Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix® System

Trash Receptacles

MODEL	Features	W x D x H	MODEL NUMBER			Approx. Packaged Weight	
			Basic Model	Finish	Element Color		
 LXRT	Square Trash Receptacle	One unit high, Standard	30 x 30 x 12"	SSQR1	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	28#
	One unit high, Premium	30 x 30 x 12"	SSQR1/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	28#	
	Two unit high, Standard	30 x 30 x 22"	SSQR2	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	48#	
	Two unit high, Premium	30 x 30 x 22"	SSQR2/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	48#	
	Three unit high, Standard	30 x 30 x 32"	SSQR3	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	71#	
	Three unit high, Premium	30 x 30 x 32"	SSQR3/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	71#	
	Four unit high, Standard	30 x 30 x 42"	SSQR4	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	96#	
	Four unit high, Premium	30 x 30 x 42"	SSQR4/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	96#	
 LXRT	Narrow Trash Receptacle	One unit high, Standard	12 x 30 x 12"	SRTR1	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	18#
	One unit high, Premium	12 x 30 x 12"	SRTR1/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	18#	
	Two unit high, Standard	12 x 30 x 22"	SRTR2	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31#	
	Two unit high, Premium	12 x 30 x 22"	SRTR2/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31#	
	Three unit high, Standard	12 x 30 x 32"	SRTR3	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	44#	
	Three unit high, Premium	12 x 30 x 32"	SRTR3/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	44#	
	Four unit high, Standard	12 x 30 x 42"	SRTR4	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	57#	
	Four unit high, Premium	12 x 30 x 42"	SRTR4/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	57#	
 LXRT	Quarter Circle Trash Receptacle	One unit high, Standard	30 x 30 x 12"	SQRR1	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	26#
	One unit high, Premium	30 x 30 x 12"	SQRR1/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	26#	
	Two unit high, Standard	30 x 30 x 22"	SQRR2	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	46#	
	Two unit high, Premium	30 x 30 x 22"	SQRR2/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	46#	
	Three unit high, Standard	30 x 30 x 32"	SQRR3	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	69#	
	Three unit high, Premium	30 x 30 x 32"	SQRR3/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	69#	
	Four unit high, Standard	30 x 30 x 42"	SQRR4	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	94#	
	Four unit high, Premium	30 x 30 x 42"	SQRR4/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	94#	

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.

Add FR to end of model number.

Add upcharge.

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Delivered Pricing	Fire Retardant add to list price
\$ 1142	\$ 106
1369	106
1796	167
2154	167
2437	227
2922	227
3076	286
3691	286
\$ 975	\$ 92
1170	92
1462	136
1754	136
1924	179
2307	179
2398	223
2877	223
\$ 1142	\$ 106
1369	106
1796	167
2154	167
2437	227
2922	227
3076	286
3691	286

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C


Shipping

 Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix® System

Trash Receptacles

MODEL	Features	W x D x H	MODEL NUMBER			Approx. Packaged Weight	
			Basic Model	Finish	Element Color		
 LXRT	12° Curved Trash Receptacle	One unit high, Standard	30 x 30 x 12"	SCRR1	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	28#
	One unit high, Premium	30 x 30 x 12"	SCRR1/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	28#	
	Two unit high, Standard	30 x 30 x 22"	SCRR2	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	48#	
	Two unit high, Premium	30 x 30 x 22"	SCRR2/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	48#	
	Three unit high, Standard	30 x 30 x 32"	SCRR3	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	71#	
	Three unit high, Premium	30 x 30 x 32"	SCRR3/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	71#	
	Four unit high, Standard	30 x 30 x 42"	SCRR4	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	96#	
	Four unit high, Premium	30 x 30 x 42"	SCRR4/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	96#	
 LXRT	45° Curved Wedge Trash Receptacle	One unit high, Standard	23 x 30 x 12"	SWGR1	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	13#
	One unit high, Premium	23 x 30 x 12"	SWGR1/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	13#	
	Two unit high, Standard	23 x 30 x 22"	SWGR2	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	24#	
	Two unit high, Premium	23 x 30 x 22"	SWGR2/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	24#	
	Three unit high, Standard	23 x 30 x 32"	SWGR3	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	35#	
	Three unit high, Premium	23 x 30 x 32"	SWGR3/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	35#	
	Four unit high, Standard	23 x 30 x 42"	SWGR4	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	47#	
	Four unit high, Premium	23 x 30 x 42"	SWGR4/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	47#	

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.

Add FR to end of model number.

Add upcharge.

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Delivered Pricing	Fire Retardant add to list price
\$ 1142	\$ 103
1369	103
1796	167
2154	167
2437	227
2922	227
3076	286
3691	286
\$ 975	\$ 92
1170	92
1462	136
1754	136
1924	179
2307	179
2398	223
2877	223

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C

Shipping

 Shipped **assembled freight prepaid f.o.b. Bondue, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Fiberglass Elements

General Information



Rectangular Seating and Tables



Drum Table - (DT1818)

Features

Available in all finishes below

•

•

Custom colors are optional.

•

•

Unupholstered elements function as tables

•

Ideal for indoor or outdoor use.

•

•

SPECIFICATIONS

Recessed Bases

All recessed bases are black fiberglass. Inset is 3" high, 3" deep.

Construction

Lightweight one-piece molded construction utilizing fiberglass and thermo setting resin.

Dimensions

Nominal dimensions are given. If dimensions are critical, please write for exact measurements.

Upholstery

Not recommended for outdoor use.

Fiberglass Finishes

Gloss - Integrally colored gel coat buffed to a smooth shiny finish.

Matte - Integrally colored gel coat sanded to remove the gloss and coated with a dull finishing sealer.

Terra Cotta - Integrally colored gel coat is lightly textured to remove the gloss and coat-

ed with a dull finishing sealer.

Polycrete - Natural sand is embedded into colored gel coat then sand blasted to a smooth finish. Surface is coated with a dull finishing sealer.

Granex - Synthetic granules are embedded into layers of polyester resin to create a unique speckled appearance with exceptional durability.

INFORMATION

C.O.M. Fabric Testing Requirements

Not all materials are suitable for upholstering this product. A 12" x 12" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI

Attn: C.O.M. Specialist

1330 Bellevue Street

Green Bay, WI 54302

Custom Work

We welcome the opportunity to discuss variations of standard product design, including special sizes and details. We also welcome the challenge or quoting on your special project requirements.

Maintenance

Fiberglass should be cleaned as required with a soft damp cloth, using any mild detergent cleaner or spray cleaner.

Fire Retardants

Fire retardant resins are added to the fiberglass. Fire retardant treatment (FR) meets California's TB133 fire code requirements and the New York Port Authority requirements.

Sand Weighting

A sand weighting option may be specified for additional stability. Most designs are available with a body closure panel and plug, making it possible to weight the hollow cavity with sand. Sand is not provided.




INFORMATION

Warranty

See Terms for general information.

Fiberglass Elements

Rectangular/Drum Shapes

MODEL	Features	W x D x H	MODEL NUMBER				
			Basic Model	Finish	Element Color	Upholstery Color	
 BBEL BBELU	Rectangular Seats and Tables • C.O.M. 1-1/2 yards	Standard, Element only 48 x 24 x 16"	BBR2448	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Premium, Element only 48 x 24 x 16"	BBR2448/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Standard, Upholstered seat 48 x 24 x 16"	BBR2448UPH	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Premium, Upholstered seat 48 x 24 x 16"	BBR2448UPH/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
 BBEL BBELU	Rectangular Seats and Tables • C.O.M. 2 yards	Standard, Element Only 72 x 24 x 16"	BBR2472	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Premium, Element Only 72 x 24 x 16"	BBR2472/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Standard, Upholstered seat 72 x 24 x 16"	BBR2472UPH	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
		Premium, Upholstered seat 72 x 24 x 16"	BBR2472UPH/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	
 BBEL	Drum Table • Can also be used as a seat	Standard 18 dia x 18" H	DT1818	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Premium 18 dia x 18" H	DT1818/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Standard 18 dia x 20" H	DT1820	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Premium 18 dia x 20" H	DT1820/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Standard 18 dia x 22" H	DT1822	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Premium 18 dia x 22" H	DT1822/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Standard 18 dia x 24" H	DT1824	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
		Premium 18 dia x 24" H	DT1824/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

D Select upholstery grade/color.

Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder
 Refer to Upholstery Fabric cards in the KI Fabrics & Finishes binder

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
 Add FR to end of model number.
 Add upcharge.

C.O.M. Upholstery

The yardage shown above is based on 54" wide nondirectional fabric for orders of 10 seats or less. For testing and larger orders, see "ordering C.O.M., C.O.V. and C.O.L. section".

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.

Sand Weighting

A body closure and plug are factory applied in base of product to contain sand. Sand is

not included.
 Add /SW to end of model number.
 Upcharge \$88 list/unit



Fiberglass Elements

Rectangular/Drum Shapes

Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	Fire Retardant add to list price
70#	\$ 1087									\$ 101
70#	1304									101
76#	N/A	1569	1624	1641	1569	1623	1665	1710	1755	138
76#	N/A	1785	1840	1857	1785	1839	1884	1926	1972	138
91#	\$ 1409									\$ 132
91#	1692									132
99#	N/A	2002	2074	2094	2002	2074	2132	2190	2248	138
99#	N/A	2284	2357	2377	2284	2357	2414	2473	2531	177
24#	\$ 569									\$ 53
24#	683									53
25#	596									56
25#	712									56
25#	630									60
25#	753									60
26#	657									62
26#	787									62

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Benches

General Information



FGB Bench - FGB616

Features

Available in all fiberglass finishes.

Custom colors are optional.

Ideal for indoor or outdoor use

-
-
-

SPECIFICATIONS

Dimensions

Nominal dimensions are given. If dimensions are critical, please write for exact measurements.

Construction

Legs and seats are separate molded fiberglass sections, bonded together with fiberglass.

Fiberglass Finishes

Gloss - Integrally colored gel coat buffed to a smooth shiny finish.

Matte - Integrally colored gel coat sanded to remove the gloss and coated with a dull finishing sealer.

Terra Cotta - Integrally colored gel coat is lightly textured to remove the gloss and coated with a dull finishing sealer.

Polycrete - Natural sand is embedded into colored gel coat then sand blasted to a smooth finish. Surface is coated with a dull finishing sealer.

Granex - Synthetic granules are embedded

into layers of polyester resin to create a unique speckled appearance with exceptional durability.

INFORMATION

Custom Work

We welcome the opportunity to discuss variations of standard product design, including special sizes and details. We also welcome the challenge of quoting on your special project requirements.

Maintenance

Fiberglass should be cleaned as required with a soft damp cloth, using any mild detergent cleaner or spray cleaner.

Fire Retardants

Fire retardant resins are added to the fiberglass. Fire retardant treatment (FR) meets California's TB133 fire code requirements and the New York Port Authority requirements.




INFORMATION

Warranty

See Terms for general information.

Benches

MODEL	Features	W x D x H	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Finish	Element Color	
 <p>FGB Series</p> <ul style="list-style-type: none"> Molded fiberglass Sand weighting recommended <p>FGB</p>	Standard	72 x 24 x 16"	FGB616	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	71#
	Premium	72 x 24 x 16"	FGB616/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	71#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
 Add FR to end of model number.
 Add upcharge.

Sand Weighting

A body closure and plug are factory applied in base of product to contain sand. Sand is not included.
 Add /SW to end of model number.
 Upcharge \$88 list/unit



Delivered Pricing

Fire
Retardant
add to list price

\$ 1323

\$ 121

1588

121

SPECIAL SERVICES**Special Carton Marking**

With specially marked information N/C

ShippingShipped **assembled freight prepaid f.o.b. Bondue, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Planters

General Information



Avenue® Planters - TAS, TASU, TASL Series



Galleria® Planters - GP Series

Features

One-piece molded fiberglass

Drainage holes option

Indoor/outdoor use

Finishes


Gloss

Matte

Terra-Cotta

Polycrete

Granex



PVC Standpipe



Siphon Pump

SPECIFICATIONS

Dimensions

Nominal dimensions are given. If dimensions are critical, please write for exact measurements.

Freeze Protection

If planters are used outdoors and are subject to freezing temperatures, drainage holes should be specified.

Custom Work

We welcome the opportunity to discuss variations of standard product design, including special sizes and details. We also welcome the challenge or quoting on your special project requirements.

Fiberglass Finishes

Gloss - Integrally colored gel coat buffed to a smooth shiny finish.

Matte - Integrally colored gel coat sanded to remove the gloss and coated with a dull finishing sealer.

Terra Cotta - Integrally colored gel coat is lightly textured to remove the gloss and coated with a dull finishing sealer.

Polycrete - Natural sand is embedded into colored gel coat then sand blasted to a smooth finish. Surface is coated with a dull finishing sealer.

Granex - Synthetic granules are embedded into layers of polyester resin to create a unique speckled appearance with exceptional durability.

Maintenance

Fiberglass should be cleaned as required with a soft damp cloth, using any mild detergent cleaner or spray cleaner.

Fire Retardants

Fire retardant treatment (FR) meets California's TB133 fire code requirements and the New York Port Authority requirements.

Drainage Holes

Factory applied 3/8" diameter holes in bottom of product.

Growing Container

As supplied from the factory, planters may be used as growing containers or pots. Without modifications, planters are watertight, providing a well for excess water.

Drainage for Indoor Planter Use

For withdrawing excess water after waterings, a 2" o.d. (a 1-1/2" i.d.) PVC standpipe will be fibreglassed into the inside of the planter when specified. It rests on top of the base and extends 1-1/2" above the inside lip. To withdraw excess water after waterings a siphon hand pump is available. It is supplied with 2' of 1/2" hose and 3'6" of 1/4" hose. Weight is one pound. Water is withdrawn from the planter by placing a hose in the standpipe.



Tempe® A, B, C - TPA3630,
TPB2415, TPC3630



Tucson® - TTS

Features

One-piece molded fiberglass
Drainage holes option
Indoor/outdoor use

•

•

•

•

•

•

Finishes

Gloss
Matte
Terra-Cotta
Polycrete
Granex

•

•

•

•

•

•

•

•

•

•

INFORMATION

Warranty

See Terms for general information.

Planters

Avenue®

MODEL	Features	W x D x H	MODEL NUMBER		
			Basic Model	Finish	Element Color
 <p>AFPL</p> <p>Round Planters with Base</p> <ul style="list-style-type: none"> Seamless molded fiberglass Pedestal base is permanently bonded to container Coordinating receptacles and sand urns available 	Standard, 2.0 cu. ft. Cap., 15" Dia. Net Opening	24 dia x 18" H	TAS2418B	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 2.0 cu. ft. Cap., 15" Dia. Net Opening	24 dia x 18" H	TAS2418B/P	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 6.0 cu. ft. Cap., 20-3/4" Dia. Net Open	34 dia x 29" H	TAS3429B	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 6.0 cu. ft. Cap., 20-3/4" Dia. Net Open	34 dia x 29" H	TAS3429B/P	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 16.0 cu. ft. Cap., 35" Dia. Net Opening	48 dia x 30" H	TAS4830B	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 16.0 cu. ft. Cap., 35" Dia. Net Opening	48 dia x 30" H	TAS4830B/P	<input type="checkbox"/>	<input type="checkbox"/>
 <p>AFPL</p> <p>Rectangular Planters without Base</p> <ul style="list-style-type: none"> Seamless one-piece molded fiberglass construction for strength and light weight. Coordinating receptacles and sand urns available 	Standard, 20.0 cu. ft. Cap, 30-1/4" x 12" Net Open	42 x 24 x 36"	TAS422436	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 20.0 cu. ft. Cap, 30-1/4" x 12" Net Open	42 x 24 x 36"	TAS422436/P	<input type="checkbox"/>	<input type="checkbox"/>

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
 Add FR to end of model number.
 Add upcharge.

Drainage Holes

Factory applied 3/8" diameter holes in the bottom of product available at no extra charge.
 Add /DR to end of model number.
 No upcharge

Stand Pipe

Two-inch diameter PVC pipe permanently attached to the inside of the container for extracting excess water.
 Add /ST to end of model number
 Upcharge \$45 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for

matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
28#	\$ 1306	\$ 122
28#	1567	122
49#	1763	164
49#	2115	164
69#	2398	223
69#	2876	223
65#	\$ 1551	\$ 145
65#	1862	145

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Planters

Galleria®

MODEL	Features	DIA x H	MODEL NUMBER			
			Basic Model	Finish	Element Color	
 <p>AFPL</p> <p>Galleria® Series Planters</p> <ul style="list-style-type: none"> Seamless one-piece molded fiberglass construction for strength and light weight Saucers are intended to retain water when drainage holes are specified Coordinating receptacles and sand urns available 	Standard, 2.0 cu. ft. Cap., 12" dia. Net Opening	18 x 18"	GP1818	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 2.0 cu. ft. Cap., 12" dia. Net Opening	18 x 18"	GP1818/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 2.5 cu. ft. Cap., 12" dia. Net Opening	18 x 24"	GP1824	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 2.5 cu. ft. Cap., 12" dia. Net Opening	18 x 24"	GP1824/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 3.5 cu. ft. Cap., 14" dia. Net Opening	24 x 18"	GP2418	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 3.5 cu. ft. Cap., 14" dia. Net Opening	24 x 18"	GP2418/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 5.0 cu. ft. Cap., 20" dia. Net Opening	30 x 18"	GP3018	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 5.0 cu. ft. Cap., 20" dia. Net Opening	30 x 18"	GP3018/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 6.5 cu. ft. Cap., 20" dia. Net Opening	30 x 24"	GP3024	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 6.5 cu. ft. Cap., 20" dia. Net Opening	30 x 24"	GP3024/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 7.0 cu. ft. Cap., 27" dia. Net Opening	36 x 18"	GP3618	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 7.0 cu. ft. Cap., 27" dia. Net Opening	36 x 18"	GP3618/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 10.0 cu. ft. Cap., 27" dia. Net Opening	36 x 30"	GP3630	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 10.0 cu. ft. Cap., 27" dia. Net Opening	36 x 30"	GP3630/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 14.0 cu. ft. Cap., 38" dia. Net Opening	48 x 30"	GP4830	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 14.0 cu. ft. Cap., 38" dia. Net Opening	48 x 30"	GP4830/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Galleria® Series Saucers	Standard, Fits up to 30" dia. planters	15 x 1½"	GS1515	<input type="checkbox"/>	<input type="checkbox"/>
		Premium, Fits up to 30" dia. planters	15 x 1½"	GS1515/P	<input type="checkbox"/>	<input type="checkbox"/>
		Standard, Fits up to 48" dia. planters	27 x 1½"	GS2715	<input type="checkbox"/>	<input type="checkbox"/>
		Premium, Fits up to 48" dia. planters	27 x 1½"	GS2715/P	<input type="checkbox"/>	<input type="checkbox"/>
Standard, Fits up to 60" dia. planters		33 x 2"	GS3320	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, Fits up to 60" dia. planters		33 x 2"	GS3320/P	<input type="checkbox"/>	<input type="checkbox"/>	

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Drainage Holes

Factory applied 3/8" diameter holes in the bottom of product available at no extra charge.
Add /DR to end of model number.
No upcharge

Siphon Pump

Model number #13.0501. Add upcharge \$81 list

Stand Pipe

Two-inch diameter PVC pipe permanently attached to the inside of the container for extracting excess water.
Add /ST to end of model number
Upcharge \$45 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
26#	\$ 417	\$ 41
26#	499	41
27#	439	42
27#	525	42
29#	480	45
29#	576	45
32#	706	66
32#	846	66
32#	805	76
32#	966	76
34#	888	83
34#	1066	83
37#	1270	119
37#	1523	119
75#	1523	141
75#	1828	141
6#	\$ 190	\$ 18
6#	229	18
10#	210	20
10#	251	20
13#	250	24
13#	300	24

SPECIAL SERVICES**Special Carton Marking**

With specially marked information N/C

ShippingShipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Planters

Tempe®

MODEL	Features	DIA x H	MODEL NUMBER			
			Basic Model	Finish	Element Color	
 <p>AFPL</p> <p>Tempe® "A" Planters</p> <ul style="list-style-type: none"> Seamless one-piece molded fiberglass construction for strength and light weight Coordinating receptacles and sand urns available 	Standard, 1.5 cu. ft. Cap., 12" dia. Net Opening	18 x 13"	TPA1813	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 1.5 cu. ft. Cap., 12" dia. Net Opening	18 x 13"	TPA1813/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 5.5 cu. ft. Cap., 14" dia. Net Opening	24 x 24"	TPA2424	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 5.5 cu. ft. Cap., 14" dia. Net Opening	24 x 24"	TPA2424/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 4.5 cu. ft. Cap., 24" dia. Net Opening	30 x 18"	TPA3018	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 4.5 cu. ft. Cap., 24" dia. Net Opening	30 x 18"	TPA3018/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 7.3 cu. ft. Cap., 24" dia. Net Opening	30 x 24"	TPA3024	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 7.3 cu. ft. Cap., 24" dia. Net Opening	30 x 24"	TPA3024/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 6.5 cu. ft. Cap., 28" dia. Net Opening	36 x 18"	TPA3618	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 6.5 cu. ft. Cap., 28" dia. Net Opening	36 x 18"	TPA3618/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 11.5 cu. ft. Cap., 28" dia. Net Opening	36 x 30"	TPA3630	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 11.5 cu. ft. Cap., 28" dia. Net Opening	36 x 30"	TPA3630/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 12.0 cu. ft. Cap., 37" dia. Net Opening	48 x 18"	TPA4818	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 12.0 cu. ft. Cap., 37" dia. Net Opening	48 x 18"	TPA4818/P	<input type="checkbox"/>	<input type="checkbox"/>	
	 <p>AFPL</p> <p>Tempe® "B" Planters</p> <ul style="list-style-type: none"> Seamless one-piece molded fiberglass construction for strength and light weight Coordinating receptacles and sand urns available 	Standard, 1.5 cu. ft. Cap., 15-1/4" dia. Net Open	20 x 16 1/2"	TPB2016	<input type="checkbox"/>	<input type="checkbox"/>
		Premium, 1.5 cu. ft. Cap., 15-1/4" dia. Net Open	20 x 16 1/2"	TPB2016/P	<input type="checkbox"/>	<input type="checkbox"/>
Standard, 2.0 cu. ft. Cap., 20" dia. Net Opening		24 x 15"	TPB2415	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 2.0 cu. ft. Cap., 20" dia. Net Opening		24 x 15"	TPB2415/P	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 3.5 cu. ft. Cap., 25" dia. Net Opening		30 x 18"	TPB3018	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 3.5 cu. ft. Cap., 25" dia. Net Opening		30 x 18"	TPB3018/P	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 4.5 cu. ft. Cap., 30" dia. Net Opening		36 x 14"	TPB3614	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 4.5 cu. ft. Cap., 30" dia. Net Opening		36 x 14"	TPB3614/P	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 8.0 cu. ft. Cap., 30" dia. Net Opening		36 x 24"	TPB3624	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 8.0 cu. ft. Cap., 30" dia. Net Opening		36 x 24"	TPB3624/P	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 10.0 cu. ft. Cap., 30" dia. Net Opening		36 x 30"	TPB3630	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 10.0 cu. ft. Cap., 30" dia. Net Opening		36 x 30"	TPB3630/P	<input type="checkbox"/>	<input type="checkbox"/>	

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.

Add FR to end of model number.
Add upcharge.

Drainage Holes

Factory applied 3/8" diameter holes in the bottom of product available at no extra charge.

Add /DR to end of model number.
No upcharge

Stand Pipe

Two-inch diameter PVC pipe permanently attached to the inside of the container for extracting excess water.

Add /ST to end of model number
Upcharge \$45 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for

matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
14#	\$ 593	\$ 56
14#	711	56
22#	734	69
22#	881	69
22#	734	69
22#	881	69
27#	818	77
27#	983	77
34#	932	88
34#	1117	88
40#	1340	126
40#	1608	126
36#	1312	122
36#	1574	122
12#	\$ 692	\$ 65
12#	829	65
14#	665	62
14#	795	62
22#	734	69
22#	881	69
32#	876	82
32#	1052	82
36#	1129	104
36#	1355	104
35#	1340	126
35#	1608	126

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Planters

Tempe®

MODEL	Features	DIA x H	MODEL NUMBER		
			Basic Model	Finish	Element Color
 <p>AFPL</p> <p>Tempe® “C” Planters</p> <ul style="list-style-type: none"> Seamless one-piece molded fiberglass construction for strength and light weight Coordinating receptacles and sand urns available 	Standard, 2.5 cu. ft. Cap., 17" dia. Net Opening	24 x 18"	TPC2418	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 2.5 cu. ft. Cap., 17" dia. Net Opening	24 x 18"	TPC2418/P	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 3.5 cu. ft. Cap., 25" dia. Net Opening	30 x 18"	TPC3018	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 3.5 cu. ft. Cap., 25" dia. Net Opening	30 x 18"	TPC3018/P	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 9.0 cu. ft. Cap., 30" dia. Net Opening	36 x 24"	TPC3624	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 9.0 cu. ft. Cap., 30" dia. Net Opening	36 x 24"	TPC3624/P	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 12.0 cu. ft. Cap., 30" dia. Net Opening	36 x 30"	TPC3630	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 12.0 cu. ft. Cap., 30" dia. Net Opening	36 x 30"	TPC3630/P	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 18.0 cu. ft. Cap., 40" dia. Net Opening	48 x 30"	TPC4830	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 18.0 cu. ft. Cap., 40" dia. Net Opening	48 x 30"	TPC4830/P	<input type="checkbox"/>	<input type="checkbox"/>

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How to Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select finish.
- | | |
|-----------|---------------------------|
| AF | = Gloss Finish |
| GX | = Granex Finish (Premium) |
| MT | = Matte Finish |
| PT | = Polycrete Finish |
| TC | = Terra Cotta Finish |
- Model numbers with 'P' use GX=Granex Finish only
- C** Select element color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Drainage Holes

Factory applied 3/8" diameter holes in the bottom of product available at no extra charge.
Add /DR to end of model number.
No upcharge

Stand Pipe

Two-inch diameter PVC pipe permanently attached to the inside of the container for extracting excess water.
Add /ST to end of model number
Upcharge \$45 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for

matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
22#	\$ 790	\$ 75
22#	950	75
22#	918	85
22#	1100	85
34#	1355	127
34#	1625	127
35#	1608	151
35#	1930	151
67#	1551	145
67#	1862	145

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Planters

Tucson®



AFPL

MODEL

Tucson®

- Seamless one-piece molded fiberglass construction for strength and light weight
- Coordinating receptacles and sand urns available

Features

DIA x H

MODEL NUMBER

Basic Model

Finish

Element Color

Features	DIA x H	Basic Model	Finish	Element Color
Standard, 3.0 cu. ft. Cap., 16" dia. Net Opening	24 x 18"	TTS2418	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 3.0 cu. ft. Cap., 16" dia. Net Opening	24 x 18"	TTS2418/P	<input type="checkbox"/>	<input type="checkbox"/>
Standard, 4.0 cu. ft. Cap., 22" dia. Net Opening	30 x 18"	TTS3018	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 4.0 cu. ft. Cap., 22" dia. Net Opening	30 x 18"	TTS3018/P	<input type="checkbox"/>	<input type="checkbox"/>
Standard, 5.0 cu. ft. Cap., 22" dia. Net Opening	30 x 24"	TTS3024	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 5.0 cu. ft. Cap., 22" dia. Net Opening	30 x 24"	TTS3024/P	<input type="checkbox"/>	<input type="checkbox"/>
Standard, 6.5 cu. ft. Cap., 28" dia. Net Opening	36 x 18"	TTS3618	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 6.5 cu. ft. Cap., 28" dia. Net Opening	36 x 18"	TTS3618/P	<input type="checkbox"/>	<input type="checkbox"/>
Standard, 9.0 cu. ft. Cap., 28" dia. Net Opening	36 x 24"	TTS3624	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 9.0 cu. ft. Cap., 28" dia. Net Opening	36 x 24"	TTS3624/P	<input type="checkbox"/>	<input type="checkbox"/>
Standard, 10.0 cu. ft. Cap., 40" dia. Net Opening	48 x 18"	TTS4818	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 10.0 cu. ft. Cap., 40" dia. Net Opening	48 x 18"	TTS4818/P	<input type="checkbox"/>	<input type="checkbox"/>
Standard, 19.0 cu. ft. Cap., 40" dia. Net Opening	48 x 30"	TTS4830	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 19.0 cu. ft. Cap., 40" dia. Net Opening	48 x 30"	TTS4830/P	<input type="checkbox"/>	<input type="checkbox"/>
Standard, 40.0 cu. ft. Cap., 52" dia. Net Opening	60 x 40"	TTS6040	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 40.0 cu. ft. Cap., 52" dia. Net Opening	60 x 40"	TTS6040/P	<input type="checkbox"/>	<input type="checkbox"/>

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- Note:
- The indicates that a choice is required.
 - The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.

- B** Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

- C** Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.

Add FR to end of model number.
Add upcharge.

Drainage Holes

Factory applied 3/8" diameter holes in the bottom of product available at no extra charge.

Add /DR to end of model number.
No upcharge

Stand Pipe

Two-inch diameter PVC pipe permanently attached to the inside of the container for extracting excess water.

Add /ST to end of model number
Upcharge \$45 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for

matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
20#	\$ 790	\$ 75
20#	950	75
22#	918	85
22#	1100	85
30#	1001	94
30#	1203	94
31#	1114	103
31#	1338	103
34#	1355	127
34#	1625	127
38#	1409	132
38#	1692	132
67#	1551	145
67#	1862	145
70#	2610	243
70#	3131	243

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Waste Receptacles and Sand Urns

General Information



Combination Sand/Litter Receptacles - FTCL, STCL Series



Litter Receptacle - FTDC2430



Sand/Litter Receptacle - FTFC2130



Litter Receptacle with Hinged Lid - FRCC2442

Features

Seamless molded fiberglass	•	•	•	•
Two-part container	•	•	•	•
Concrete weighting optional	•	•	•	•
Indoor/outdoor use	•	•	•	•

Finishes

Gloss	•	•	•	•
Matte	•	•	•	•
Terra-Cotta	•	•	•	•
Polycrete	•	•	•	•
Granex	•	•	•	•



Hinged Lid Receptacle

SPECIFICATIONS

Recessed Bases

All recessed bases are black fiberglass unless noted

Dimensions

Nominal dimensions are given. If dimensions are critical, please write for exact measurements.

Custom Work

We welcome the opportunity to discuss variations of standard product design, including special sizes and details. We also welcome the challenge or quoting on your special project requirements.

Fiberglass Finishes

Gloss - Integrally colored gel coat buffed to a smooth shiny finish.

Matte - Integrally colored gel coat sanded to remove the gloss and coated with a dull finishing sealer.

Terra Cotta - Integrally colored gel coat is

lightly textured to remove the gloss and coated with a dull finishing sealer.

Polycrete - Natural sand is embedded into colored gel coat then sand blasted to a smooth finish. Surface is coated with a dull finishing sealer.

Granex - Synthetic granules are embedded into layers of polyester resin to create a unique speckled appearance with exceptional durability.

Maintenance

Fiberglass should be cleaned as required with a soft damp cloth, using any mild detergent cleaner or spray cleaner.

Fire Retardant

Fire retardant treatment (FR) meets California's TB133 fire code requirements and the New York Port Authority requirements.

Sand Rings

Depressed ring surrounds center opening to accommodate sand to extinguish smoking materials. Sand is not included.

Litter Receptacle Liners

All receptacles accommodate a disposable poly bag. Optional liners may be ordered at an upcharge.

Ash and Waste Receptacle Inserts

Sand rings, sand dish and all receptacles with top openings have aluminum inserts in black powder coat finish.



Waste Receptacles and Sand Urns

General Information



Tucson® Sand Urn,
Receptacle - TTSU, TTSL



Avenue® Sand Urn,
Receptacle - TASU, TASL



Galleria® Sand Urn -
GU-1824



Tempe® Sand Urn,
Receptacle - TPAL,
TPBU, TPCL



Tray/Trash Receptacle -
TSR2142WD

Features

Seamless molded fiberglass	•	•	•	•	•
Two-part container					•
Concrete weighting optional	•	•	•	•	•
Indoor/outdoor use	•	•	•	•	•

Finishes

Gloss	•	•	•	•	•
Matte	•	•	•	•	•
Terra-Cotta	•	•	•	•	•
Polycrrete	•	•	•	•	•
Granex	•	•	•	•	•



INFORMATION

Warranty

See Terms for general information.

Waste Receptacles and Sand Urns

Side Access Receptacles

MODEL	Features	DIA x H	MODEL NUMBER		
			Basic Model	Finish	Element Color
 <p>Cylindrical Side Access Receptacles</p> <ul style="list-style-type: none"> Two-part container consists of inner liner and outer shell with open bottom Outer shells lift off for emptying litter storage Two side openings on cylinders Optional sand dish in black powder coat finish (sand not supplied) Liner is standard 	Standard, 10 gal. Cap., 6-1/2" x 4" Net Opening	14 x 25"	FTCL1425	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 10 gal. Cap., 6-1/2" x 4" Net Opening	14 x 25"	FTCL1425/P	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 19 gal. Cap., 6-1/2" x 4" Net Opening	14 x 32"	FTCL1432	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 19 gal. Cap., 6-1/2" x 4" Net Opening	14 x 32"	FTCL1432/P	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 23 gal. Cap., 8" x 5-1/2" Net Opening	16 x 36"	FHCL1636	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 23 gal. Cap., 8" x 5-1/2" Net Opening	16 x 36"	FHCL1636/P	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 41 gal. Cap., 10-1/2" x 6-1/2" Net Open	21 x 36"	FHCL2136	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 41 gal. Cap., 10-1/2" x 6-1/2" Net Open	21 x 36"	FHCL2136/P	<input type="checkbox"/>	<input type="checkbox"/>
	<p>Cylindrical Side Access Receptacles with Sand Dish</p>	Standard, 10 gal. Cap., 6-1/2" x 4" Net Opening	14 x 25"	FTCL1425S	<input type="checkbox"/>
Premium, 10 gal. Cap., 6-1/2" x 4" Net Opening		14 x 25"	FTCL1425S/P	<input type="checkbox"/>	<input type="checkbox"/>
Standard, 19 gal. Cap., 6-1/2" x 4" Net Opening		14 x 32"	FTCL1432S	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 19 gal. Cap., 6-1/2" x 4" Net Opening		14 x 32"	FTCL1432S/P	<input type="checkbox"/>	<input type="checkbox"/>
Standard, 23 gal. Cap., 8" x 5-1/2" Net Opening		16 x 36"	FHCL1636S	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 23 gal. Cap., 8" x 5-1/2" Net Opening		16 x 36"	FHCL1636S/P	<input type="checkbox"/>	<input type="checkbox"/>
 <p>Cylindrical Litter Receptacle with Hinged Lid</p> <ul style="list-style-type: none"> Two-part container consists of closed bottom and hinged top section Two side openings Base has standard concrete-weighting for added stability Optional sand dish in black powder coat finish (sand not supplied) Liner is standard 	Standard, 55 gal. Cap., 11" x 10" Net Opening	24 x 42"	FRCC2442	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 55 gal. Cap., 11" x 10" Net Opening	24 x 42"	FRCC2442/P	<input type="checkbox"/>	<input type="checkbox"/>
<p>Cylindrical Litter Receptacle with Hinged Lid and Sand Dish</p>	Standard, 55 gal. Cap., 11" x 10" Net Opening	24 x 42"	FRCC2442S	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 55 gal. Cap., 11" x 10" Net Opening	24 x 42"	FRCC2442S/P	<input type="checkbox"/>	<input type="checkbox"/>

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Waste Receptacles and Sand Urns

Side Access Receptacles

Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
16#	\$ 648	\$ 61
16#	778	61
18#	742	70
18#	888	70
31#	845	79
31#	1013	79
42#	971	92
42#	1166	92
16#	\$ 705	\$ 66
16#	845	66
18#	799	76
18#	956	76
31#	921	85
31#	1106	85
57#	\$ 1048	\$ 97
57#	1258	97
57#	\$ 1129	\$ 104
57#	1354	104

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Waste Receptacles and Sand Urns

Top Access Receptacles

MODEL	Features	DIA x H	MODEL NUMBER			
			Basic Model	Finish	Element Color	
 <p>Cylindrical Top Access Receptacles with Open Bottom</p> <ul style="list-style-type: none"> Two-part container consists of inner liner and outer shell with open bottom Each part is seamless, one-piece construction Aluminum insert with black powder coat finish Outer shells lift off for emptying litter storage Optional sand ring formed into aluminum inset (Sand is not supplied) 	Standard, 11 gal. Cap., 6" dia. Net Opening	14 x 20"	STCL1420	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Premium, 11 gal. Cap., 6" dia. Net Opening	14 x 20"	STCL1420/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Standard, 11 gal. Cap., 6" dia. Net Opening	14 x 25"	STCL1425	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Premium, 11 gal. Cap., 6" dia. Net Opening	14 x 25"	STCL1425/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Standard, 19 gal. Cap., 6" dia. Net Opening	14 x 32"	STCL1432	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Premium, 19 gal. Cap., 6" dia. Net Opening	14 x 32"	STCL1432/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Standard, 21 gal. Cap., 7" dia. Net Opening	18 x 21"	FTCC1821	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Premium, 21 gal. Cap., 7" dia. Net Opening	18 x 21"	FTCC1821/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Standard, 32 gal. Cap., 7" dia. Net Opening	18 x 30"	FTCC1830	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Premium, 32 gal. Cap., 7" dia. Net Opening	18 x 30"	FTCC1830/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Standard, 40 gal. Cap., 7" dia. Net Opening	24 x 30"	FTCC2430	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Premium, 40 gal. Cap., 7" dia. Net Opening	24 x 30"	FTCC2430/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Standard, 58 gal. Cap., 11" dia. Net Opening	25 x 32"	FTCC2532	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Premium, 58 gal. Cap., 11" dia. Net Opening	25 x 32"	FTCC2532/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Standard, 60 gal. Cap., 11" dia. Net Opening	25 x 36"	FTCC2536	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	Premium, 60 gal. Cap., 11" dia. Net Opening	25 x 36"	FTCC2536/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	<p>Cylindrical Top Access Receptacles with Open Bottom and Sand Ring</p>	Standard, 11 gal. Cap., 6" dia. Net Opening	14 x 20"	STCL1420S	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
		Premium, 11 gal. Cap., 6" dia. Net Opening	14 x 20"	STCL1420S/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Standard, 11 gal. Cap., 6" dia. Net Opening		14 x 25"	STCL1425S	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Premium, 11 gal. Cap., 6" dia. Net Opening		14 x 25"	STCL1425S/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Standard, 19 gal. Cap., 6" dia. Net Opening		14 x 32"	STCL1432S	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Premium, 19 gal. Cap., 6" dia. Net Opening		14 x 32"	STCL1432S/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Standard, 40 gal. Cap., 7" dia. Net Opening		24 x 30"	FTCC2430S	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Premium, 40 gal. Cap., 7" dia. Net Opening		24 x 30"	FTCC2430S/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Standard, 58 gal. Cap., 7" dia. Net Opening		25 x 32"	FTCC2532S	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Premium, 58 gal. Cap., 7" dia. Net Opening		25 x 32"	FTCC2532S/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Standard, 60 gal. Cap., 7" dia. Net Opening		25 x 36"	FTCC2536S	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Premium, 60 gal. Cap., 7" dia. Net Opening		25 x 36"	FTCC2536S/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Concrete Weighting

Factory applied concrete.
Add /CW to end of model number.
Upcharge \$130/element

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Waste Receptacles and Sand Urns

Top Access Receptacles

Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
15#	\$ 664	\$ 62
15#	795	62
16#	692	65
16#	829	65
18#	734	69
18#	879	69
27#	649	61
27#	778	61
33#	723	68
33#	867	68
40#	846	78
40#	1017	78
43#	946	89
43#	1135	89
50#	1017	95
50#	1220	95
15#	\$ 664	\$ 62
15#	795	62
16#	692	65
16#	829	65
18#	734	69
18#	879	69
40#	902	84
40#	1082	91
43#	1017	95
43#	1220	95
50#	1017	99
50#	1220	99

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Waste Receptacles and Sand Urns

Top Access Receptacles



LTTR

MODEL	Features	DIA x H	MODEL NUMBER		
			Basic Model	Finish	Element Color
Cylindrical Top Access Receptacles with Closed Bottom	Standard, 10 gal. Cap., 7" dia. Net Opening	14 x 20"	FTCE1420	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 10 gal. Cap., 7" dia. Net Opening	14 x 20"	FTCE1420/P	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 25 gal. Cap., 7" dia. Net Opening	17 x 30"	FTCE1730	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 25 gal. Cap., 7" dia. Net Opening	17 x 30"	FTCE1730/P	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 50 gal. Cap., 7" dia. Net Opening	23 x 36"	FTCE2336	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 50 gal. Cap., 7" dia. Net Opening	23 x 36"	FTCE2336/P	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 18 gal. Cap., 9" dia. Net Opening	18 x 24"	RSC1824N	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 18 gal. Cap., 9" dia. Net Opening	18 x 24"	RSC1824N/P	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 44 gal. Cap., 9" dia. Net Opening	21 x 36"	RSC2136N	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 44 gal. Cap., 9" dia. Net Opening	21 x 36"	RSC2136N/P	<input type="checkbox"/>	<input type="checkbox"/>
Cylindrical Top Access Receptacles with Closed Bottom and Liner	Standard, 10 gal. Cap., 7" dia. Net Opening	14 x 20"	FTCE1420/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 10 gal. Cap., 7" dia. Net Opening	14 x 20"	FTCE1420/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 25 gal. Cap., 7" dia. Net Opening	17 x 30"	FTCE1730/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 25 gal. Cap., 7" dia. Net Opening	17 x 30"	FTCE1730/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 50 gal. Cap., 7" dia. Net Opening	23 x 36"	FTCE2336/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 50 gal. Cap., 7" dia. Net Opening	23 x 36"	FTCE2336/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 18 gal. Cap., 9" dia. Net Opening	18 x 24"	RSC1824N/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 18 gal. Cap., 9" dia. Net Opening	18 x 24"	RSC1824N/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 44 gal. Cap., 9" dia. Net Opening	21 x 36"	RSC2136N/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 44 gal. Cap., 9" dia. Net Opening	21 x 36"	RSC2136N/P/LN	<input type="checkbox"/>	<input type="checkbox"/>

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Concrete Weighting

Factory applied concrete.
Add /CW to end of model number.
Upcharge \$130/element

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Waste Receptacles and Sand Urns

Top Access Receptacles

Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
12#	\$ 540	\$ 51
12#	647	51
26#	564	53
26#	676	53
29#	896	84
29#	1076	84
18#	665	59
18#	795	59
29#	720	68
29#	863	68
12#	\$ 671	\$ 51
12#	778	51
26#	696	53
26#	808	53
29#	1066	84
29#	1246	84
18#	808	59
18#	938	59
29#	877	68
29#	1020	68

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Waste Receptacles and Sand Urns

Top Access Receptacles



LTTR

MODEL	Features	W x D x H	MODEL NUMBER			
			Basic Model	Finish	Element Color	
Radius Square Top Access Receptacles with Closed Bottom <ul style="list-style-type: none"> Two-part container consists of closed bottom and removable top section Each part is seamless, one-piece construction Top section lifts off for emptying litter storage Includes bag ring Optional liner available 	Standard, 24 gal. Cap., 9" dia. Net Opening	18 x 18 x 24"	RSR1824N	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 24 gal. Cap., 9" dia. Net Opening	18 x 18 x 24"	RSR1824N/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 42 gal. Cap., 9" dia. Net Opening	18 x 18 x 36"	RSR1836N	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 42 gal. Cap., 9" dia. Net Opening	18 x 18 x 36"	RSR1836N/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 57 gal. Cap., 9" dia. Net Opening	21 x 21 x 36"	RSR2136N	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 57 gal. Cap., 9" dia. Net Opening	21 x 21 x 36"	RSR2136N/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 74 gal. Cap., 9" dia. Net Opening	24 x 24 x 36"	RSR2436N	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 74 gal. Cap., 9" dia. Net Opening	24 x 24 x 36"	RSR2436N/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Radius Square Top Access Receptacles with Closed Bottom and Liner	Standard, 24 gal. Cap., 9" dia. Net Opening	18 x 18 x 24"	RSR1824N/LN	<input type="checkbox"/>	<input type="checkbox"/>
		Premium, 24 gal. Cap., 9" dia. Net Opening	18 x 18 x 24"	RSR1824N/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
		Standard, 42 gal. Cap., 9" dia. Net Opening	18 x 18 x 36"	RSR1836N/LN	<input type="checkbox"/>	<input type="checkbox"/>
		Premium, 42 gal. Cap., 9" dia. Net Opening	18 x 18 x 36"	RSR1836N/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
		Standard, 57 gal. Cap., 9" dia. Net Opening	21 x 21 x 36"	RSR2136N/LN	<input type="checkbox"/>	<input type="checkbox"/>
		Premium, 57 gal. Cap., 9" dia. Net Opening	21 x 21 x 36"	RSR2136N/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
Standard, 74 gal. Cap., 9" dia. Net Opening		24 x 24 x 36"	RSR2436N/LN	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 74 gal. Cap., 9" dia. Net Opening		24 x 24 x 36"	RSR2436N/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Concrete Weighting

Factory applied concrete.
Add /CW to end of model number.
Upcharge \$130/element

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Waste Receptacles and Sand Urns

Top Access Receptacles

Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
27#	\$ 621	\$ 59
27#	745	59
28#	776	74
28#	932	74
30#	846	68
30#	1017	79
32#	932	85
32#	1117	85
27#	\$ 752	\$ 59
27#	876	59
28#	919	74
28#	1075	74
30#	1003	68
30#	1174	79
32#	1102	88
32#	1287	88

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Waste Receptacles and Sand Urns

Top Access Receptacles

MODEL	Features	DIA x H	MODEL NUMBER		
			Basic Model	Finish	Element Color
 LTTR Radius Cylinder Top Access Receptacles with Closed Bottom <ul style="list-style-type: none"> Two-part container consists of closed bottom and removable top section Formed aluminum top with black powder coat finish Top section lifts off for emptying Sand weighting recommended for added stability (Sand is not supplied) Includes bag ring Model numbers with '/LN' indicate liner 	Standard, 29 gal. Cap., 6-1/2" dia. Net Opening	18 x 29"	FTCD1829	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 29 gal. Cap., 6-1/2" dia. Net Opening	18 x 29"	FTCD1829/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 29 gal. Cap., 6-1/2" dia. Net Opening	18 x 29"	FTCD1829/P	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 29 gal. Cap., 6-1/2" dia. Net Opening	18 x 29"	FTCD1829/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
Radius Cylinder Top Access Receptacles w/Closed Bottom and Sand Ring	Standard, 29 gal. Cap., 6-1/2" dia. Net Opening	18 x 29"	FTCD1829S	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 29 gal. Cap., 6-1/2" dia. Net Opening	18 x 29"	FTCD1829S/P	<input type="checkbox"/>	<input type="checkbox"/>
Divided Cylinder Top Access Receptacles with Closed Bottom <ul style="list-style-type: none"> Model numbers with '/LN' indicate liner 	Standard, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	FTDC2430	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	FTDC2430/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	FTDC2430/P	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	FTDC2430/P/LN	<input type="checkbox"/>	<input type="checkbox"/>

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with '/P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
 Add FR to end of model number.
 Add upcharge.

Concrete Weighting

Factory applied concrete.
 Add /CW to end of model number.
 Upcharge \$130/element

Tethered Lid

Cable is attached from container to lid or insert to deter theft.
 Add /EX to end of model number
 Upcharge \$41 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Waste Receptacles and Sand Urns

Top Access Receptacles

Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
20#	\$ 706	\$ 66
20#	838	66
20#	846	66
20#	978	66
20#	\$ 742	\$ 70
20#	886	70
40#	\$ 918	\$ 78
40#	1075	85
40#	1100	78
40#	1257	85

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Waste Receptacles and Sand Urns

Top Access Receptacles



RECT

MODEL	Features	DIA x H	MODEL NUMBER			
			Basic Model	Finish	Element Color	
Avenue® Receptacles	• Container consists of outer shell of seamless one-piece construction	Standard, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TASL1824	<input type="checkbox"/>	<input type="checkbox"/>
	• Insert is formed aluminum with black powder coat finish	Standard, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TASL1824/LN	<input type="checkbox"/>	<input type="checkbox"/>
	• Insert comes off to expose bag	Premium, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TASL1824/P	<input type="checkbox"/>	<input type="checkbox"/>
	• Sand weighting recommended for added stability (Sand is not supplied)	Premium, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TASL1824/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
	• Includes bag ring	Standard, 40 gal. Cap., 7" dia. Net Opening	28 x 36"	TASL2836	<input type="checkbox"/>	<input type="checkbox"/>
	• Optional sand ring formed into aluminum inset (Sand is not supplied)	Standard, 40 gal. Cap., 7" dia. Net Opening	28 x 36"	TASL2836/LN	<input type="checkbox"/>	<input type="checkbox"/>
	• Optional liner available, model numbers with 'LN' indicate liner	Premium, 40 gal. Cap., 7" dia. Net Opening	28 x 36"	TASL2836/P	<input type="checkbox"/>	<input type="checkbox"/>
	• Matching sand urn available	Premium, 40 gal. Cap., 7" dia. Net Opening	28 x 36"	TASL2836/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
Avenue® Receptacles with Sand Ring		Standard, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TASL1824S	<input type="checkbox"/>	<input type="checkbox"/>
		Standard, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TASL1824S/LN	<input type="checkbox"/>	<input type="checkbox"/>
		Premium, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TASL1824S/P	<input type="checkbox"/>	<input type="checkbox"/>
		Premium, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TASL1824S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
		Standard, 40 gal. Cap., 7" dia. Net Opening	28 x 36"	TASL2836S	<input type="checkbox"/>	<input type="checkbox"/>
		Standard, 40 gal. Cap., 7" dia. Net Opening	28 x 36"	TASL2836S/LN	<input type="checkbox"/>	<input type="checkbox"/>
		Premium, 40 gal. Cap., 7" dia. Net Opening	28 x 36"	TASL2836S/P	<input type="checkbox"/>	<input type="checkbox"/>
		Premium, 40 gal. Cap., 7" dia. Net Opening	28 x 36"	TASL2836S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Concrete Weighting

Factory applied concrete.
Add /CW to end of model number.
Upcharge \$130/element

Tethered Lid

Cable is attached from container to lid or insert to deter theft.
Add /EX to end of model number
Upcharge \$41 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Waste Receptacles and Sand Urns

Top Access Receptacles

Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
28#	\$ 706	\$ 66
28#	837	66
28#	846	66
28#	977	66
49#	1129	104
49#	1298	104
49#	1355	104
49#	1524	104
28#	\$ 761	\$ 71
28#	893	71
28#	914	71
28#	1046	71
49#	1200	112
49#	1369	112
49#	1439	112
49#	1608	112

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Waste Receptacles and Sand Urns

Top Access Receptacles

MODEL	Features	DIA x H	MODEL NUMBER			
			Basic Model	Finish	Element Color	
 <p>Galleria® Receptacles</p> <ul style="list-style-type: none"> • Container consists of outer shell of seamless one-piece construction • Insert is formed aluminum with black powder coat finish • Insert comes off to expose bag • Sand weighting recommended for added stability (Sand is not supplied) • Includes bag ring • Optional sand ring formed into aluminum inset (Sand is not supplied) • Optional liner available, model numbers with 'LN' indicate liner • Matching sand urn available 	Standard, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	GL1824	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	GL1824/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	GL1824/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	GL1824/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	GL2430	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	GL2430/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	GL2430/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	GL2430/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	GL2736	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	GL2736/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	GL2736/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	GL2736/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	<p>Galleria® Receptacles with Sand Ring</p>	Standard, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	GL1824S	<input type="checkbox"/>	<input type="checkbox"/>
		Standard, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	GL1824S/LN	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 20 gal. Cap., 6" dia. Net Opening		18 x 24"	GL1824S/P	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 20 gal. Cap., 6" dia. Net Opening		18 x 24"	GL1824S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 30 gal. Cap., 7" dia. Net Opening		24 x 30"	GL2430S	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 30 gal. Cap., 7" dia. Net Opening		24 x 30"	GL2430S/LN	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 30 gal. Cap., 7" dia. Net Opening		24 x 30"	GL2430S/P	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 30 gal. Cap., 7" dia. Net Opening		24 x 30"	GL2430S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 40 gal. Cap., 7" dia. Net Opening		27 x 36"	GL2736S	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 40 gal. Cap., 7" dia. Net Opening		27 x 36"	GL2736S/LN	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 40 gal. Cap., 7" dia. Net Opening		27 x 36"	GL2736S/P	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 40 gal. Cap., 7" dia. Net Opening		27 x 36"	GL2736S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Concrete Weighting

Factory applied concrete.
Add /CW to end of model number.
Upcharge \$130/element

Tethered Lid

Cable is attached from container to lid or insert to deter theft.
Add /EX to end of model number
Upcharge \$41 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Waste Receptacles and Sand Urns

Top Access Receptacles

Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
27#	\$ 614	\$ 59
27#	746	59
27#	735	59
27#	867	59
28#	883	83
28#	1039	83
28#	1057	83
28#	1213	83
34#	1023	96
34#	1192	96
34#	1228	96
34#	1397	96
27#	\$ 671	\$ 63
27#	803	63
27#	803	63
27#	935	63
28#	953	91
28#	1109	91
28#	1144	91
28#	1300	91
34#	1094	102
34#	1263	102
34#	1310	102
34#	1479	102

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Waste Receptacles and Sand Urns

Top Access Receptacles

MODEL	Features	DIA x H	MODEL NUMBER			
			Basic Model	Finish	Element Color	
 <p>Tempe® "A" Receptacles</p> <ul style="list-style-type: none"> • Container consists of outer shell of seamless one-piece construction • Insert is formed aluminum with black powder coat finish • Insert comes off to expose bag • Sand weighting recommended for added stability (Sand is not supplied) • Includes bag ring • Optional sand ring formed into aluminum inset (Sand is not supplied) • Optional liner available, model numbers with 'LN' indicate liner • Matching sand urn available 	Standard, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TPAL1824	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TPAL1824/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TPAL1824/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TPAL1824/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	TPAL2430	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	TPAL2430/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	TPAL2430/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	TPAL2430/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TPAL2736	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TPAL2736/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TPAL2736/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TPAL2736/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	<p>Tempe® "A" Receptacles with Sand Ring</p>	Standard, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TPAL1824S	<input type="checkbox"/>	<input type="checkbox"/>
		Standard, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TPAL1824S/LN	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 20 gal. Cap., 6" dia. Net Opening		18 x 24"	TPAL1824S/P	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 20 gal. Cap., 6" dia. Net Opening		18 x 24"	TPAL1824S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 30 gal. Cap., 7" dia. Net Opening		24 x 30"	TPAL2430S	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 30 gal. Cap., 7" dia. Net Opening		24 x 30"	TPAL2430S/LN	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 30 gal. Cap., 7" dia. Net Opening		24 x 30"	TPAL2430S/P	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 30 gal. Cap., 7" dia. Net Opening		24 x 30"	TPAL2430S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 40 gal. Cap., 7" dia. Net Opening		27 x 36"	TPAL2736S	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 40 gal. Cap., 7" dia. Net Opening		27 x 36"	TPAL2736S/LN	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 40 gal. Cap., 7" dia. Net Opening		27 x 36"	TPAL2736S/P	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 40 gal. Cap., 7" dia. Net Opening		27 x 36"	TPAL2736S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Concrete Weighting

Factory applied concrete.
Add /CW to end of model number.
Upcharge \$130/element

Tethered Lid

Cable is attached from container to lid or insert to deter theft.
Add /EX to end of model number
Upcharge \$41 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Waste Receptacles and Sand Urns

Top Access Receptacles

Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
26#	\$ 614	\$ 59
26#	746	59
26#	735	59
26#	867	59
28#	883	83
28#	1040	83
28#	1057	83
28#	1214	83
33#	1023	96
33#	1193	96
33#	1228	96
33#	1398	96
27#	\$ 671	\$ 63
27#	803	63
27#	803	63
27#	935	63
30#	953	91
30#	1109	91
30#	1144	91
30#	1300	91
35#	1094	102
35#	1263	102
35#	1310	102
35#	1479	102

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Waste Receptacles and Sand Urns

Top Access Receptacles

MODEL	Features	DIA x H	MODEL NUMBER		
			Basic Model	Finish	Element Color
 <p>Tempe® "B" Receptacles</p> <ul style="list-style-type: none"> • Container consists of outer shell of seamless one-piece construction • Insert is formed aluminum with black powder coat finish • Insert comes off to expose bag • Sand weighting recommended for added stability (Sand is not supplied) • Includes bag ring • Optional sand ring formed into aluminum inset (Sand is not supplied) • Optional liner available, model numbers with 'LN' indicate liner • Matching sand urn available 	Standard, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TPBL1824	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TPBL1824/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TPBL1824/P	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TPBL1824/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TPBL2736	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TPBL2736/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TPBL2736/P	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TPBL2736/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
<p>Tempe® "B" Receptacles with Sand Ring</p>	Standard, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TPBL1824S	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TPBL1824S/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TPBL1824S/P	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TPBL1824S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 40 gal. Cap., 7" dia. Net Opening	27 x 36"	TPBL2736S	<input type="checkbox"/>	<input type="checkbox"/>
	Standard, 40 gal. Cap., 7" dia. Net Opening	27 x 36"	TPBL2736S/LN	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 40 gal. Cap., 7" dia. Net Opening	27 x 36"	TPBL2736S/P	<input type="checkbox"/>	<input type="checkbox"/>
	Premium, 40 gal. Cap., 7" dia. Net Opening	27 x 36"	TPBL2736S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Concrete Weighting

Factory applied concrete.
Add /CW to end of model number.
Upcharge \$130/element

Tethered Lid

Cable is attached from container to lid or insert to deter theft.
Add /EX to end of model number
Upcharge \$41 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Waste Receptacles and Sand Urns

Top Access Receptacles

Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
26#	\$ 614	\$ 59
26#	746	59
26#	735	59
26#	867	59
33#	1023	96
33#	1192	96
33#	1228	96
33#	1397	96
27#	\$ 671	\$ 63
27#	803	63
27#	803	63
27#	935	63
35#	1094	102
35#	1263	102
35#	1310	102
35#	1479	102

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Waste Receptacles and Sand Urns

Top Access Receptacles

MODEL	Features	DIA x H	MODEL NUMBER			
			Basic Model	Finish	Element Color	
 <p>RECT</p> <p>Tempe® "C" Receptacles</p> <ul style="list-style-type: none"> • Container consists of outer shell of seamless one-piece construction • Insert is formed aluminum with black powder coat finish • Insert comes off to expose bag • Sand weighting recommended for added stability (Sand is not supplied) • Includes bag ring • Optional sand ring formed into aluminum inset (Sand is not supplied) • Optional liner available, model numbers with 'LN' indicate liner • Matching sand urn available 	Standard, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TPCL1824	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TPCL1824/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TPCL1824/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TPCL1824/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	TPCL2430	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	TPCL2430/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	TPCL2430/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 30 gal. Cap., 7" dia. Net Opening	24 x 30"	TPCL2430/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TPCL2736	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TPCL2736/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TPCL2736/P	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TPCL2736/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
	Tempe® "C" Receptacles with Sand Ring	Standard, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TPCL1824S	<input type="checkbox"/>	<input type="checkbox"/>
		Standard, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TPCL1824S/LN	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 20 gal. Cap., 6" dia. Net Opening		18 x 24"	TPCL1824S/P	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 20 gal. Cap., 6" dia. Net Opening		18 x 24"	TPCL1824S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 30 gal. Cap., 7" dia. Net Opening		24 x 30"	TPCL2430S	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 30 gal. Cap., 7" dia. Net Opening		24 x 30"	TPCL2430S/LN	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 30 gal. Cap., 7" dia. Net Opening		24 x 30"	TPCL2430S/P	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 30 gal. Cap., 7" dia. Net Opening		24 x 30"	TPCL2430S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 40 gal. Cap., 7" dia. Net Opening		27 x 36"	TPCL2736S	<input type="checkbox"/>	<input type="checkbox"/>	
Standard, 40 gal. Cap., 7" dia. Net Opening		27 x 36"	TPCL2736S/LN	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 40 gal. Cap., 7" dia. Net Opening		27 x 36"	TPCL2736S/P	<input type="checkbox"/>	<input type="checkbox"/>	
Premium, 40 gal. Cap., 7" dia. Net Opening		27 x 36"	TPCL2736S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>	

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Concrete Weighting

Factory applied concrete.
Add /CW to end of model number.
Upcharge \$130/element

Tethered Lid

Cable is attached from container to lid or insert to deter theft.
Add /EX to end of model number
Upcharge \$41 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Waste Receptacles and Sand Urns

Top Access Receptacles

Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
26#	\$ 706	\$ 66
26#	837	66
26#	846	66
26#	977	66
30#	973	92
30#	1130	92
30#	1167	92
30#	1324	92
33#	1129	104
33#	1298	104
33#	1355	104
33#	1524	104
27#	\$ 761	\$ 71
27#	891	71
27#	916	71
27#	1046	71
30#	1043	97
30#	1199	97
30#	1253	97
30#	1409	97
35#	1200	112
35#	1369	112
35#	1439	112
35#	1608	112

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Waste Receptacles and Sand Urns

Top Access Receptacles



RECT

MODEL	Features	DIA x H	MODEL NUMBER			
			Basic Model	Finish	Element Color	
Tucson® Receptacles	• Container consists of outer shell of seamless one-piece construction	Standard, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TTSL1824	<input type="checkbox"/>	<input type="checkbox"/>
	• Insert is formed aluminum with black powder coat finish	Standard, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TTSL1824/LN	<input type="checkbox"/>	<input type="checkbox"/>
	• Insert comes off to expose bag	Premium, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TTSL1824/P	<input type="checkbox"/>	<input type="checkbox"/>
	• Sand weighting recommended for added stability (Sand is not supplied)	Premium, 20 gal. Cap., 5-1/2" dia. Net Opening	18 x 24"	TTSL1824/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
	• Includes bag ring	Standard, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TTSL2736	<input type="checkbox"/>	<input type="checkbox"/>
	• Optional sand ring formed into aluminum inset (Sand is not supplied)	Standard, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TTSL2736/LN	<input type="checkbox"/>	<input type="checkbox"/>
	• Optional liner available, model numbers with 'LN' indicate liner	Premium, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TTSL2736/P	<input type="checkbox"/>	<input type="checkbox"/>
	• Matching sand urn available	Premium, 40 gal. Cap., 11-1/2" dia. Net Opening	27 x 36"	TTSL2736/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
Tucson® Receptacles with Sand Ring		Standard, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TTSL1824S	<input type="checkbox"/>	<input type="checkbox"/>
		Standard, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TTSL1824S/LN	<input type="checkbox"/>	<input type="checkbox"/>
		Premium, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TTSL1824S/P	<input type="checkbox"/>	<input type="checkbox"/>
		Premium, 20 gal. Cap., 6" dia. Net Opening	18 x 24"	TTSL1824S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>
		Standard, 40 gal. Cap., 7" dia. Net Opening	27 x 36"	TTSL2736S	<input type="checkbox"/>	<input type="checkbox"/>
		Standard, 40 gal. Cap., 7" dia. Net Opening	27 x 36"	TTSL2736S/LN	<input type="checkbox"/>	<input type="checkbox"/>
		Premium, 40 gal. Cap., 7" dia. Net Opening	27 x 36"	TTSL2736S/P	<input type="checkbox"/>	<input type="checkbox"/>
		Premium, 40 gal. Cap., 7" dia. Net Opening	27 x 36"	TTSL2736S/P/LN	<input type="checkbox"/>	<input type="checkbox"/>

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
• The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Concrete Weighting

Factory applied concrete.
Add /CW to end of model number.
Upcharge \$130/element

Tethered Lid

Cable is attached from container to lid or insert to deter theft.
Add /EX to end of model number
Upcharge \$41 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom color.



Waste Receptacles and Sand Urns

Top Access Receptacles

Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
22#	\$ 706	\$ 66
22#	837	66
22#	846	66
22#	977	66
33#	1129	104
33#	1298	104
33#	1355	104
33#	1524	104
22#	\$ 761	\$ 71
22#	893	71
22#	914	71
22#	1046	71
33#	1200	112
33#	1369	112
33#	1439	112
33#	1608	112

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Waste Receptacles and Sand Urns

Sand Urns

MODEL	Features	DIA x H	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Finish	Element Color	
 URNS <p>Cylindrical Sand Urn</p> <ul style="list-style-type: none"> Two-part containers consist of outer shells of seamless one-piece construction with sand dish in black powder coat finish Lid is black only 	Standard	11 x 20"	CU1120/BL	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
	Premium	11 x 20"	CU1120/BL/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
	Standard	11 x 25"	CU1125/BL	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	13#
	Premium	11 x 25"	CU1125/BL/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	13#
	Standard	14 x 20"	CU1420/BL	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	14#
	Premium	14 x 20"	CU1420/BL/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	14#
	Standard	14 x 25"	CU1425/BL	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	15#
	Premium	14 x 25"	CU1425/BL/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	15#
	Standard	14 x 32"	CU1432/BL	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17#
	Premium	14 x 32"	CU1432/BL/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17#
 URNS <p>Avenue® Sand Urn</p> <ul style="list-style-type: none"> Lid is black only Net Opening is 11" Dia 	Standard	18 x 24"	TASU1824/BL	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	28#
	Premium	18 x 24"	TASU1824/BL/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	28#
 URNS <p>Galleria® Sand Urn</p> <ul style="list-style-type: none"> Lid is black only Net Opening is 11" Dia 	Standard	18 x 24"	GU1824/BL	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	27#
	Premium	18 x 24"	GU1824/BL/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	27#
 URNS <p>Tempe® "A" Sand Urn</p> <ul style="list-style-type: none"> Lid is black only Net Opening is 11" Dia 	Standard	18 x 24"	TPAU1824/BL	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	26#
	Premium	18 x 24"	TPAU1824/BL/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	26#
 URNS <p>Tempe® "B" Sand Urn</p> <ul style="list-style-type: none"> Lid is black only Net Opening is 11" Dia 	Standard	18 x 24"	TPBU1824/BL	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	26#
	Premium	18 x 24"	TPBU1824/BL/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	26#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Custom Fiberglass Finish

Custom colors and finishes are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom finishes.

Concrete Weighting

Factory applied concrete.
Add /CW to end of model number.
Upcharge \$130/element



Waste Receptacles and Sand Urns

Sand Urns

Delivered Pricing	Fire Retardant add to list price
\$ 459	\$ 44
549	44
498	46
596	46
540	51
647	51
578	54
691	54
619	59
742	59
\$ 706	\$ 66
845	66
\$ 614	\$ 59
735	59
\$ 614	\$ 59
735	59
\$ 614	\$ 59
735	59

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Waste Receptacles and Sand Urns

Sand Urns

MODEL	Features	DIA x H	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Finish	Element Color	
 URNS Tempe® "C" <ul style="list-style-type: none"> Two-part containers consist of outer shells of seamless one-piece construction with sand dish in black powder coat finish Lid is black only Net Opening is 11" Dia 	Standard	18 x 24"	TPCU1824/BL	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	26#
	Premium	18 x 24"	TPCU1824/BL/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	26#
 URNS Tucson® Sand Urn <ul style="list-style-type: none"> Net Opening is 11" Dia 	Standard	18 x 24"	TTSU1824/BL	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	22#
	Premium	18 x 24"	TTSU1824/BL/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	22#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF = Gloss Finish

GX = Granex Finish (Premium)

MT = Matte Finish

PT = Polycrete Finish

TC = Terra Cotta Finish

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
Add FR to end of model number.
Add upcharge.

Custom Fiberglass Finish

Custom colors and finishes are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom finishes.

Concrete Weighting

Factory applied concrete.
Add /CW to end of model number.
Upcharge \$130/element



Waste Receptacles and Sand Urns

Sand Urns

Delivered Pricing	Fire Retardant add to list price
\$ 706	\$ 66
845	66
\$ 706	\$ 66
845	66

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Waste Receptacles and Sand Urns

Tray/Trash Receptacles

MODEL	Features	SQ x H	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Finish	Element Color	
 <p>TS</p> <p>Tray/Trash Receptacles-Radius Square</p> <ul style="list-style-type: none"> • Two part containers consist of closed bottom and removable top section • Each part is seamless one-piece construction • Top section lifts off for emptying contents • Accommodates trays up to 16" x 12" • Includes bag ring • 50 gallon capacity, 13" x 8" net opening 	Standard	21 x 42"	TSR2142	<input type="checkbox"/>	<input type="checkbox"/>	32#
	Premium	21 x 42"	TSR2142/P	<input type="checkbox"/>	<input type="checkbox"/>	32#
	Standard - with push door	21 x 42"	TSR2142WD	<input type="checkbox"/>	<input type="checkbox"/>	33#
	Premium - with push door	21 x 42"	TSR2142WD/P	<input type="checkbox"/>	<input type="checkbox"/>	33#
<p>Tray/Trash Receptacles-Radius Square with Liner</p>	Standard	21 x 42"	TSR2142L	<input type="checkbox"/>	<input type="checkbox"/>	32#
	Premium	21 x 42"	TSR2142L/P	<input type="checkbox"/>	<input type="checkbox"/>	32#
	Standard - with push door	21 x 42"	TSR2142WDL	<input type="checkbox"/>	<input type="checkbox"/>	33#
	Premium - with push door	21 x 42"	TSR2142WDL/P	<input type="checkbox"/>	<input type="checkbox"/>	33#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How to Build a Model Number".
3. Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select finish.
- | | |
|-----------|---------------------------|
| AF | = Gloss Finish |
| GX | = Granex Finish (Premium) |
| MT | = Matte Finish |
| PT | = Polycrete Finish |
| TC | = Terra Cotta Finish |
- Model numbers with 'P' use GX=Granex Finish only
- C** Select element color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
 Add FR to end of model number.
 Add upcharge.

Custom Fiberglass Finish

Custom colors and finishes are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom finishes.

Concrete Weighting

Factory applied concrete.
 Add /CW to end of model number.
 Upcharge \$130/element



Waste Receptacles and Sand Urns

Tray/Trash Receptacles

Delivered Pricing	Fire Retardant add to list price
\$ 866	\$ 80
1039	80
1027	96
1231	96
\$ 1036	\$ 80
1209	80
1197	96
1402	96

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Reclaim® Recycling Containers and Centers

General Information



Cylinder - RSC1824



Radius Square -
RSR2436



Center - RSQ483616

Features

Recycling logo and label	•	•	•
Seamless molded fiberglass	•	•	•
Two-part container	•	•	•
Indoor/outdoor use	•	•	•

Finishes

Gloss	•	•	•
Matte	•	•	•
Terra-Cotta	•	•	•
Polycrete	•	•	•
Granex	•	•	•

SPECIFICATIONS

Dimensions

Nominal dimensions are given. If dimensions are critical, please write for exact measurements.

Logos and Labeling

Vinyl die-cut recycling logo and label. Factory applied.

Custom Work

We welcome the opportunity to discuss variations of standard product design, including special sizes and details. We also welcome the challenge or quoting on your special project requirements.

Fiberglass Finishes

Gloss - Integrally colored gel coat buffed to a smooth shiny finish.

Matte - Integrally colored gel coat sanded to remove the gloss and coated with a dull finishing sealer.

Terra Cotta - Integrally colored gel coat is

lightly textured to remove the gloss and coated with a dull finishing sealer.

Polycrete - Natural sand is embedded into colored gel coat then sand blasted to a smooth finish. Surface is coated with a dull finishing sealer.

Granex - Synthetic granules are embedded into layers of polyester resin to create a unique speckled appearance with exceptional durability.

Maintenance

Fiberglass should be cleaned as required with a soft damp cloth, using any mild detergent cleaner or spray cleaner.

Fire Retardants

Fire retardant treatment (FR) meets California's TB133 fire code requirements and the New York Port Authority requirements.



INFORMATION

Warranty

See Terms for general information.

Reclaim® Recycling Containers and Centers

Containers

MODEL	Features	W x D x H	MODEL NUMBER					
			Basic Model	Opening One	Decal Color	Finish	Element Color	
 <p>Cylinder Container</p> <ul style="list-style-type: none"> • Two part container • Top lifts off for emptying • Bag ring included 	Standard, 18 gal. Capacity	18 dia x 24"	RSC1824	<input type="checkbox"/>				
	Premium, 18 gal. Capacity	18 dia x 24"	RSC1824/P	<input type="checkbox"/>				
	Standard, 33 gal. Capacity	18 dia x 36"	RSC1836	<input type="checkbox"/>				
	Premium, 33 gal. Capacity	18 dia x 36"	RSC1836/P	<input type="checkbox"/>				
	Standard, 44 gal. Capacity	21 dia x 36"	RSC2136	<input type="checkbox"/>				
	Premium, 44 gal. Capacity	21 dia x 36"	RSC2136/P	<input type="checkbox"/>				
	Standard, 58 gal. Capacity	24 dia x 36"	RSC2436	<input type="checkbox"/>				
	Premium, 58 gal. Capacity	24 dia x 36"	RSC2436/P	<input type="checkbox"/>				
<p>Cylinder Container with Liner</p>	Standard, 18 gal. Capacity	18 dia x 24"	RSC1824L	<input type="checkbox"/>				
	Premium, 18 gal. Capacity	18 dia x 24"	RSC1824L/P	<input type="checkbox"/>				
	Standard, 33 gal. Capacity	18 dia x 36"	RSC1836L	<input type="checkbox"/>				
	Premium, 33 gal. Capacity	18 dia x 36"	RSC1836L/P	<input type="checkbox"/>				
	Standard, 44 gal. Capacity	21 dia x 36"	RSC2136L	<input type="checkbox"/>				
	Premium, 44 gal. Capacity	21 dia x 36"	RSC2136L/P	<input type="checkbox"/>				
	Standard, 58 gal. Capacity	24 dia x 36"	RSC2436L	<input type="checkbox"/>				
	Premium, 58 gal. Capacity	24 dia x 36"	RSC2436L/P	<input type="checkbox"/>				
 <p>Radius Square Container</p> <ul style="list-style-type: none"> • Two part container • Top lifts off for emptying • Bag ring included 	Standard, 24 gal. Capacity	18 x 18 x 24"	RSR1824	<input type="checkbox"/>				
	Premium, 24 gal. Capacity	18 x 18 x 24"	RSR1824/P	<input type="checkbox"/>				
	Standard, 42 gal. Capacity	18 x 18 x 36"	RSR1836	<input type="checkbox"/>				
	Premium, 42 gal. Capacity	18 x 18 x 36"	RSR1836/P	<input type="checkbox"/>				
	Standard, 57 gal. Capacity	21 x 21 x 36"	RSR2136	<input type="checkbox"/>				
	Premium, 57 gal. Capacity	21 x 21 x 36"	RSR2136/P	<input type="checkbox"/>				
	Standard, 74 gal. Capacity	24 x 24 x 36"	RSR2436	<input type="checkbox"/>				
	Premium, 74 gal. Capacity	24 x 24 x 36"	RSR2436/P	<input type="checkbox"/>				
<p>Radius Square Container with Liner</p>	Standard, 24 gal. Capacity	18 x 18 x 24"	RSR1824L	<input type="checkbox"/>				
	Premium, 24 gal. Capacity	18 x 18 x 24"	RSR1824L/P	<input type="checkbox"/>				
	Standard, 42 gal. Capacity	18 x 18 x 36"	RSR1836L	<input type="checkbox"/>				
	Premium, 42 gal. Capacity	18 x 18 x 36"	RSR1836L/P	<input type="checkbox"/>				
	Standard, 57 gal. Capacity	21 x 21 x 36"	RSR2136L	<input type="checkbox"/>				
	Premium, 57 gal. Capacity	21 x 21 x 36"	RSR2136L/P	<input type="checkbox"/>				
	Standard, 74 gal. Capacity	24 x 24 x 36"	RSR2436L	<input type="checkbox"/>				
	Premium, 74 gal. Capacity	24 x 24 x 36"	RSR2436L/P	<input type="checkbox"/>				

A
B
C
D
E

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The indicates that a choice is required.
 • The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select opening one.
- C1** = Cans 4" dia
G1 = Glass 5-1/2" dia
L1 = Plastic 5-1/2" dia
P1 = Paper 2" x 11"
W1 = Waste single 9" dia, centers 5-1/2" x 11" oval
- C** Select decal color
- B** = Black
H = White
- D** Select finish.
- AF** = Gloss Finish
GX = Granex Finish (Premium)
MT = Matte Finish
PT = Polycrrete Finish
TC = Terra Cotta Finish
- Model numbers with 'P' use GX=Granex

Finish only

- E** Select element color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.
 Add FR to end of model number.
 Add upcharge.

Custom Fiberglass Finish

Custom colors and finishes are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom finishes.

Concrete Weighting

Factory applied concrete.
 Add /CW to end of model number.
 Upcharge \$130/element

Bottom Rubber Edging

To order replacement bottom rubber edging, specify #13.0424 at \$3 per foot list price.



Reclaim® Recycling Containers and Centers

Containers

Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
26#	\$ 589	\$ 55
26#	706	55
27#	654	62
27#	783	62
29#	741	69
29#	888	69
31#	955	90
31#	1147	90
26#	\$ 716	\$ 55
26#	833	55
27#	793	62
27#	922	62
29#	892	69
29#	1039	69
31#	1121	90
31#	1313	90
27#	\$ 650	\$ 62
27#	781	62
28#	822	76
28#	985	76
30#	889	83
30#	1067	83
32#	985	93
32#	1182	93
27#	\$ 778	\$ 62
27#	909	62
28#	961	76
28#	1124	76
30#	1040	83
30#	1218	83
32#	1151	93
32#	1348	93

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Reclaim® Recycling Containers and Centers

Centers

Features	W x D x H	MODEL NUMBER							
		Basic Model	Opening One	Opening Two	Opening Three	Opening Four	Decal Color	Finish	Element Color
Standard, 40 gal. Capacity	24 x 16 x 36"	RSD243616	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 40 gal. Capacity	24 x 16 x 36"	RSD243616/P	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Standard, 60 gal. Capacity	36 x 16 x 36"	RST363616	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 60 gal. Capacity	36 x 16 x 36"	RST363616/P	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Standard, 80 gal. Capacity	48 x 16 x 36"	RSQ483616	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Premium, 80 gal. Capacity	48 x 16 x 36"	RSQ483616/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



RS

Center

- Containers with two (40 gal.) three (60 gal.) and four (80 gal.) hole openings
- Two part container
- Top lifts off for emptying
- Includes individual liners with 20 gal. capacity
- Available with 5-1/2" x 11" oval openings only

A B C D E F G H

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select opening one. _____
C1 = Cans
G1 = Glass
L1 = Plastic
P1 = Paper
W1 = Waste
- C** Select opening two. _____
C2 = Cans
G2 = Glass
L2 = Plastic
P2 = Paper
W2 = Waste
- D** Select opening three. _____
C3 = Cans
G3 = Glass
L3 = Plastic
P3 = Paper

- E** Select opening four. _____
C4 = Cans
G4 = Glass
L4 = Plastic
P4 = Paper
W4 = Waste
- F** Select decal color _____
B = Black
H = White
- G** Select finish. _____
AF = Gloss Finish
GX = Granex Finish (Premium)
MT = Matte Finish
PT = Polycrete Finish
TC = Terra Cotta Finish
 Model numbers with 'P' use GX=Granex Finish only

H Select element color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Delivered Pricing	Fire Retardant add to list price
40#	\$ 1040	\$ 97
40#	1248	97
60#	1231	116
60#	1477	116
80#	1643	153
80#	1970	153

FINISH INFORMATION

California TB133 Fire Safety Code

Fire retardant materials are used in the construction of the product to meet both Class 1 California TB133 and Class 2 New York Port Authority Fire Code.

Add FR to end of model number.
Add upcharge.

Custom Fiberglass Finish

Custom colors and finishes are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$232 per order. Request a quotation from KI for custom finishes.

Concrete Weighting

Factory applied concrete.
Add /CW to end of model number.
Upcharge \$130/element

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid f.o.b. Bondue, Wisconsin 54107** factory. Freight class #150.


Specifications and prices are subject to change without prior notice.

Product Locator


Promenade® Seating System




PRM2/S1/1T
Tandem Seating: SEAT - Armless
Unupholstered with Movable Base
Page: 6



PRM2U/S1/1T
Tandem Seating: SEAT - Armless
Upholstered with Movable Base
Page: 6




PRM2/B1/1T
Tandem Seating: BENCH - Armless
Unupholstered with Movable Base
Page: 8



PRM2U/B1/1T
Tandem Seating: BENCH - Armless
Upholstered with Movable Base
Page: 8




PRMB
Seating Components: Bench Seat
Page: 10




PRMSEAT
Seating Components: Armless Seat
Page: 10


Promenade® Seating System



87.6232
Arm and Base Components: Back-to-Back
Ganging Bar
Page: 12



PRMEOBASE PRMEBASE
PRMEBASE
Arm and Base Components: Embedded
Base
Page: 12



PRMMOBASE PRMMBASE
PRMFBASE
Arm and Base Components: Freestanding
Base
Page: 12




PRMLA
Arm and Base Components: Universal Loop
Arm
Page: 12

PWSE.BL
Arm and Base Components: Wallsaver
Extension
Page: 12

PRMSBE191FG
Fiberglass Elements: Cube Fiberglass
Element-Fiberglass Table Top
Page: 14

PRMSBE191LA
Fiberglass Elements: Cube Fiberglass
Element-Laminate Table Top
Page: 14




PRMSBE191PL
Fiberglass Elements: Cube Fiberglass
Element-Planter
Page: 14

Promenade® Seating System

PRMSBE251FG
Fiberglass Elements: Square Fiberglass
Element-Fiberglass Table Top
Page: 16

PRMSBE251LA
Fiberglass Elements: Square Fiberglass
Element-Laminate Table Top
Page: 16



PRMSBE251PL
Fiberglass Elements: Square Fiberglass
Element-Planter
Page: 16



PRMHBE191
Fiberglass Elements: Half Round Fiberglass
Element
Page: 18




PRMSLT
Beam Mounted Tables: Beam Mounted
Inline Full Size Tables
Page: 20



PRMSLTL
Beam Mounted Tables: Beam Mounted
Corner Table
Page: 20

Promenade® Seating System



PRM1628APR
Freestanding Planters: Freestanding
Planters
Page: 22




PRM1628TR
Freestanding Planters: Freestanding Trash
Receptacle
Page: 22



Logix® System




SRTSSB1
Seating Units: Narrow Seat with Back
Page: 26



SRTSS01
Seating Units: Narrow Backless Seat
Page: 26



SQSSB1
Seating Units: Square Seat with Back
Page: 26




SSQSS01
Seating Units: Square Backless Seat
Page: 26



SCRSSB1
Seating Units: 12° Curved Seat with Inside Back
Page: 28




SCRSSB01
Seating Units: 12° Curved Seat with Outside Back
Page: 28




SCRSS01
Seating Units: 12° Curved Backless Seat
Page: 28


Logix® System



SQRSSB1
Seating Units: Quarter Circle Seat with Inside Back
Page: 28



SQSSA1
Seating Units: Corner Seat with Back
Page: 28



SQRSS01
Seating Units: Quarter Circle Backless Seat
Page: 30



SWGSSB1
Seating Units: 45° Curved Wedge Seat with Inside Back
Page: 30



SWGSSB01
Seating Units: 45° Curved Wedge Seat with Outside Back
Page: 30



SWGSS01
Seating Units: 45° Curved Wedge Backless Seat
Page: 30


Logix® System



SCRTL1
Table Units: 12° Curved Table
Page: 32



SQRTL1
Table Units: Quarter Circle Table
Page: 32



SRTTL1
Table Units: Narrow Table
Page: 32



SSQTL1
Table Units: Square Table
Page: 32



SWGTL1
Table Units: 45° Curved Wedge Table
Page: 32



SCRTSL1
Seat Level Table Units: 12° Curved Table
Page: 34



SQRTSL1
Seat Level Table Units: Quarter Circle Table
Page: 34



SRTTSL1
Seat Level Table Units: Narrow Table
Page: 34

Logix® System



SSQTS1
Seat Level Table Units: Square Table
Page: 34



SWGTS1
Seat Level Table Units: 45° Curved Wedge Table
Page: 34



SQRP1
Planters: Quarter Circle Planter
Page: 36



SRTP1
Planters: Narrow Planter
Page: 36



SSQP1
Planters: Square Planter
Page: 36



SCR1
Planters: 12° Curved Planter
Page: 38



SCR1
Planters: 45° Curved Wedge Planter
Page: 38

Product Locator


Logix® System



SQRR1
Trash Receptacles: Quarter Circle Trash Receptacle
Page: 40



SRTR1
Trash Receptacles: Narrow Trash Receptacle
Page: 40



SSQR1
Trash Receptacles: Square Trash Receptacle
Page: 40




SCRR1
Trash Receptacles: 12° Curved Trash Receptacle
Page: 42



SWGR1
Trash Receptacles: 45° Curved Wedge Trash Receptacle
Page: 42

Fiberglass Elements



BBR2448
Rectangular/Drum Shapes: Rectangular Seats and Tables
Page: 46




BBR2472
Rectangular/Drum Shapes: Rectangular Seats and Tables
Page: 46



DT1818
Rectangular/Drum Shapes: Drum Table
Page: 46

Benches



FGB616
FGB Series
Page: 50


Planters



TAS2418B
Avenue®: Round Planters with Base
Page: 54




TAS422436
Avenue®: Rectangular Planters without Base
Page: 54




GP1818
Galleria®: Galleria® Series Planters
Page: 56


GS1515
Galleria®: Galleria® Series Saucers
Page: 56



TPA1813
Tempe®: Tempe® "A" Planters
Page: 58



TPB2016
Tempe®: Tempe® "B" Planters
Page: 58




TPC2418
Tempe®: Tempe® "C" Planters
Page: 60



TTS2418
Tucson®: Tucson®
Page: 62




Waste Receptacles and Sand Urns



FHCL1636
Side Access Receptacles: Cylindrical Side Access Receptacles
Page: 66

FHCL1636S
Side Access Receptacles: Cylindrical Side Access Receptacles with Sand Dish
Page: 66




FRCC2442
Side Access Receptacles: Cylindrical Litter Receptacle with Hinged Lid
Page: 66

FRCC2442S
Side Access Receptacles: Cylindrical Litter Receptacle with Hinged Lid and Sand Dish
Page: 66



FTCC1821
Top Access Receptacles: Cylindrical Top Access Receptacles with Open Bottom
Page: 68

FTCC2430S
Top Access Receptacles: Cylindrical Top Access Receptacles with Open Bottom and Sand Ring
Page: 68



FTCE1420
Top Access Receptacles: Cylindrical Top Access Receptacles with Closed Bottom
Page: 70


FTCE1420/LN
Top Access Receptacles: Cylindrical Top Access Receptacles with Closed Bottom and Liner
Page: 70

Waste Receptacles and Sand Urns



RSR1824N
Top Access Receptacles: Radius Square Top Access Receptacles with Closed Bottom
Page: 72

RSR1824N/LN
Top Access Receptacles: Radius Square Top Access Receptacles with Closed Bottom and Liner
Page: 72



FTCD1829
Top Access Receptacles: Radius Cylinder Top Access Receptacles with Closed Bottom
Page: 74

FTCD1829S
Top Access Receptacles: Radius Cylinder Top Access Receptacles w/Closed Bottom and Sand Ring
Page: 74

FTDC2430
Top Access Receptacles: Divided Cylinder Top Access Receptacles with Closed Bottom
Page: 74



TASL1824
Top Access Receptacles: Avenue® Receptacles
Page: 76

TASL1824S
Top Access Receptacles: Avenue® Receptacles with Sand Ring
Page: 76



GL1824
Top Access Receptacles: Galleria® Receptacles
Page: 78


GL1824S
Top Access Receptacles: Galleria® Receptacles with Sand Ring
Page: 78

Waste Receptacles and Sand Urns



TPAL1824
Top Access Receptacles: Tempe® "A" Receptacles
Page: 80

TPAL1824S
Top Access Receptacles: Tempe® "A" Receptacles with Sand Ring
Page: 80



TPBL1824
Top Access Receptacles: Tempe® "B" Receptacles
Page: 82

TPBL1824S
Top Access Receptacles: Tempe® "B" Receptacles with Sand Ring
Page: 82



TPCL1824
Top Access Receptacles: Tempe® "C" Receptacles
Page: 84

TPCL1824S
Top Access Receptacles: Tempe® "C" Receptacles with Sand Ring
Page: 84



TTSL1824
Top Access Receptacles: Tucson® Receptacles
Page: 86

TTSL1824S
Top Access Receptacles: Tucson® Receptacles with Sand Ring
Page: 86



CU1120/BL
Sand Urns: Cylindrical Sand Urn
Page: 88

Waste Receptacles and Sand Urns




GU1824/BL
Sand Urns: Galleria® Sand Urn
Page: 88




TASU1824/BL
Sand Urns: Avenue® Sand Urn
Page: 88



TPAU1824/BL
Sand Urns: Tempe® "A" Sand Urn
Page: 88




TPBU1824/BL
Sand Urns: Tempe® "B" Sand Urn
Page: 88



TPCU1824/BL
Sand Urns: Tempe® "C" Sand Urn
Page: 90



TTSU1824/BL
Sand Urns: Tucson® Sand Urn
Page: 90



TSR2142
Tray/Trash Receptacles: Tray/Trash Receptacles-Radius Square
Page: 92

TSR2142L
Tray/Trash Receptacles: Tray/Trash Receptacles-Radius Square with Liner
Page: 92

Product Locator

Reclaim® Recycling Containers and Centers



RSC1824

Containers: Cylinder Container

Page: 96

RSC1824L

Containers: Cylinder Container with Liner

Page: 96



RSR1824


Containers: Radius Square Container

Page: 96

RSR1824L

Containers: Radius Square Container with Liner

Page: 96



RSD243616

Centers: Center

Page: 98



Index

Model No.	Description	Page	Model No.	Description	Page
87.6232	Arm and Base Components: Back-to-Back Ganging Bar	12	PRMSLT	Beam Mounted Tables: Beam Mounted Inline Full Size Tables	20
BBR2448	Rectangular/Drum Shapes: Rectangular Seats and Tables	46	PRMSLTL	Beam Mounted Tables: Beam Mounted Corner Table	20
BBR2472	Rectangular/Drum Shapes: Rectangular Seats and Tables	46	PWSE.BL	Arm and Base Components: Wallsaver Extension	12
CU1120/BL	Sand Urns: Cylindrical Sand Urn	88	RSC1824	Containers: Cylinder Container	96
DT1818	Rectangular/Drum Shapes: Drum Table	46	RSC1824L	Containers: Cylinder Container with Liner	96
FGB616	FGB Series	50	RSD243616	Centers: Center	98
FHCL1636	Side Access Receptacles: Cylindrical Side Access Receptacles	66	RSR1824	Containers: Radius Square Container	96
FHCL1636S	Side Access Receptacles: Cylindrical Side Access Receptacles with Sand Dish	66	RSR1824L	Containers: Radius Square Container with Liner	96
FRCC2442	Side Access Receptacles: Cylindrical Litter Receptacle with Hinged Lid	66	RSR1824N	Top Access Receptacles: Radius Square Top Access Receptacles with Closed Bottom	72
FRCC2442S	Side Access Receptacles: Cylindrical Litter Receptacle with Hinged Lid and Sand Dish	66	RSR1824N/LN	Top Access Receptacles: Radius Square Top Access Receptacles with Closed Bottom and Liner	72
FTCC1821	Top Access Receptacles: Cylindrical Top Access Receptacles with Open Bottom	68	SCR1824	Planters: 12° Curved Planter	38
FTCC2430S	Top Access Receptacles: Cylindrical Top Access Receptacles with Open Bottom and Sand Ring	68	SCR1824L	Trash Receptacles: 12° Curved Trash Receptacle	42
FTCD1829	Top Access Receptacles: Radius Cylinder Top Access Receptacles with Closed Bottom	74	SCRSSB1	Seating Units: 12° Curved Seat with Inside Back	28
FTCD1829S	Top Access Receptacles: Radius Cylinder Top Access Receptacles w/Closed Bottom and Sand Ring	74	SCRSSB01	Seating Units: 12° Curved Seat with Outside Back	28
FTCE1420	Top Access Receptacles: Cylindrical Top Access Receptacles with Closed Bottom	70	SCRSS01	Seating Units: 12° Curved Backless Seat	28
FTCE1420/LN	Top Access Receptacles: Cylindrical Top Access Receptacles with Closed Bottom and Liner	70	SCRSLT1	Table Units: 12° Curved Table	32
FTDC2430	Top Access Receptacles: Divided Cylinder Top Access Receptacles with Closed Bottom	74	SCRSLT1	Seat Level Table Units: 12° Curved Table	34
GL1824	Top Access Receptacles: Galleria® Receptacles	78	SQRP1	Planters: Quarter Circle Planter	36
GL1824S	Top Access Receptacles: Galleria® Receptacles with Sand Ring	78	SQRR1	Trash Receptacles: Quarter Circle Trash Receptacle	40
GP1818	Galleria®: Galleria® Series Planters	56	SQRSSB1	Seating Units: Quarter Circle Seat with Inside Back	28
GS1515	Galleria®: Galleria® Series Saucers	56	SQRSS01	Seating Units: Quarter Circle Backless Seat	30
GU1824/BL	Sand Urns: Galleria® Sand Urn	88	SQRTL1	Table Units: Quarter Circle Table	32
PRM1628APR	Freestanding Planters: Freestanding Planters	22	SQRTSLT1	Seat Level Table Units: Quarter Circle Table	34
PRM1628TR	Freestanding Planters: Freestanding Trash Receptacle	22	SRT1824	Planters: Narrow Planter	36
PRM2/B1/1T	Tandem Seating: BENCH - Armless Upholstered with Movable Base	8	SRTSSB1	Trash Receptacles: Narrow Trash Receptacle	40
PRM2/S1/1T	Tandem Seating: SEAT - Armless Upholstered with Movable Base	6	SRTSS01	Seating Units: Narrow Seat with Back	26
PRM2U/B1/1T	Tandem Seating: BENCH - Armless Upholstered with Movable Base	8	SRTTL1	Seating Units: Narrow Backless Seat	26
PRM2U/S1/1T	Tandem Seating: SEAT - Armless Upholstered with Movable Base	6	SRTTSLT1	Table Units: Narrow Table	32
PRMB	Seating Components: Bench Seat	10	SSQP1	Seat Level Table Units: Narrow Table	34
PRMEBASE	Arm and Base Components: Embedded Base	12	SSQR1	Planters: Square Planter	36
PRMFBASE	Arm and Base Components: Freestanding Base	12	SSQSA1	Trash Receptacles: Square Trash Receptacle	40
PRMHBE191	Fiberglass Elements: Half Round Fiberglass Element	18	SSQSB1	Seating Units: Corner Seat with Back	28
PRMLA	Arm and Base Components: Universal Loop Arm	12	SSQSS01	Seating Units: Square Seat with Back	26
PRMSBE191FG	Fiberglass Elements: Cube Fiberglass Element-Fiberglass Table Top	14	SSQTL1	Seating Units: Square Backless Seat	26
PRMSBE191LA	Fiberglass Elements: Cube Fiberglass Element-Laminate Table Top	14	SSQTLT1	Table Units: Square Table	32
PRMSBE191PL	Fiberglass Elements: Cube Fiberglass Element-Planter	14	SWG1824	Seat Level Table Units: Square Table	34
PRMSBE251FG	Fiberglass Elements: Square Fiberglass Element-Fiberglass Table Top	16	SWG1824S	Planters: 45° Curved Wedge Planter	38
PRMSBE251LA	Fiberglass Elements: Square Fiberglass Element-Laminate Table Top	16	SWGSSB1	Trash Receptacles: 45° Curved Wedge Trash Receptacle	42
PRMSBE251PL	Fiberglass Elements: Square Fiberglass Element-Planter	16	SWGSSB01	Seating Units: 45° Curved Wedge Seat with Inside Back	30
PRMSEAT	Seating Components: Armless Seat	10	SWGSS01	Seating Units: 45° Curved Wedge Seat with Outside Back	30
			SWGSS01	Seating Units: 45° Curved Wedge Backless Seat	30
			SWGTLT1	Table Units: 45° Curved Wedge Table	32
			SWGTLT1	Seat Level Table Units: 45° Curved Wedge Table	34
			TAS2418B	Avenue®: Round Planters with Base	54
			TAS422436	Avenue®: Rectangular Planters without Base	54
			TASL1824	Top Access Receptacles: Avenue® Receptacles	76
			TASL1824S	Top Access Receptacles: Avenue® Receptacles with Sand Ring	76
			TASU1824/BL	Sand Urns: Avenue® Sand Urn	88
			TPA1813	Tempe®: Tempe® "A" Planters	58
			TPAL1824	Top Access Receptacles: Tempe® "A" Receptacles	80
			TPAL1824S	Top Access Receptacles: Tempe® "A" Receptacles with Sand Ring	80
			TPAU1824/BL	Sand Urns: Tempe® "A" Sand Urn	88
			TPB2016	Tempe®: Tempe® "B" Planters	58
			TPBL1824	Top Access Receptacles: Tempe® "B" Receptacles	82



Model No.	Description	Page
TPBL1824S	Top Access Receptacles: Tempe® "B" Receptacles with Sand Ring	82
TPBU1824/BL	Sand Urns: Tempe® "B" Sand Urn	88
TPC2418	Tempe®: Tempe® "C" Planters	60
TPCL1824	Top Access Receptacles: Tempe® "C" Receptacles	84
TPCL1824S	Top Access Receptacles: Tempe® "C" Receptacles with Sand Ring	84
TPCU1824/BL	Sand Urns: Tempe® "C"	90
TSR2142	Tray/Trash Receptacles: Tray/Trash Receptacles-Radius Square	92
TSR2142L	Tray/Trash Receptacles: Tray/Trash Receptacles-Radius Square with Liner	92
TTS2418	Tucson®: Tucson®	62
TTSL1824	Top Access Receptacles: Tucson® Receptacles	86
TTSL1824S	Top Access Receptacles: Tucson® Receptacles with Sand Ring	86
TTSU1824/BL	Sand Urns: Tucson® Sand Urn	90

**You make the rules.
We make the rest.®**

Of course KI solutions work better for you. They're made for you. No one pays more attention to customer needs than we do. We don't design our furniture to win awards (even though it does). We don't rely on one-size-fits-all solutions (even though they would make our life easier). We find out what you need. And, we make it. The same applies to our service, distribution channels...everything we do. It's all built around knowing what you want and giving you the choice. KI solutions work, because we're working for you.

KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
1-800-424-2432
www.ki.com

KI and Working For You are a registered trademarks of Krueger International, Inc.

© 2007 KI
All Rights Reserved.
Litho in USA.
Code KI-I 1391R1/KI/WF/907