



TrendWall®



General Services Administration

Federal Supply Service
Authorized Federal Supply Schedule Catalog
FSC Group 71 – Part 1, Office Furniture
FSC Class: 7110
Contract Number GS-29F-0165G
Contract Period: October 1, 2001 -
September 30, 2007

Business Size: Small

Tax ID Number: 38-1864337
Cage Number: 69600
Duns Number: 04-368-3515
CEC Number: 04469361C

Contractor: Trendway Corporation
P.O. Box 9016
Holland, MI 49422-9016

Contract Administration: (616) 399-3900
Order Placement and Inquiry: 1-800-893-8115



Table of Contents

Contract Information	I
Pricing, Procedures and Policies	IX
General Information	1
Space Planning	3
Surface Materials	6
Panels	10
Doors	14
Optional Door Hardware	17
Accessories	18
Electrical Components	29
Trendway GSA Representatives	31

Dimensions are followed by the metric equivalent in millimeters. The abbreviation for millimeter (mm) is deleted. For example: Pass-Through Module is available 48" (1219) wide.

1a. Special Item Numbers

711-1, Demountable Walls,
711-94, Design and Layout Services
(\$50.00/hr.)
711-95, Installation Services

1b. Note:

Lowest price model for 711-1 is located on page 27, catalog numbers TCCPLATE, TCGBLOCK, SITLB, TSCONNECTOR, TCCONNECTOR, TBDECAP and ETBASEND. List price is \$3.00.

2. Maximum Order Level

\$500,000 Net per SIN Number.

Orders above \$500,000 Net are subject to the schedule requote procedure, but it is not mandatory.

Any orders of this size are negotiated between agency and Trendway.

3. Minimum Orders

\$100.00 list.

4. Geographic Coverage

All states and District of Columbia.

5. Point of Production

Holland, Michigan, Ottawa County.

6. Pricing

Prices shown herein are list.

7. Quantity Discounts (From List Price)

Quantity discount is determined after receipt of proper purchase order at Trendway's manufacturing address.

Purchase order required delivery date must reflect period of time from issuance to receipt of proper purchase order at Trendway's manufacturing address — Holland, MI.

Demountable Walls SIN 711-1

45 days ARO
(Shipped within 30-45 day range)

0 - 7,500	55.0%
7,501 - 15,000	57.5%
15,001 - 25,000	60.5%
25,001 - 50,000	63.5%
50,001 - 100,000	66.5%
100,001 - over	70.0%

Upcharge for Not-Standard Panels

For orders over \$15,000 list, if 50% or more of the order is less than 4' panels, an upcharge of 25% will be applied to that portion of the order.

8. Prompt Payment Terms — Terms Apply to Product Only

2% 20 days, net 30 days.

Installation, design, and miscellaneous services at net 30 days.

9a. Government Commercial Credit Card

Applicable.



9b. Government Commercial Credit Card Payment Discount

Not applicable.

10. Foreign Items

None.

11a. Standard Delivery

Receipt of standard order 30 - 90 days.

11b. Expedited Delivery

Contact Customer Care if expedited delivery is required.

11c. Overnight and 2-day Delivery

The Schedule Customer may contact Trendway's Customer Care for overnight and 2-day delivery charges on existing orders.

Freight will be billed at actual cost.

11d. Urgent Requirements

When the Federal Supply Schedule contract delivery period does not meet the bona fide urgent delivery requirements of an ordering agency, agencies are encouraged, if time permits, to contact the Contractor for the purpose of obtaining accelerated delivery. The Contractor shall reply to the inquiry within 3 workdays after receipt. (Telephonic replies shall be confirmed by the Contractor in writing.) If the Contractor offers an accelerated delivery time acceptable to the ordering agency, any order(s) placed pursuant to the agreed upon accelerated delivery time frame shall be delivered within this shorter delivery time in accordance with all other terms and conditions of the contract.

12. F.O.B.

Destination — Within 48 contiguous states and District of Columbia.

13. Ordering Address

Trendway Corporation
P.O. Box 9016
Holland, Michigan 49422-9016

or

Trendway Corporation
C/O Authorized Dealer
Dealer Address
Dealer City, State, Zip Code

14. Payment Address

Trendway Corporation
P.O. Box 9016
Holland, Michigan 49422-9016

or

Trendway Corporation
P.O. Box 79001
Detroit, Michigan 48279-1439

15. Export Packaging Charges

Not applicable.

16. Government Commercial Credit Card Terms

Prompt payment terms do not apply. Accepted on orders up to \$25,000 government purchase price.

17. Terms and Conditions of Rental, Maintenance and Repair

Not applicable.

18. Terms and Conditions of Installation

All installation services will be negotiated between the government ordering agency and the Trendway Corporation and/or authorized Trendway Representative. Installation must be separately listed and invoiced, as special item 711-95.

Terms are net 30 days.

19. Terms and Conditions of Repair Parts

Not applicable.

20. List of Service and Distribution Points

Trendway Corporation — Holland, Michigan.

21. List of Participating Dealers

List provided in back of price book.

22. Preventive Maintenance

Not applicable.

Limited Lifetime Warranty

Trendway Corporation warrants to the original purchaser that the products described in its price lists, sold after August 1, 2004 will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Systems	TrendWall	Seating
10 Year	Electrical Components		
5 Year	Drawer Slides Systems Textiles Finishes Electronic Ballasts	Systems Textiles Finishes	Multi-Purpose Seating Seating (Guest Side, Stacking Chairs)
3 Year	Veneer Magnetic Ballasts		Trim Arm Pads Surface Trends Foam
2 Year	Surface Trends	Surface Trends	
1 Year	Non Standard Product Personal Task Lighting	Non Standard Product	Non Standard Product
Not Covered	Light Bulbs Customer's Own Material	Customer's Own Material	Customer's Own Material

The following exceptions apply to all product lines:

- The Trendway warranty applies to normal three shift office use with exception of seating which is a single shift and a maximum weight limit of 250 lbs.
- Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed by a Trendway authorized installer. Trendway will repair, or at its option, replace defective merchandise, free of charge, which, when used normally and pursuant to Trendway's published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Trendway any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company at its headquarters in Holland, Michigan.

Any and all labor charge backs must be pre-approved by Trendway's Customer Care Manager in writing.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. Trendway employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Natural variations occurring in materials such as wood and leather are not considered defects, and Trendway does not warrant the matching of colors, grains, textures or colorfastness of these materials.

Trendway provides a three-year warranty on veneer products for quality and craftsmanship. Due to the natural properties of wood, the following are not covered under this warranty:

- Changes in wood color resulting from exposure to light or aging
- Natural color variation between wood veneer and solid wood pieces
- Natural color variation resulting from veneer lay-up
- Natural variation in wood grain or the presence of character marks
- Normal wear and tear
- Exact matching to swatch cards

Trendway makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Trendway Corporation, its authorized dealers, or others who are specifically authorized by Trendway to sell such products. Trendway's liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Trendway be liable for incidental or consequential damages. Original product label must be attached to the product in question.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, including any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Trendway warranties.

Sample Order Form

ORDER FOR SUPPLIES OR SERVICES			PAGE _____ OF _____ PAGES
IMPORTANT: Mark all packages and papers with contract and/or numbers.			
DATE OF ORDER 1 8-1-2001	CONTRACT NO. (If any) 2 GS- - - - -	ORDER NO. 3 10 - 000	REQUISITION/REFERENCE NO.

4 ISSUING OFFICE (Address correspondence to) GSA 1 Town Street City, State, Zip Name and Telephone Number	5 SHIP TO: (Consignee and address, ZIP Code) GSA 2 Town Street City, State, Zip Name and Telephone Number
--	--

TO: CONTRACTOR (Name, address and ZIP Code) 6a Trendway Corporation P.O. Box 9016 Holland, MI 49422-9016 or 6b Trendway Corporation c/o Authorized Dealer	TYPE OF ORDER <input type="checkbox"/> A. PURCHASE—Reference your _____ Please furnish the following on the terms and conditions specified on both sides of this order and on the attached sheets, if any, including delivery as indicated. This purchase is negotiated under authority of: <input type="checkbox"/> B. DELIVERY—Except for billing instructions on the reverse, this delivery order is subject to instructions contained on this side only of this form and is issued subject to the terms and conditions of the above-numbered contract.
--	--

ACCOUNTING AND APPROPRIATION DATA F.O.B. POINT 7 PLACE OF INSPECTION AND ACCEPTANCE	REQUISITIONING OFFICE BUSINESS CLASSIFICATION (Check appropriate box(es)) <input type="checkbox"/> SMALL <input type="checkbox"/> OTHER THAN SMALL <input type="checkbox"/> DIS-ADVANTAGED <input type="checkbox"/> WOMEN-OWNED DELIVER TO F.O.B. POINT ON OR BEFORE (Date) 8 ARO date DISCOUNT TERMS 9 Net 30 Days
---	---

(See reverse for Rejections)

ITEM NO. (A)	SUPPLIES OR SERVICES (B)	QUANTITY ORDERED (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)	QUANTITY ACCEPTED (G)
1	10 One lot of Trendway Furniture: See attached specifications	13 1		14 \$000	15 \$000	
2	11 Design	2	hrs	\$000	\$000	
3	12 Installation	1		\$000	\$000	
	20 Remit Payment to: Trendway Corporation Trendway Corporation P.O. Box 9016 or P.O. Box 79001 Holland, MI 49422-9016 Detroit, MI 48279-1439					

SEE BILLING INSTRUCTIONS ON REVERSE SHIPPING POINT MAIL INVOICE TO: (Include ZIP Code) 17 GSA, 3 Town Street, City, State, Zip	GROSS SHIPPING WEIGHT	INVOICE NO.			(H) TOT. (Cont. pages) (I) GRAND TOTAL
			16 \$000		

UNITED STATES OF AMERICA BY (Signature) 18 Contracting Officer signature and telephone no.	NAME (Typed) 19 John Doe, Department Manager TITLE: CONTRACTING/ORDERING OFFICER
--	--

- 1 Order Date
- 2 Contract Number
- 3 Order Number
- 4 Issuing Office: Requester Name and Telephone Number
- 5 Shipping Address: Contact Name and Telephone Number
- 6 Contractor:
 - a) Trendway Corporation
P.O. Box 9016
Holland, MI 49422-9016
or
 - b) Trendway Corporation
C/O Authorized DealerIf (b) Remit to must be on PO
- 7 FOB Destination
- 8 ARO Date (Purchase order required delivery date must reflect period of time from issuance to receipt at Trendway's Manufacturing address in Holland, MI.)
- 9 Terms: 2% 20, Net 30
- 10 Complete Product Description, including SIN Number, Style Number, all applicable surface materials
- 11 Separate Line for Design (\$50.00/Hour)
- 12 Separate Line for Installation (Installation must be billed through Trendway unless the agency is doing their own. If no installation is required, or if the agency is doing their own, this **must** be stated on the purchase order.)
- 13 Quantity Ordered
- 14 Individual Unit Price
- 15 Amount (Quantity x Unit Price)
- 16 Total Cost
- 17 Invoice Address
- 18 Authorized Contracting Officer Signature and Telephone Number
- 19 Authorized Contracting Officer Name and Title (typed)
- 20 **Please note on order** that all invoice payments must be sent to:

Trendway Corporation
P.O. Box 9016
Holland, MI 49422-9016

or

Trendway Corporation
P.O. Box 79001
Detroit, MI 48279-1439



Trendway Customer Service – CONTRACT INFORMATION



Trendway Corporation
 13467 Quincy Street, P.O. Box 9016
 Holland, MI 49422-9016

Phone 1-800-893-8115 Fax 1-800-893-8118 or 1-800-893-8121

Credit Card Verification/Authorization Form

<p>1 Ordering Agency: _____</p> <p>3 Card #: _____ - _____ - _____ - _____</p> <p>5 Print Name: _____</p> <p>6 Signature: _____</p> <p>9 GSA Contract #: _____ <small>(if applicable)</small></p> <p>11 Cardholder Billing Address: _____ _____ City _____ State _____ Zip _____</p> <p>12 Shipping Address: _____ _____ City _____ State _____ Zip _____</p> <p>13 Special Instructions: _____</p>	<p>2 Order Date: _____</p> <p>4 Expiration Date: _____</p> <p>7 Phone #: _____</p> <p>8 Order Total: _____</p> <p>10 Card Type: Visa <input type="checkbox"/> Mastercard <input type="checkbox"/></p>
--	--

The above credit card will be charged upon order shipment unless otherwise noted in "Special Instructions".

Trendway Corporation hereby acknowledges that the signature above denotes authorization to charge the referenced account for payment of this specific order. Charges to the above account will NOT exceed the agreed upon order total. Trendway Corporation also acknowledges that additional charges will NOT be made unless additional written authorization is received and specified on this or a subsequent Credit Card Verification/Authorization Form.

Trendway Customer Service Phone 1-800-893-8115 Fax 1-800-893-8118 or 1-800-893-8121
www.trendway.com

Order verification form must be completed and submitted to Trendway along with listing of products and services. Please copy the form on the following page, or contact the dealer or Trendway direct for a clean copy. All information is necessary before order will be processed.

- | | | |
|--------------------------------------|---|--|
| 1 Base submitting order | 5 Printed name of authorized buyer | 9 GSA Contract # |
| 2 Date of submittal | 6 Signature of authorized buyer | 10 Card type |
| 3 MasterCard/Visa card number | 7 Phone number of authorized buyer | 11 Cardholder's billing address |
| 4 Date of expiration | 8 Order total (product & services) | 12 Shipping address |
| | | 13 Any special instructions |

Should any of the information be missing, the form will be faxed to agency to complete.



Trendway Customer Service – CONTRACT INFORMATION



Trendway Corporation

13467 Quincy Street, P.O. Box 9016
Holland, MI 49422-9016

Phone 1-800-893-8115 Fax 1-800-893-8118 or 1-800-893-8121

Credit Card Verification/Authorization Form

Ordering Agency: _____

Order Date: _____

Card #: _____ - _____ - _____ - _____

Expiration Date: _____

Print Name: _____

Phone #: _____

Signature: _____

Order Total: _____

GSA Contract #: _____
(if applicable)

Card Type: Visa Mastercard

Cardholder Billing Address: _____

City _____

State _____ Zip _____

Shipping Address: _____

City _____

State _____ Zip _____

Special Instructions: _____

The above credit card will be charged upon order shipment unless otherwise noted in "Special Instructions".

Trendway Corporation hereby acknowledges that the signature above denotes authorization to charge the referenced account for payment of this specific order. Charges to the above account will NOT exceed the agreed upon order total. Trendway Corporation also acknowledges that additional charges will NOT be made unless additional written authorization is received and specified on this or a subsequent Credit Card Verification/Authorization Form.

**Trendway Customer Service Phone 1-800-893-8115 Fax 1-800-893-8118 or 1-800-893-8121
www.trendway.com**

Contract Sales Order Checklist



Trendway GSA / State Contract Dealers

The following is a list of information required on each GSA/State Contract order.

- Correct Contract Number on order (Trendway's GSA number GS-29F-0165G or State contract number)
- Vendor name: Trendway listed exclusively on first line (unless Trendway's address is listed)
- Installation listed on PO or attached specification sheets (GSA required only) (or comment about Agency doing their own or bidding separately)
- SIN numbers listed separately on PO or attached specification sheet (GSA only)
- Correct part numbers with complete color choices
- Pricing correct
- Delivery date possible
- Permission to split ship/split invoice if applicable
- Open Market items identified on PO or attached specification sheet (GSA only)
- Bill to and Ship to addresses must be listed on PO (changes must be authorized by Agency)
- Remit to address on PO (Unless Trendway's address is listed in Contractor/Vendor block)

The following is additional information needs to be included on the PO or on a cover sheet with the order before we will be able to enter the order in our system. Missing information could result in a later ship date.

Colors:

Fabric _____	Laminate _____
Flipper door _____	Edge _____
Tackboard _____	Accent _____
Trim _____	Glaze color _____
Vinyl _____	Upholstery _____

For TrendWall:

Drawing/quote number _____ or needs to be quoted: Yes

Ceiling Height _____ Glass line _____

Vinyl _____ Electrical requirements _____

Other options must also be listed, such as grommet locations, options on chairs, or any other options available.

Call _____ hours before delivery. Xpress 30-45 days 46-90 days

Contact Name _____ Number _____

Requested ship date _____ Requested delivery date _____

Additional comments: _____

1. Prices

Prices shown in this price list are F.O.B. destination, freight prepaid, in the contiguous United States.

Pricing for shipments outside the contiguous United States will be based on the port of departure. Freight will be prepaid to port of departure.

List prices shown include Trendway specified freight cost on all orders.

PRICING BY THE LINEAL FOOT

Trendway provides the service of figuring for you the widths of panels and hardware needed for a TrendWall panel installation. However, for estimating purposes, you will want to be able to calculate the pricing of the installation for yourself.

TrendWall panels are quoted by the lineal foot rather than by each individual panel. However, the acknowledgment will be priced per panel. Add the number of lineal feet through the walls of each office. This lineal footage includes doors and glazed panel frames. Remember these amounts of lineal footage:

- **Door Panel and Frame — 4' (1219) lineal**

The example office (Page 4, Figure 2) shows 50 (15m) lineal feet. Price the lineal feet according to the type of panel used. In the TrendWall panel pricing charts, there are several types of coverings and two basic types of panels: solid or glazed. Multiply the lineal feet of each type of panel specified by the per-foot charge shown in the charts.

Now add the listed upcharges for the door. Also add other upcharges such as Component Mounting Kits and Electrical Components. Remember that Trendway will figure these charges for you. Lineal pricing is for your own purposes of estimation.

Dimensions are followed by the metric equivalent in millimeters. The abbreviation for millimeter (mm) is deleted. For example: Pass-Through Module is available 48" (1219) wide.

PRICING DETAILS

a. Standard Width Modules

Lineal foot pricing is based on the maximum usage of "Standard width 4'(1219) modules". Contact your Customer Care representative for the additional cost to manufacture non-standard module widths.

b. Unfinished Panels and COM

No credit is provided for Customer's Own Material.

COM fabric or vinyl pricing see page 12. Customer supplies material. Approval subject to prior testing.

Contact Customer Care for unfinished panel pricing.

c. Trim Colors

All trim parts, steel or vinyl, can be specified in all trim colors for the standard price. (Note: For product integration planning purposes, Choices open plan components are not available in Dawn Gray.)

Special trim colors (painted surfaces only) are available for a 10% upcharge.

d. Pilasters

On Vinyl Panels, specify any standard vinyl color. For fabric, specify any fabric color listed.

e. Panels Only

Orders for Panels only (without hardware or trim) may deduct 5% from list price.

f. Panels and Pilasters only

Orders for Panels and Pilasters only (without hardware or trim) may deduct 2% from list price.

g. Obsolete Fabrics or Vinyls

Obsolete fabrics and vinyls (if available from the manufacturer) are available for an additional 10% of the panel list price.

h. Glass

Glazed Panels contain the "frame" for the glass, **however, the glass must be purchased locally.**

Glass is not included in the product price.

i. Cartoning

The prices do not include cartoning. If cartoning is required, please add \$10.00 to list price per lineal footage of product required.

Trendway will package product as required for LTL shipment. Cartoning as referenced here is typically for panels going into storage for a period of time, and client asks for this additional protection.

2. Order Placement

Trendway Corporation requires all orders to be submitted in writing, or electric transfer to assure completeness and avoid errors and duplications. To expedite your order call Customer Care direct at 1-800-893-8115, or Fax 1-800-893-8121. Minimum order must be \$100.00 list.

3. Confirmation

Upon receiving an order, Trendway Corporation will send an acknowledgement with exact pricing information and scheduled shipping date to dealer. Acknowledgements should be checked carefully by Dealer to ensure that order is correct. Order will be processed as acknowledged.

4. Lead Times

Trendway Corporation reserves the right to alter lead times as demand for products fluctuates. Stated lead times begin after an order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may extend lead times. Please contact your Customer Care representative 1-800-893-8115 for exact lead times on orders over \$250,000 list.

5. Order Changes

To change an order, the customer must call Trendway Customer Care 1-800-893-8115 for order status. If approved, the customer must confirm the changes in writing to Trendway Corporation. Customer agrees to accept any and all charges involved in altering an order. This includes payment, determined by Trendway, for product already in production. Changes in orders also may result in delayed shipments.

6. Cancellation

All cancellations must be approved by Trendway Corporation. **Orders in production cannot be cancelled without incurring substantial or full purchase price.** Customer shall agree to accept any and all charges involved in the cancellation transaction, as determined by Trendway. Non-standard items may not be cancelled.

7. Customer's Own Material (COM)

The Trendway COM program allows customers to use special materials. By complying with the COM testing for manufacturability procedure in the steps below, Trendway will be able to identify if your material is appropriate for application to the products you specify.

To comply with the COM process, please follow these steps:

1. Select the COM fabric.
2. Check first with www.trenddealer.com/COM Library, to determine if this material has already passed testing for manufacturability on the intended product.
3. If the material is pre-approved in the COM Library, customer must submit a *COM Guideline Form* (available on www.trenddealer.com or from a Trendway Customer Care Representative).

4. If the material requested is not in the COM Library, customer must submit a *COM Request Form* on-line at www.trenddealer.com, send a sample of the COM material (see Test Yardage Requirements below), and include a list of Trendway product numbers designated for the COM application. Fabric sample should include fabric name, pattern number and color, manufacturer, direction fabric should be applied, and Control # from the COM Request Form response.

5. Ship COM samples to:

U.S. Mail Shipment:
Customer Care
Trendway Corporation
P.O. Box 9016
Holland, MI 49422-9016

UPS, FedEx Shipment:
Customer Care
Trendway Corporation
13467 Quincy Street
Holland, MI 49424

6. You will be notified within five working days by Trendway, whether your COM has been approved or disapproved for application.

TEST YARDAGE REQUIREMENTS

TrendWall	4 yd.
-----------	-------

NOTE: Most fabric houses have a one-yard minimum or an upcharge on less than one-yard cuts.

NOTE: All COM applications are priced at Grade 1 or Grade A.

If Buyer desires to use his own material in the production of Trendway's products, it is necessary to obtain the prior written consent of Trendway. Material provided by the Buyer shall be shipped to seller, freight prepaid, and all risk of loss or damage shall remain with Buyer. Buyer must assume responsibility for any spoilage that takes place in the course of processing or during transportation. Buyer hereby holds Trendway harmless against any and all claims for loss, liability, injury, or damage arising from use of customer material; and Buyer takes full responsibility for performance and quality of customer material. Buyer should also be aware that Buyer-furnished materials may not qualify for UL Listing or meet fire codes.

8. Delays

Trendway shall not be liable for loss or damage due to delay in manufacturing or delivery resulting from any cause beyond Trendway's reasonable control, including, but not limited to compliance with any regulations, orders, or instructions of any federal, state or

municipal government, or any department or agency thereof, acts of God, act or omissions of Buyer, act of civil or military authority, fires, strikes, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Trendway's reasonable control to obtain necessary labor, manufacturing facilities, or material from Trendway's usual sources. In no event shall Trendway be liable for special or consequential damages for any delay for any cause.

9. Postponement of Delivery

If unforeseen circumstances occur, Trendway Corporation may postpone delivery of ordered products. Customer will be notified when such postponement occurs.

10. Storage

When shipment is delayed by the Buyer, Trendway reserves the right to place the goods in storage at customer's risk and cost. Trendway charges ¼ of 1% list price per week to cover storage. All terms and conditions of the sale, including but not limited to invoicing and payment, will continue as if the product had been shipped to a Buyer specified destination; except that title remains with Trendway and that Trendway reserves the right to modify payment terms to assure recovery of any additional cost incurred.

11. Transportation

All orders shipped to any destination within the 48 contiguous states will be F.O.B. destination. Trendway will determine the method and agency of transportation to be used.

Customer directed or expedited shipments (Air Freight, Federal Express, etc.) will be prepaid and billed at actual cost.

The customer or authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Trendway within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim on an F.O.B. Destination shipment will be provided by Trendway only if the product has been immediately unpacked and both the carrier and Trendway have been promptly notified of resultant damage so the proper inspection can be made.

Furniture Systems and Work Station Cluster products will be shipped in cartons unless otherwise specified by customer or determined unnecessary by Trendway, in which event, customer will be notified.

Truckload deliveries that are requested to deliver on weekends, Holidays or after 5:00 pm on Friday's will have an additional charge of \$450 per truck.

Shipping Note:

Trendway strives to minimize packaging to help the environment and to make installations faster and cleaner.

Trendway ships products using various packaging methods based upon the product type and shipping method (full truck vs. LTL), all of which are designed to provide protection for the product while minimizing packaging materials.

Trendway tests packaging designs to ensure their effectiveness.

12. Damaged Materials

Trendway Corporation is not responsible for shipped products when the common carrier is in receipt of the material. Trendway expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the customer to Trendway Customer Care.

Concealed damage or damage not noted at time of delivery shall be made by the customer to the common carrier within 15 days after receipt. Trendway assumes no liability for such damages.

13. Product Usage and Compliances

Buyer assumes full responsibility for the application of Trendway's product to Buyer's use, and compliance with Trendway installation instructions and load restrictions. Compliance to local code restrictions regarding fire, electrical and building codes are the responsibility of the customer or his authorized agent.

14. Post Delivery Assistance

Installation and servicing of Trendway products are normally handled directly by Trendway authorized dealers. When this is not possible, assistance is available by calling Trendway's Customer Care Department, Holland, Michigan, 1-800-893-8115.

15. Returned Goods

As a basic policy, Trendway does not accept returned material because most items are manufactured per order and are not in stock at the factory. If material is authorized for return because of Trendway error, shipment may be made freight collect. Any other goods for which Trendway does authorize a return will be sent prepaid and a restocking charge of 20-25% will apply. **To receive authorization to return goods, please contact Trendway's Customer Care Department 1-800-893-8115.**

All Returned Goods Authorizations expire ninety (90) days from date of issue. Any product returned after 90 days will be refused and returned to sender collect.

Electrical components, non-standard items, Xpress® products, and fabric-covered goods may not be returned. Replacement products will be billed to you with credit being issued upon return of the product in good condition. All goods returned must be in the original Trendway packing cartons. Goods will be inspected for damage upon return. No credit will be issued for goods which are damaged. **As a general statement of policy, return authorization will not be issued for items unless they are Trendway stock items.**

16. Key-Alike Option

The key-alike option is available on all orders. Contact Trendway Customer Care at 1-800-893-8115 for more information.

17. Special Marking or Tagging

Special tagging is available on all orders free of charge. Trendway suggests this option to simplify the staging and installation of product. **Tag designations must be specified at the time an order is placed.**

TRENDWALL MOVEABLE WALLS

TrendWall panels are the first floor-to-ceiling panels to integrate fully with the open plan office. With the use of the TrendWall Straight and Corner Component Mounting Rails, Choices and Contrada components can be mounted to ceiling height panels in the same manner as the open plan system. This compatibility offers the privacy of floor-to-ceiling panels with the flexibility of open plan components.

Because TrendWall panels are planned and priced by the lineal foot, all standard trim pieces and connectors are automatically included in the price. Panels are shipped complete. Base covers, floor plates and crown are shipped in 6' (1829) or 12' (3658) lengths which may be field trimmed for a clean, permanent appearance. When a corner or end condition is specified, Trendway includes all needed trim kits.

Electrical and communications needs can be channeled through wireways located between panels and at the base of each panel. When TrendWall POWERPAC® Electrical is specified, Trendway will plan and include the electrical components and the optional pilaster covers with switch or receptacle punchouts.

PANEL TYPES

Vinyl Panels

Vinyl surfaced TrendWall panels have welded steel frames with vinyl laminated to gypsum surfaces. The core is filled with therma-fiber. The Vinyl Panel provides an attractive, easily maintained panel to meet any layout requirement.

Vinyl Panels are available in a wide range of solid colors and simulated wood grains.


Fabric Panels

Fabric Panels are made with the same construction as the Vinyl Panels. The surface is laminated with fabric. They are available in five fabric grades and a wide variety of colors.

Vinyl/Fabric Panels

Vinyl/Fabric Panels offer the advantages of the durability of vinyl on one side of the panel and aesthetics of fabric on the other. A typical application would be a shared wall between a storage room and an executive office, with the fabric side facing the office. These panels are available in the full range of vinyls and fabrics.

Figure 1



Glazed Panels —

Hi Light, Full Light, Full Light to Door Height and Window Light

All Glazed Panels have steel frame construction and are available in vinyl or fabric surfaces. Panels are shipped without glass but include an extruded vinyl molding designed to accommodate glass thickness of 1/4" (6).

The Hi Light Panel has an opening starting at the 6'8" (2032) or 7' (2134) door height and extending to the crown. The Full Light Panel has an opening that extends from just above the base to the crown. The Full Light to Door Height Panel has an opening that starts at just above the base but only extends to door height 6'8" (2032) and 7' (2134). The Window Light Panel has a standard opening which starts at 42" (1067) above the floor and extends to door height. Optional sized openings are available and should be specified on the order form. You should contact your local glass supplier for the proper type of glass to be used for your application. Trendway recommends the purchase of safety glass.

Door Panels

Door Panels are available in 4' (1219) widths with vinyl or fabric surfaced side panels. Standard doors are vinyl surfaced, 3' (914) by 6'8" (2032) or 7' (2134) by 1 3/4" (44)-thick hollow core. Door Panels are shipped with doors pre-hung in steel jambs with hinges and Lever Passage set. Six standard door styles are available: Flush, Flush with Standard Louver, Half Light, Half Light with Louver, Vision Light, or solid core door with Full Light (glass not included in any door). Optional doors and hardware may be specified by contacting Trendway Customer Care at 1-800-893-8115. Doors and Transoms are also available in special finishes.

When figuring price, add the door panel width to the total footage. The price of the door will be added as an upcharge.

Wall Filler Panels

Wall Filler Panels are available to compensate for uneven wall conditions without shimming. A wall filler panel has a vinyl or fabric surface laminated to a core of foam and gypsum. The filler panel is placed at the end of a run of panels that abuts a fixed wall. Because one end of the panel can be easily field trimmed, it can compensate for inexact measurements or uneven wall conditions.

PANEL CONNECTIONS

The TrendWall Panel System has one-piece connectors that slide into slots in the panel's side rails. Connectors are designed to accommodate the laying-in of electrical and communications wiring while still allowing the removal of the panel without disturbing the wiring. All panels are shipped with the connectors required for attaching one panel to another.

Corner Connectors will be included for each corner condition that is specified in the panel layout. If the layout requires angles other than 180° or 90°, you can specify the angle required on the order form. Where special requirements are needed, you should send a copy of the layout along with your order, noting the areas requiring special conditions. There will be an extra charge for these special conditions.

Extended and Half-Extended Corner Connectors are required for use with Corner Component Mounting Rails.

Pilasters

Pilasters are available in Standard or Enhanced styles and are designed to snap into place between panels to conceal the panel connectors and wiring. Panels include two matching pilasters, one for each side of the panel. Optional factory modification to pilasters is available to accommodate switches, duplex receptacles and slots for component mounting. Pilasters are available in all vinyl finishes and all fabric colors.

Component Mounting Kits

Straight Component Mounting Kits are double-slotted rails which attach between TrendWall panels in a straight-line condition to accept **Trendway open plan systems components. Do not use with Cornice High Panels or Ceiling Filler Panels.** Each slotted rail contains 2 vertical rows of 9/16" (14) slots on 1" (25) centers up to a height of 84" (2134). These slots allow two component end panels to be hung side-by-side on the same bracket. You will need two mounting kits to hang one component. However, you can hang two components side-by-side by using three mounting kits.

Corner Component Mounting Rails attach to the end of a panel in three- and four-way corner conditions to permit the hanging of systems components into the corner.

Pilasters may be slit on site in the exact location where you wish to put the component. Trendway offers pre-slotting to facilitate installations.

Crown and Vinyl Base

Trendway provides the service of figuring the trim pieces and vinyl base required for all straight line or corner conditions that are indicated in the layout. These trim, Vinyl Base, and Crown are included in the price and are shipped with the panels. Crown and Vinyl Base are shipped in 6' (1829) or 12' (3658) lengths and must be trimmed at the site if necessary. Crown Corners are pre-formed.

ELECTRICAL COMPONENTS

Power Modules

Power Modules are available in three styles to bring power access to the area between the panels at varying heights. One end has a connector for attachment to Pass-Through Harnesses and the other end has a distribution block to accept Power Duplexes, one on each side.

Power Duplexes

The Power Duplex plugs into the distribution block on the Power Module to access the power circuit. Each Power Duplex is clearly marked for Circuit I, II, III or IVΔ access. Circuit IVΔ has an orange numeral and delta symbol (Δ) to indicate it accesses the dedicated circuit.

Base Feeds

The Base Feed plugs into the distribution block on the Power Module to feed power from the building's electrical system. The EBFH Base Feed plugs into the end of a Power Harness within the panel's base raceway.

Top Feed

The CFTP Ceiling Feed supplies power from the ceiling to the distribution block on the Power Module.

Pass-Through Harnesses

Pass-Through Harnesses bring power from a feed point to a distribution point at a Power Module. Harnesses are available in lengths from 24" (610) to 141" (3581) in 3" (76) increments.

Electrical boxes for hardwire and switch patch:

- Appleton M1-250
- Bowers 1-MBS
- Raco 690
- Steel City GW-125-C
- or equivalent

With a knowledge of the TrendWall product offering, you can now begin to plan your space.

If you are working with an existing space, you must make an on-site inspection to determine the ceiling height. This is probably the most important step in the design phase. TrendWall panels have 3/4" (19) adjustment upward and 3/4" (19) adjustment downward.

Panels are available in three standard heights of 8' (2438), 9' (2743) and 10' (3048) for floor-to-ceiling applications. However, if your requirements call for a panel of 7'2" (2184) for cornice height installations, you can specify that size and use the 8' (2438) panel price.

The area into which the Crown is attached must be sound. When installing into a suspended ceiling, the Crown is screwed into the metal "T" frames with self-tapping screws.

There are many physical characteristics of a building that can be critical to the development of your space plan. Besides the ceiling height, there are windows, columns, doors, elevators, light fixtures, sprinklers and ductwork. Also, observe interior finishes and floor construction and record all of this data on your first trip to the job site to save on return trips.

Trendway will assist in developing your space planning, figuring the panel widths and types of hardware needed. All you need to do is determine the size of the office and the requirements of the individual in the space. Do this by surveying departments or individuals to find the equipment and amount of work area required. This will determine the filing, work surface storage and special equipment needs of each office. This information should be provided to Trendway; then Trendway can assist in developing the final space plan.


TrendWall Office Layout

When designing your layout, it is best to work in standard dimensions of even footage. An example is shown in the sample layout (Figure 2): 15' (4572) by 10' (3048).

An important consideration is the cost of the different panel types and sizes. The most cost-efficient size is the 4' (1219)-wide panel (see "Panel Pricing"). It takes less time to install 12 lineal feet of 4' (1219) panels than 12 lineal feet of 2' (610) panels. Also, for future changes, standard width panel modules will make modifications easier.

The first step is to measure the perimeter dimension of the space to be enclosed. Be sure to measure through door

Figure 2



sections and glazed panels. This represents the total footage of TrendWall panels required. The individual cost of the door is an added upcharge to the footage price.

Panel widths are based on center-to-center of the connection device so there is no addition of width in a straight line connection. TrendWall panels are 2 3/4" (70) thick. Half this thickness 1 3/8" (35) must be added to the length of the panel run for an outside dimension, or subtracted for an inside dimension when panels are joined in a 90° corner condition (Figure 3).

Once you have decided the amount of space and the components desired, Trendway will figure the widths of panels needed to achieve your office plan. Notice that we have used two 4' (1219)-wide panels to accommodate the Lateral Files side-to-side (Figure 2). 1' (305)-wide panels on either end of that wall make up the rest of the 10' (3048) width and center the components on the wall. Minimum width panel available is 6" (152).

Component Planning

TrendWall panels provide for the hanging of Trendway's Choices and Contrada components. Two types of component mounting are available, one for attachment between panels in a straight line condition and one for corner conditions. **Both are intended only for floor-to-ceiling panels.**

Component Mounting Kits are used for Straight Panel conditions and attach between panels without adding to the panel run width. Component Mounting Kits contain two vertical rows of slots to 84" (2134) high. Two kits are required to hang one component. Two components can be hung side-by-side on three Mounting Kits (Figures 2 and 4).

Figure 3






Figure 4



Choices Mounting Rails



Contrada Mounting Rails

Corner Component Mounting Rails attach to the ends of panels at 90° corners in two- and three-way conditions to allow the hanging of Trendway components.

Corner Component Mounting Rails are used with extended or half-extended panel connectors. Extended Connectors add 1 3/8" (35) to a corner condition in both directions. Half-extended connectors add 1 3/8" (35) in the direction of the extended end (Figure 5). Because of this added width to a panel run, you must use Extended Panel Connectors in all corners within an office or group of attached offices when Corner Component Mounting Rails are used (Figure 6).

Figure 6







Figure 5




Extended 3-Way Condition Choices



Extended 3-Way Condition Contrada



Half Extended 3-Way Condition Choices




Half Extended 3-Way Condition Contrada


Component Mounting Rail Load Capacities

1. Hanging Work Surfaces — up to and including 48" (1219) wide: Up to 24" (610) deep maximum — 4.5 pounds (2kg) per linear inch (25), uniformly distributed.
2. Hanging Work Surfaces — over 48" (1219) up to and including 72" (1829) wide: Require three work surface supports up to 24" (610) deep — 4.5 pounds (2kg) per linear inch (25), uniformly distributed.
3. Greater than 24" (610)-deep work surface must be floor supported.

Figure 7



Choices



Contrada

ELECTRICAL PLANNING

POWERPAC® Electrical

The TrendWall POWERPAC® 8 Wire Electrical System offers the power and flexibility of four circuits, one with a dedicated neutral and ground.

The TrendWall electrical system is routed through the base wireway and up or down through the connections between panels. Power is distributed from panel-to-panel or a run of panels by the use of Pass-Through Harnesses. Pass-Through Harnesses are available in lengths of 24" (610) to 141" (3581) in 3" (76) increments. Power Modules are plugged into the Pass-Through Harnesses to provide power to the plug-in duplex receptacles. The EBFH Base Feed plugs into the end of a Pass-Through Harness within the panel's base raceway. The CFTP Ceiling Feed supplies power from the ceiling to the distribution block on the Power Module.

Power Modules are available in two heights; 14" (356) on-center from the floor for standard height and 32" (813) on-center from the floor for work height access above a work surface. An optional work height adapter is available to extend power from a standard height module to work height. Power Modules attach between panels in standard width Straight Connections only. They will not attach in extended conditions.

Hardwire Option

TrendWall Panels can be hardwired, if required, by routing conduit through the base wireways and run either up or down through the connections between panels. Electrical outlets and switches are mounted in junction boxes attached to the conduit.

Switches and receptacles are accessed through punchouts in the pilasters. Pilasters are available with a switch punchout located 45" (1143) on-center from the floor. If switches are to be back-to-back on a pilaster, one must be specified with a punchout located at least 5 3/8" (137) above or below the other punchout. The same would be required for a receptacle punchout. Receptacle punchouts are located 12" (305) on-center above the floor for Hardwire, and 14" (356) for modular.

Electrical boxes are not included, however, Trendway recommends the use of one of the following: Appleton M1-250, Bowers 1-MBS, Raco 690, Steel City GW-125-C or equivalent.


Electrical conduit and hardware must be supplied and installed by a local electrician.

Planning Summary

These steps outline the planning process:

1. Measure the ceiling height throughout the space to be sure of ordering the correct panel height.
2. Measure area to be enclosed by TrendWall, including door and glazed panels.
3. Plan components, doors, and optional panels to meet requirements of each office.
4. Develop elevations of each office, showing placement of components, doors, etc.
5. Develop an electrical layout to show the placement of electrical switches, receptacles, etc.
6. Trendway will figure widths of panels, hardware needed and POWERPAC electrical components. Plans will be returned to you for confirmation.

Figure 8



Surface Material Program

The Trendway Surface Material program includes a broad selection of coordinated fabric, laminate and trim finish options. Additionally, Trendway offers a Customer's Own Material (COM) program to allow customers to further personalize their work stations. The following sections describe the Trendway Surface Materials vocabulary.

Standard Program

Trendway's Standard program of timeless fabrics and vinyls is recommended for corporate standards programs. These fabrics are carded, swatched and stocked by Trendway. All Standard fabrics have been tested on Trendway Panels to ASTM E-84. Refer to individual panels for fire rating classifications.

Surface Trends

Trendway's Surface Trends program is an evolving collection of fabrics, vinyls, and laminates, and are designated by the  symbol. Influenced and kept up to date by emerging trends, the typical life span in this program is one to three years. Items no longer available through Trendway may still be available for purchase directly through the supplier. Materials in this program comply, and in many cases exceed the industry standards for quality and performance. Surface Trends panel fabrics have not been tested on Trendway Panels to ASTM E-84. Panel fabrics in the program are listed as part of the UL recognized component program.

Terratex®

Terratex is an Interface Fabrics brand designating fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high-quality product that is recyclable at the end of its useful life. For more information, go to www.terratex.com.

COM

Customer's Own Material program allows customers to select and specify their own fabric or laminate on Trendway product. All COM applications are priced at vinyl cost. For detailed information, see COM in the Pricing, Procedures and Policies section in the back of the price book.

Pre-Approved COM

Select from popular COM fabrics preapproved by Trendway. Customers are able to search the COM library on www.trenddealer.com for fabrics and specific applications that have passed manufacturability testing on Trendway product.

HOW TO ORDER SAMPLES

Binder Cards

Standard and Surface Trends binder cards are available through Trendway fulfillment. Call 1-800-968-5344, ext. 1.

Standard Program Samples

Samples of fabrics and finishes in 3x3 and 9x9 sizes are available through Trendway fulfillment. Call 1-800-968-5344, ext. 1.

Surface Trends Samples

Surface Trends **samples must be ordered directly through the supplier.** Contact information is listed below. Reference the pattern name and color along with the supplier part number on the back of your binder card to order samples.

Guilford Of Maine®/Intek®

Interface Fabrics Group
www.guilfordofmaine.com/samplecenter
1-800-544-0200

Momentum® Textiles

www.memosamples.com
1-800-366-6839

CF Stinson®

www.cfstinson.com
1-800-841-6279

Please note: Colors on printed sample cards are as accurate as offset printing allows, please refer to the actual sample before ordering.

Surface Materials

Panel Fabrics

Arcade Grade 2

B10	Warm Sepia
B45	Smoke
B53	Sea Palm
B61	Alpine
B88	Flagstone
B96	Zinc
BA0	Blue Ridge
BC6	Amaryllis
BD4	Gemstone
BT0	Peat
Q92	Buttermere
QA7	Raffia

Italia Grade 2

MY9	Ravioli
N19	Risotto
N43	Penne
N78	Fettuccine
SZ5	Orzo
T17	Radiatori
T25	Stelletta
T33	Lasagne
T41	Gemelli

Metallation Grade 2

SL5	18 Karat
SR4	Polished Pewter
SQ6	Welded Steel
SJ3	Etched Bronze
SP8	Chrome
SM3	Dark Annealed
SS2	Wrought Iron
SN1	Fired Titanium
ST0	Stove Pipe

Meander Grade 2

 Momentum	
B48	Agate Taupe
B49	Nightshadow
B4A	Overcast
B4B	Sandshell

Tracery Grade 2

 Momentum	
B4C	Brindle
B4D	Egret
B4E	Sea Spray
B4F	Straw

Universe Grade 2

 Momentum	
B4G	Cosmic
B4H	Crepe Brulee
B4J	Depth
B4K	Mica
B4M	Milkyway
B4N	Seneca
B4P	Wheat
B4R	Whitecap

Belgrade Grade 3

Q25	Liberty
Q26	Rockwood
Q50	Dover Grey
Q52	Deer Isle
Q53	Blue Hill
Q54	Cranberry Isles
Q55	Steel Harbor
Q57	Auburn
Q59	Greenville
QG6	Dune
QJ0	Cement Mix
QK4	Stream

Galleria Grade 3

AP1	Mortar
AQ0	Mineral
AR8	Gobi
AW4	Cerulean
S96	Lacquer
SA0	Tulipwood
SB8	Shiitake
SD4	Laurel
SE2	Blueberry
SF0	Desert Sand
SG9	Wrought Iron

Bailey Grade 3

QW8	Belmont Silver
QX6	Baxter Beige
QY4	Paris Frost
RA3	Aroostook
R14	Sherman Pewter
R22	Vernon Green
R30	Colby Blue
R49	Rumford Rose
R57	Allagash Mist
R65	Kennebec Blue
R73	Lincoln
R81	Acadia

Tabby Weave Grade 3

150	Wedgewood
175	Crystal Blue
380	Quartz
390	Rose Quartz
400	Cherry Neutral
401	Blue Neutral
404	Apricot Neutral
QL2	Blue Spruce
QM0	Sienna
QN9	Blue Plum
QP5	Bone
QQ3	Cement Mix
QR1	Light Moss
QS0	Lake
QT8	Stream
QV0	Desert Sand

Raku Grade 3

N94	Agate
NA8	Chambray
NB6	Opaline
NC4	Cinder
ND2	Dusk
NF9	Prism
NG7	Flint
NH5	Tawny

Coastline Grade 3

 Guilford Of Maine	
W42	Bluegrass
WA7	Bluff
W34	Gull
W77	Lilac
W26	Sand
W85	Vapor
AR4	Sunset
AR5	Seal
AR6	Beachglass

Groove Grade 3

 Guilford Of Maine	
VS3	Froth
VY8	Graphite
VX0	Marigold
VT1	Mist
VW1	Mocha
VR5	Rum
VV3	Spring
VZ6	Starlight
VU5	Winter

Snapshot Grade 3

 Guilford Of Maine	
VA0	Chestnut
TY3	Froth
TX5	Ginger
VE3	Grape
TU0	Graphite
TR0	Lemongrass
TW7	Marigold
TS9	Mist
TT7	Pistachio
TZ1	Rum
TV9	Spring
VC7	Starlight
VB9	Steel

Panel Fabrics

Muse Grade 4

NJ1	Blake
NK5	Keats
NL3	Auden
NP6	Shelley
NQ4	Millay
NR2	Tennyson
NS0	Hayden
SU4	Dylan
SV2	Eliot
SX9	Smith
SY7	Frost

Province Grade 4

BF0	Horizon
BG9	Vicuna
BH7	Sterling
BJ3	Streamline
BL5	Canyon
BM3	Ice
BN1	Field
BP8	Verbena
BQ6	Napoleon
BR4	Nocturne
BS2	Redwood
BE2	Cleo

Auster Grade 4

Guilford Of Maine	
B6J	Buttercup
B6K	Dusty Miller
B6M	Lichen
B6N	Pebble
B6P	Platinum
B6R	Silverdust
B6T	Sprout
B6U	Storm
B6V	Tiger Lily

Block Party Grade 4

Guilford Of Maine	
B70	Alabaster
B71	Canyon
B72	Isle
B73	Oasis
B74	Pebble
B75	Slate
B76	Sprout
B77	Storm

Drift Grade 4

Guilford Of Maine	
B89	Alabaster
B8A	Chamois
B8B	Dusty Miller
B8C	Graphite
B8D	Mocha
B8E	Pebble
B8F	Slate
B8G	Sprout
B8H	Storm

New Year Grade 5

Momentum	
RE6	Toast
RF4	Eve
RG2	Streamer
RH0	Kiss
RK0	Midnight
RL9	Celebration
RJ7	Resolution

Spiro Grade 5

CF Stinson	
WB5	Dijon
WC3	Milkshake
WD1	Fawn
WF8	Spearmint
WG6	Lemongrass
WJ0	Sky
WK4	Cornflower
WL2	Cashmere
WM0	Mist

Spiro Reverse Grade 5

CF Stinson	
WP5	Dijon R
WQ3	Milkshake R
WR1	Fawn R
WT8	Spearmint R
WU1	Lemongrass R
WV0	Sky R
WW8	Cornflower R
WX6	Cashmere R
WY4	Mist R

= 100% Recycled Content

Terratex brand is a registered trademark of Interface Fabric Group. Refer to your binder card to identify Terratex 100% recycled fabrics, or for a complete list www.trenddealer.com.

= Surface Trends Program (Samples available through supplier, refer to page 6 for a list of supplier contacts)

Graded-In Vinyl Wallcovering

For our customer's added convenience, Trendway has graded in a selection of Omnova® GENON® vinyl wallcoverings. Lead times are based on availability and may be extended. Suppliers occasionally change their offerings with little notice to Trendway, so this offering is subject to change without notice.

PATTERN	GRADE
CATHAY	2
GALLERIE	2
LOST LINK	2

*Omnova and GENON are registered trademarks of Omnova Solutions, Inc.

To view colors and order samples, visit the Omnova Design Center website at www.omnova.com/designcenter, select Commercial Wallcoverings then the Genon brand. Use Pattern Search to locate a specific pattern.

Surface Materials

Standard Systems Finishes

Trendway standard paints include smooth and textured styles in our five trim colors. If textured or premium finishes are specified, non-painted components will default to the coordinating standard smooth trim color. Non-painted components included, but are not limited to, base trim, window moldings, special angle conditions, etc.

Systems Paints and Trim

D	Dawn Gray
G	Gray
TG	Textured Gray
J	Stucco
TJ	Textured Stucco
K	Charcoal
TK	Textured Charcoal
P	Pebble
TP	Textured Pebble
Y	Sand
TY	Textured Sand

Premium Systems Finishes

Premium finishes are offered at a modest upcharge. Please refer to a specific item in your price book to determine the amount of upcharge. Textured metallic colors display a matte texture with metallic highlights. They coordinate with standard Trendway trim colors (indicated by the second letter in the code).

Textured Metallic Paint

FG	Gray Frost
FJ	Stucco Frost
FK	Charcoal Frost
FP	Pebble Frost
FY	Sand Frost

Panel Vinyls

Smooth

AS2	American Natural
AS3	Russian Maple
AS4	Sorrel Pear
AS5	Santa Rosa Oak
V50	Dawn Gray

Textured

V38	Textured Gray
V39	Textured Charcoal
V41	Textured Pebble
V43	Textured Pewter
V48	Textured Sand
V49	Textured Stucco

Stardust Vinyls

PF1	Pure White
PK8	Cream
PL6	Wax
PM4	Bisque
PQ7	Natural
PR5	London White
PV3	Chalk
PW1	Oyster
Q50	Pearl
T76	Cool White
TD0	Champagne II

Note: See also Graded-In Vinyls, page 9.

Note: Stardust not available on doors and transoms. TrendWall Panels only.

Door Vinyls

Door edge color will be as indicated unless otherwise specified.

Smooth

	Door Edge Color
AS2	Match panel trim color
AS3	Match panel trim color
AS4	Match panel trim color
AS5	Match panel trim color
V50	Dawn Gray

Textured

	Door Edge Color
V38	Gray
V39	Charcoal
V41	Pebble
V43	Gray
V48	Sand
V49	Stucco

Note: Light frame and louvers match panel trim color.

Panels

TRENDWALL PANELS

TrendWall panels have a welded steel frame with a therma-fiber core and gypsum surface. Finishes are available in vinyl, fabric, or a combination of vinyl and fabric laminated to the gypsum surface.

Panel prices include the panel, connectors, pilaster covers, crown, floor plate and vinyl base.

Glazed Panels consist of the "frame" for the glass, **however, the ¼"(6) glass must be purchased locally.**

Glass is not included in the product price.

Note: Please review pricing details on page IX before ordering.


Vinyl Panels

Vinyl Panels are surfaced with a durable, abrasion-resistant vinyl.

Vinyl Panels provide an attractive, easily maintained panel to meet any layout requirement.

Vinyl/Fabric Panels


Vinyl/Fabric Panels offer the advantages of the durability of vinyl on one side of the panel and aesthetics of fabric on the other. A typical application would be a shared wall between a storage room and an executive office, with the fabric side facing the office. These panels are available in the full range of vinyls and fabrics.



Vinyl Panels

SIN 711-1

Panel Height	Price	
	Solid	Glazed
8' (2438) or less	\$175	\$213
9' (2743) to 8' (2438)	196	222
10' (3048) to 9' (2743)	213	234



Vinyl/Fabric Panels — Solid

SIN 711-1

Panel Height	Solid 2	Solid 3	Fabric Grade		
			Solid 4	Solid 5	Solid 6
8' (2438) or less	\$227	\$231	\$238	\$244	\$248
9' (2743) to 8' (2438)	252	258	264	268	274
10' (3048) to 9' (2743)	276	283	287	292	296

Vinyl/Fabric Panels — Glazed

SIN 711-1

Panel Height	Glazed				
	2	3	4	5	6
8' (2438) or less	\$266	\$271	\$277	\$282	\$287
9' (2743) to 8' (2438)	279	285	291	295	300
10' (3048) to 9' (2743)	294	301	305	311	315

Fabric Panels

Fabric Panels are the same construction as the Vinyl Panels, except surface is laminated with fabric. They are available in a wide variety of fabrics.


Note: If fabric grades are mixed, always use the higher grade fabric price.

Note: 1/4"(6) Glass must be purchased locally for all product.

Note: Momentum not available on TrendWall.

Ordering Options — Specify

1. Vinyl or Fabric Color Side 1
2. Vinyl or Fabric Color Side 2
(Specify only if different than Side 1)
3. Solid or Glazed
4. Trim Color
5. Pilaster Style (Standard or Enhanced)



Fabric Panels — Solid

SIN 711-1

Panel Height	Fabric Grade				
	Solid 2	Solid 3	Solid 4	Solid 5	Solid 6
8' (2438) or less	\$276	\$283	\$297	\$303	\$313
9' (2743) to 8' (2438)	303	311	326	332	341
10' (3048) to 9' (2743)	332	338	352	359	369

Fabric Panels — Glazed

SIN 711-1

Panel Height	Glazed				
	2	3	4	5	6
8' (2438) or less	\$315	\$322	\$336	\$342	\$352
9' (2743) to 8' (2438)	331	338	352	358	369
10' (3048) to 9' (2743)	353	359	374	381	390

COM Pricing (Vinyl or Fabric)

SIN 711-1

Panel Height	Price	
	Solid	Glazed
8' (2438) or less	\$223	\$263
9' (2743) to 8' (2438)	249	276
10' (3048) to 9' (2743)	273	291

Panels

Glazed Panels

Glazed Panels consist of the "frame" for the glass. **However, the 1/4"(6) glass must be purchased locally.**

Glass is not included in the product price.

For Glazed Panel pricing, see straight panel prices. Trendway recommends the purchase of safety glass.


Note: Add 1/2" (13) to glass size for mini blind opening size.

Multiple Glazed Panels


Glazed Panels with multiple glazed sections are available at the listed upcharge per foot for each additional glazed section. Maximum of five sections.

Ordering Options — Specify


1. Vinyl or Fabric Color Side 1
2. Vinyl or Fabric Color Side 2 (Specify only if different than Side 1)
3. Glass Style and Size (Full Light, Full Light to Door Height, Window Light, or Hi Light)
4. Trim Color
5. Pilaster Style (Standard or Enhanced)




Glazed Full Light



Glazed Full Light to Door Height



Glazed Window Light



Glazed Hi Light

Glass Sizes for Glazed Panels

SIN 711-1

Full Light

Panel Heights	Glass Heights	Widths			
		1' (305)	2' (610)	3' (914)	4' (1219)
8' (2438)	82 3/4" (2102)	7 5/8" (194)	19 5/8" (499)	31 5/8" (803)	43 5/8" (1108)
9' (2743)	94 3/4" (2407)	7 5/8" (194)	19 5/8" (499)	31 5/8" (803)	43 5/8" (1108)
10' (3048)	106 3/4" (2711)	7 5/8" (194)	19 5/8" (499)	31 5/8" (803)	43 5/8" (1108)

Full Light To Door Height — 6'8" (2032) Door

Panel Heights	Glass Heights	Widths			
		1' (305)	2' (610)	3' (914)	4' (1219)
8' (2438), 9' (2743), 10' (3048)	70 1/4" (1784)	7 5/8" (194)	19 5/8" (499)	31 5/8" (803)	43 5/8" (1108)

Full Light To Door Height — 7' (2134) Door

Panel Heights	Glass Heights	Widths			
		1' (305)	2' (610)	3' (914)	4' (1219)
8' (2438), 9' (2743), 10' (3048)	74 1/4" (1886)	7 5/8" (194)	19 5/8" (499)	31 5/8" (803)	43 5/8" (1108)

Window Light — 42" (1067) Glass Line To 6'8" (2032) Door Height

Panel Heights	Glass Heights	Widths			
		1' (305)	2' (610)	3' (914)	4' (1219)
8' (2438), 9' (2743), 10' (3048)	37" (940)	7 5/8" (194)	19 5/8" (499)	31 5/8" (803)	43 5/8" (1108)

Window Light — 42" (1067) Glass Line To 7' (2134) Door Height

Panel Heights	Glass Heights	Widths			
		1' (305)	2' (610)	3' (914)	4' (1219)
8' (2438), 9' (2743), 10' (3048)	41" (1041)	7 5/8" (194)	19 5/8" (499)	31 5/8" (803)	43 5/8" (1108)

Hi Light — 6'8" (2032) Door Height To Full Height

Panel Heights	Glass Heights	Widths			
		1' (305)	2' (610)	3' (914)	4' (1219)
8' (2438)	10 3/4" (273)	7 5/8" (194)	19 5/8" (499)	31 5/8" (803)	43 5/8" (1108)
9' (2743)	22 3/4" (578)	7 5/8" (194)	19 5/8" (499)	31 5/8" (803)	43 5/8" (1108)
10' (3048)	34 3/4" (883)	7 5/8" (194)	19 5/8" (499)	31 5/8" (803)	43 5/8" (1108)


Hi Light — 7' (2134) Door Height To Full Height

Panel Heights	Glass Heights	Widths			
		1' (305)	2' (610)	3' (914)	4' (1219)
8' (2438)	6 3/4" (171)	7 5/8" (194)	19 5/8" (499)	31 5/8" (803)	43 5/8" (1108)
9' (2743)	18 3/4" (476)	7 5/8" (194)	19 5/8" (499)	31 5/8" (803)	43 5/8" (1108)
10' (3048)	30 3/4" (781)	7 5/8" (194)	19 5/8" (499)	31 5/8" (803)	43 5/8" (1108)

Multiple Glazed Panels

SIN 711-1

Item	Upcharge Per Lineal Foot to Glazed Panel Price
1 Additional Opening	\$ 35
2 Additional Openings	70
3 Additional Openings	105
4 Additional Openings	140



Filler Panels



Filler Panels are automatically figured into your job where required. Filler Panels are the same cost as solid panels. To order a filler panel individually, refer to the corresponding solid panel price.

Filler Panels have a vinyl or fabric surface laminated to a core of foam and gypsum. The Filler Panel is placed at the end of a run of panels that abuts a fixed wall. Because one end of the panel can be easily field trimmed, it can compensate for inexact measurements

or uneven wall conditions. If the panel is to be surfaced with two different materials, it must be specified because the panel cannot be reversed without changing the side rail.

Ordering Options — Specify

1. Vinyl or Fabric Color Side 1
2. Vinyl or Fabric Color Side 2
(Specify only if different than Side 1)
3. Trim Color
4. Pilaster Style (Standard or Enhanced)



Filler Panels — When Ordered Separately

SIN 711-1

Item	Price
Filler Panel	See Solid Panel Price

Doors

TRENDWALL DOORS

Standard Single Pre-Hung Doors

Standard Doors will measure 3' (914) wide by 6'8" (2032) and 7' (2134) high by 1¾" (44) thick with a hollow core. Full Light Door is solid core. Surface will be any standard vinyl; edges will be painted. Single Doors are pre-hung and include Transom, Steel Jambs, and Door Jamb Anchor Kit. Also included in standard price: 1½ pair butts, Floor Mounted Dome Bumper and S10D Brushed Chrome Passage Lever Set (non-locking).

Optional standard louver size is 27"(686) w x 11"(279) h.

The standard sizes of Door Lights are:

DOOR SIZE	LIGHT SIZE ¼" (6)	
3' x 6'8" x 1¾"	- 24" x 66"	Full Light
	- 26" x 34"	Half Light
	- 4" x 34"	Vision Light
3' x 7' x 1¾"	- 24" x 70"	Full Light
	- 26" x 38"	Half Light
	- 4" x 38"	Vision Light

Double Doors

With Double Doors, one door is active the other is inactive. Add price of two doors (of the desired type) to the Double Door upcharge.


Bi-Fold Doors

Multiply upcharge amount by lineal footage of Bi-Fold Door desired. Add this amount to panel footage price through door. Price includes custom door sizing, transom and all mounting hardware.

Note: Please review pricing details on page IX before ordering.

Ordering Options — Specify


1. Vinyl Color Side 1
2. Vinyl Color Side 2
(Specify only if different than Side 1)
3. Trim Color
4. Door Edge Color - Refer to Color Legend




Standard Single Pre-Hung Doors (6'8" or 7') (Glass is not included in any door)

SIN 711-1

Item	Upcharge
No. 1 Standard Flush Door	\$ 746
No. 2 Standard Door With Half Light (Glass not included)	883
No. 3 Standard Door With Half Light/Vision Light and Louver (Glass not included)	1242
No. 4 Standard Door With Standard Louver	1105
No. 5 Standard Door With Vision Light (Glass not included)	883
No. 6 Solid Core Door With Full Light (Glass not included)	1128




Contact Customer Care at 1-800-893-8115 for price and availability of veneer doors.



Double Doors

SIN 711-1

Item	Upcharge
Double Door	\$250



Bi-Fold Doors

SIN 711-1

Item	Upcharge Per Lineal Foot
Bi-Fold Doors	\$250

Doors

Non-Standard Door Lights and Louvers

For Light sizes other than standard, specify size and add upcharge.

For louver sizes other than standard, contact Trendway Customer Care at 1-800-893-8115 for price and availability.

Door Light Frames

Door Light Frames for standard door size 3' (914) x 6'8" (2032) or 7' (2134) x 1¾" (44). Half Light, Vision Light and Full Light available as standard, for other sizes contact Trendway Customer Care.

Glazed and Louvered Transom

Glazed and Louvered Transoms are available as an upcharge to the Standard Single Door Panel price. Glazed Transom consist of the "frame" for the glass. Aluminum Louver supplied in Transom. **However, the glass must be purchased locally.**

Ordering Options — Specify

1. Door Swing
2. Door Size
3. Side Panel Color
4. Trim Color

Non-Standard Door Lights


SIN 711-1

Item	Upcharge
For Light size other than standard, specify size	\$87

Door Light Frames

SIN 711-1

Item	Catalog Number	Upcharge
Half Lights 26" (660) x 34" (864) for 6'8" (2032) Door	TDLITE2634	\$100
Vision Lights 4" (102) x 34" (864) for 6'8" (2032) Door	TDLITE434	100
Full Light 24" (610) x 66" (1676) for 6'8" (2032) Door	TDLITE2466	186
Half Lights 26" (660) x 38" (965) for 7' (2134) Door	TDLITE2638	\$100
Vision Lights 4" (102) x 38" (965) for 7' (2134) Door	TDLITE438	100
Full Light 24" (610) x 70" (1778) for 7' (2134) Door	TDLITE2470	186



Glazed and Louvered Transoms

SIN 711-1

Item	Upcharge
Glazed Transom (Glass not included)	\$274
Louvered Transom 27" (686) x 11" (279)	363

Note: Minimum ceiling height for Louver or Glazed Transom is 8'3" (2515).

Doors

Doors Only

For Doors ordered separately.

Non-Standard Doors

For Non-Standard Doors, add upcharge amount to standard base-price door. Also include price of footage through door.

Veneer Doors

Contact Customer Care at 1-800-893-8115 for price and availability.

Ordering Options — Specify

1. Vinyl or High-Pressure Laminate Color Side 1
2. Vinyl or High-Pressure Laminate Color Side 2 (Specify only if different than Side 1)
3. Trim Color
4. High-Pressure Laminate Color (Door only)

Door Only	SIN 711-1
Item	Price
Hollow Core Door, Vinyl Surfaced	
3' (914) x 6'8" (2032) x 1¾" (44)	\$382
3' (914) x 7' (2134) x 1¾" (44)	382
Hollow Core Door 6'8" (2032) With #2 or #5 Light	\$519
Hollow Core Door 7' (2134) With #2 or #5 Light	519
Solid Core Door 6'8" (2032) With #6 Full Light	787
Solid Core Door 7' (2134) With #6 Full Light	787
For Solid Core, Add	\$181
Based on Trendway Standard Dimensions	
Routing for Cylinder Passage or Locket	\$43
Routing for 1½ Pair Hinges Per Door	28

Non-Standard Doors	SIN 711-1
Item	Upcharge Each
Door Less Than Standard Width or Height	\$ 43
Door More Than Standard Width or Height	194
Solid Core Door	181
Door Section Without Door	275
Double Door Section Without Doors	534
Hollow Core Door, HPL Surfaced	
3' (914) x 6'8" (2032) x 1¾" (44)	\$292
3' (914) x 7' (2134) x 1¾" (44)	292

Optional Door Hardware

Optional Door Hardware

Add these upcharges for hardware to the final price of the door.

Hardware — When Ordered Separately

Prices for standard hardware when ordered separately. Lever handle passage and locksets by Schlage.

Allowances

Deduct these amounts from the door price when items are not required.

Optional Door Hardware

SIN 711-1

Item	Catalog Number	Upcharge
S51D Brushed Chrome Lever Lockset Meets Handicapped ADA Requirements	—	\$113
Keyed-Alike Locksets	—	\$29
Master Keyed Locksets	—	29
Door Closer	TDCLOSES	\$263
Door Closer With Hold-Open Feature	TDCLOSEH	303
Routing for Mortise Hardware	—	\$112

Hardware — When Ordered Separately

SIN 711-1

Item	Catalog Number	Price
S10D Brushed Chrome Lever Passage Set Meets Handicapped ADA Requirements	TLEVER	\$204
S51D Brushed Chrome Lever Lockset Meets Handicapped ADA Requirements	TLEVERL	317
Standard Hinges, US26D Satin Chrome (1½ Pair Per Door)	THINGEC	\$ 48
Door Jamb Anchor Kit, Price Per Pair 1 Pair Needed Per Door	DJAKIT	26
Dome Door Stop	SITSTOP	13
Door Closer	TDCLOSES	263
Door Closer With Hold-Open Feature	TDCLOSEH	303
Door Jambs — Hinge Side	—	114
Door Jambs — Strike Side	—	114
Strike Plate	SITSPLATE	\$17
Blank Plate	SITBP	11
Split Hinge	SITSH	19
Vinyl Light Block (Price Per Lineal Foot)	—	\$ 2
Aluminum Louver Only 27" (686) x 11" (279)	—	324
Transom Block	—	28

Allowances


SIN 711-1

Item	DEDUCT
No Passage Set, Door Routed	\$136
No Passage Set, No Routing	142
No Butts, Door Routed	6
No Butts, No Routing	8

Choices Component Mounting Kit

This special conversion assembly allows standard TrendWall panels to accept Trendway's Choices open plan components. The Component Mounting Kit fits in any straight line panel intersection with slotting to 84" (2134) high. **Not for use with Cornice High Panels or Ceiling Filler Panels.**

Each slotted bracket contains two vertical rows of slots that are spaced every 1" (25) (on center). Two kits are required to hang one component. Two components can be hung side-by-side on three mounting kits.



Choices

Mounting Kit price includes slotted bracket, screws, support plate and pre-slotted component mounting pilaster (see illustration pages 20 and 21).

Straight Enhanced Pilasters are not recommended for use with Component Mounting Kit.

Corner Component Mounting Kit

The Corner Component Mounting Kit attaches to the end of a panel in a 90° two- or three-way condition to allow the hanging of components into the corner.

Price per Mounting Kit includes slotted end bracket and screws.

Other Manufacturers Systems Components

Trendway may be able to provide mounting kits for system components manufactured by others.

Check with Trendway Customer Care at 1-800-893-8115 for component pricing and availability.

Note: Product layout and project quotation must be provided by

Component Mounting Kit — Vinyl - Includes Slotted Cover SIN 711-1

Ceiling Height	Catalog Number	Price
8' (2438)	CMKV96	\$177
9' (2743)	CMKV108	177
10' (3048)	CMKV120	177

Component Mounting Kit — Fabric - Includes Slotted Cover SIN 711-1


Ceiling Height	Catalog Number	Price
8' (2438)	CMKF96	\$199
9' (2743)	CMKF108	199
10' (3048)	CMKF120	199

Corner Component Mounting Kit — Vinyl - Includes Slotted Cover SIN 711-1

Ceiling Height	Catalog Number	Price
8' (2438)	CCMKV96	\$177
9' (2743)	CCMKV108	177
10' (3048)	CCMKV120	177

Corner Component Mounting Kit — Fabric - Includes Slotted Cover SIN 711-1

Ceiling Height	Catalog Number	Price
8' (2438)	CCMKF96	\$199
9' (2743)	CCMKF108	199
10' (3048)	CCMKF120	199



Choices

Contrada Component Mounting Kit

This special conversion assembly allows standard TrendWall panels to accept Trendway's Contrada components. The Component Mounting Kit fits in any straight line panel intersection with slotting to 84" (2134) high. **Not for use with Cornice High Panels or Ceiling Filler Panels.**

Each slotted bracket contains two vertical rows of slots that are spaced every 1" (25) (on center). Two kits are required to hang one component. Two components can be hung side-by-side on three mounting kits. Mounting Kit price includes slotted

bracket, screws, support plate and pre-slotted component mounting pilaster (see illustration pages 20 and 21).

Straight Enhanced Pilasters are not recommended for use with Component Mounting Kit.

Corner Component Mounting Kit

The Corner Component Mounting Kit attaches to the end of a panel in a 90° two- or three-way condition to allow the hanging of components into the corner. Allow ¼" (6) additional width for corner panel when hanging Contrada into a corner.


Price per Mounting Kit includes slotted end bracket and screws.

Other Manufacturers Systems Components

Trendway may be able to provide mounting kits for system components manufactured by others.

Check with Trendway Customer Care at 1-800-893-8115 for component pricing and availability.

Note: Product layout and project quotation must be provided by Trendway.




Contrada

Component Mounting Kit — Vinyl — Includes Slotted Cover SIN 711-1

Ceiling Height	Catalog Number	Price
8' (2438)	CMKVC96	\$177
9' (2743)	CMKVC108	177
10' (3048)	CMKVC120	177

Component Mounting Kit — Fabric — Includes Slotted Cover SIN 711-1

Ceiling Height	Catalog Number	Price
8' (2438)	CMKFC96	\$199
9' (2743)	CMKFC108	199
10' (3048)	CMKFC120	199



Contrada

Corner Component Mounting Kit — Vinyl — Includes Slotted Cover SIN 711-1

Ceiling Height	Catalog Number	Price
8' (2438)	CCMKVC96	\$177
9' (2743)	CCMKVC108	177
10' (3048)	CCMKVC120	177

Corner Component Mounting Kit — Fabric — Includes Slotted Cover SIN 711-1




Ceiling Height	Catalog Number	Price
8' (2438)	CCMKFC96	\$199
9' (2743)	CCMKFC108	199
10' (3048)	CCMKFC120	199

PILASTERS — WHEN ORDERED SEPARATELY

Price for Pilasters when ordered separately. Pilasters are included with panel orders. Pilasters are designed to snap into place between panels to conceal the panel connectors and wiring. Pilasters can be surfaced in either vinyl or fabric.

Standard Pilasters

Standard Pilasters leave the vertical painted frames of the panels showing on each side of the Pilaster. Standard Pilasters are available for Straight or Outside Corner Conditions.



Standard Pilaster — Vinyl — When Ordered Separately

SIN 711-1

Item	Ceiling Height	Catalog Number	Price
Straight Pilasters	8' (2438)	SITPV96	\$39
	9' (2743)	SITPV108	43
	10' (3048)	SITPV120	48
Pre-slotted Component Mounting Pilasters	8' (2438)	PCMV96	\$126
	9' (2743)	PCMV108	130
	10' (3048)	PCMV120	135
Corner Pilasters	8' (2438)	PCV96	\$72
	9' (2743)	PCV108	76
	10' (3048)	PCV120	83

Standard Pilaster — Fabric — When Ordered Separately

SIN 711-1

Item	Ceiling Height	Catalog Number	Price
Straight Pilasters	8' (2438)	SITPF96	\$77
	9' (2743)	SITPF108	83
	10' (3048)	SITPF120	86
Pre-slotted Component Mounting Pilasters	8' (2438)	PCMF96	\$153
	9' (2743)	PCMF108	157
	10' (3048)	PCMF120	171
Corner Pilasters	8' (2438)	PCF96	\$111
	9' (2743)	PCF108	116
	10' (3048)	PCF120	121

Accessories

Enhanced Pilasters






Enhanced Pilasters are designed to cover the panel's metal frame to give a continuous look to the panel run. Enhanced Pilasters are available as Straight, Outside Corner, and Inside Corner configurations. Extended Straight Pilasters are available for use with the Extended Corner Connectors, used with Corner Component Mounting Rails.

Straight Enhanced Pilasters

Straight Enhanced Pilasters are not recommended for use with component mounting rails.

Ordering Options — Specify

1. Vinyl or Fabric Color
2. Pilaster Style (Standard or Enhanced)



Enhanced Pilaster — Vinyl — When Ordered Separately

SIN 711-1

Item	Catalog Number	Price
Straight	ESPV	\$ 99
Straight Extended	3WAYEPV	127
Inside Corner	INCORNEPV	113
Outside Corner	EPCV	166
Outside Extended Corner	OUTCORNEPV	168

Enhanced Pilaster — Fabric — When Ordered Separately

SIN 711-1

Item	Catalog Number	Price
Straight	ESPF	\$133
Straight Extended	3WAYEPF	151
Inside Corner	INCORNEPF	147
Outside Corner	EPCF	181
Outside Extended Corner	OUTCORNEPF	186

Accessories

Corner Condition

Includes Crown Corner, Corner Pilaster, Base Corner and Corner Connectors.

Factory Production Options — Standard Pilasters (Steel) — Hardwire

Electrical punchouts in Standard Straight Pilasters for duplex receptacle or single switch. Specify punchout for receptacle or switch.

Note:

1. Switch punchout is 45" (1143) floor to center.
2. Hardwire Outlet punchout is 12" (305) floor to center.

3. Back-To-Back outlet is 17 $\frac{3}{8}$ " (441) floor to center on one side, 12" (305) floor to center on other side.

Factory Production Options — Modular Electric

Factory punchouts in straight enhanced pilasters are available for Decora® style switches and POWERPAC Electrical System receptacles.

Note:

1. Switch punchout is 45" (1143) floor to center.
2. Standard module punchout is 14" (356) floor to center.

3. Work Height module punchout is 32" (813) floor to center.

Optional height punchouts are available on request for standard punchout only.

Factory Production Options — Pre-Slotted Component Mounting Pilasters (PVC)

Pre-slotted Component Mounting Pilasters (PVC) are available for standard mounting elevations. Slots are concealed by fabric or vinyl surface material and require only a knife cut to access slots as required.

Ordering Options — Specify

1. Punchout style

Corner Condition — When Ordered Separately


SIN 711-1

Ceiling Height	Catalog Number	Price
Vinyl		
8' (2438) or less	CCV96	\$275
9' (2743)	CCV108	279
10' (3048)	CCV120	284
Fabric		
8' (2438) or less	CCF96	\$312
9' (2743)	CCF108	317
10' (3048)	CCF120	323

Factory Production Options

SIN 711-1

Item	Upcharge
Punchout in Pilaster	\$12
Slotted Component Mounting Pilaster	\$51
Aluminum Louver in Panel	\$417
Framed Opening in Panel	\$313



Standard Slot Configurations

- 84" (2134) FD or Shelf
- 66" (1676) FD or Shelf
- Tackboard 20" (508) High
- 29" (737) - 30" (762) Work Surface

Accessories

Angled Conditions

When corner is other than 90°, detailed scale drawings must be submitted when ordering. Charge is per each condition.

Ordering Options — Specify


1. Vinyl or Fabric Color
2. Trim Color

Angle Wood Blocks

Angle Wood Blocks are available for attaching panels to a fixed wall at an angle other than a 90°. Detailed scaled drawings must be submitted when ordering.

Ordering Options — Specify

1. Trim Color



Angled Conditions

SIN 711-1

Ceiling Height	Catalog Number	Price
Vinyl		
8' (2438) or less	ACV96	\$285
9' (2743)	ACV108	301
10' (3048)	ACV120	325
Vinyl/Fabric		
8' (2438) or less	ACVF96	\$349
9' (2743)	ACVF108	364
10' (3048)	ACVF120	378
Fabric		
8' (2438) or less	ACF96	\$349
9' (2743)	ACF108	364
10' (3048)	ACF120	378

Angle Wood Blocks

SIN 711-1

Item	Catalog Number	Price
8' (2438) or less	WWB96	\$240
9' (2743)	WWB108	247
10' (3048)	WWB120	253

Wall Channel — When Ordered Separately

Wall Channel comes painted and includes factory applied foam tape.

Ordering Options — Specify

1. Trim Color

Wall Channels — When Ordered Separately		SIN 711-1
Ceiling Height	Catalog Number	Price
Painted		
8' (2438)	WCM96	\$67
10' (3048)	WCM120	79

Accessories

Sound Packing

Sound packing may be added to panel runs to enhance the overall STC performance of the wall. Sound Packing includes gasketing for between crown and ceiling, and wall channels and walls. It also includes loose mineral fiber pieces to pack inside of base, crown, wall channels and pilaster cavities (price does not include field labor required to install). Sound packing for ceiling fillers requires 50% (½) of the lineal footage of ceiling fillers.

Note: Sound control results will vary based on grade of ceiling, floor coverings, draperies, duct work, etc.

Laminated Gypsum

Individual sheets of vinyl laminated or fabric covered gypsum. Will be shipped on pallets only.

MATERIAL	PIECES PER PALLET
¾" (10) Gypsum	25

Cut Fabric or Vinyl

Fabric and Vinyl are available by the yard. Fabric width is 66" (1676); Vinyl width is 62" (1575).

Ordering Options — Specify

1. Vinyl or Fabric Color

Sound Packing SIN 711-1

Item	Catalog Number	Per Lineal Foot Price
Sound Packing	SP	\$17
Sound Packing Ceiling Filler	SPCF	9

Vinyl Laminated Square-Edged Gypsum SIN 711-1

Item	Catalog Number	Per Sheet Price
4' (1219) x 10' (3048), ¾" (10) Thick	TVIDGYP38	\$155

Fabric Covered Square-Edged Gypsum SIN 711-1

Item	Catalog Number	Fabric Grade Price			
		2	3	4	5
4' (1219) x 10' (3048), ¾" (10) Thick	TFABGYP38	\$331	\$341	\$363	\$370

Fabric and Vinyl Material Only SIN 711-1

Item	Catalog Number	Price
Grade 2 Fabric, by Yard	SISFLYG2	\$56
Grade 3 Fabric, by Yard	SISFLYG3	63
Grade 4 Fabric, by Yard	SISFLYG4	70
Grade 5 Fabric, by Yard	SISFLYG5	80
Grade 6 Fabric, by Yard	SISFLYG6	90
Vinyl, Solid Colors, by Yard	SISVIDYD	\$12
Vinyl, Wood-Grained, by Yard	SISVIDYD	21

Touch Up Paint / Vinyl Repair Kit SIN 711-1

Item	Catalog Number	Price
Touch Up Spray Can	STU	\$35
Vinyl Repair Kit*	SITVRK	\$136

*Available in Dawn Gray, Stucco, Charcoal, Gray, Pebble and Sand.

Accessories

SLIDING GLASS WINDOW HARDWARE

High-Pressure Laminated Shelf

12" (305)-deep high-pressure laminated shelf for use with sliding windows.

Sliding Glass Window Tracks

Sliding Glass Window Track for field assembly. Does not include glass.

Refer to Trendway Office Furniture Products price list for high-pressure laminate color selection.

Glass Moldings

Glass Window Moldings for field replacement.

Ordering Options — Specify

1. High-Pressure Laminate Color
2. Trim Color

Sliding Glass Window Shelf and Track

SIN 711-1

Item	Price
High-Pressure Laminated Shelf, 12" (305)-Deep	\$294
Sliding Glass Window Track	259

Glass Moldings

SIN 711-1

Item	Catalog Number	Price
12' (3658) Male Molding	TGMMOLD	\$39
12' (3658) Female Molding	TGFMOLD	39

Picture Hanger

SIN 711-1

Item	Catalog Number	Price
Picture Hanger	PH	\$22

Accessories

Ceiling Components — When Ordered Separately

Ceiling brace to be used with cornice height walls. Includes ceiling bezel.

Refer to Figure 1, page 1.

Caddy Clips may be used to attach the Crown to the ceiling grid. Use one every 2' (610) of Crown.

Caution: There will be a loss of ½" (13) to ⅝" (16) ceiling height adjustment when using Caddy Clips.

Ordering Options — Specify

1. Trim Color

Ceiling Grid Blocks

Ceiling Grid Blocks are finished stucco color. Specify either ¾" (19) high x ⅞" (22) wide or ⅝" (16) high x ⅞" (22) wide. Special sizes available upon request.

Connectors and Anchoring — When Ordered Separately

Individual items that are included with the panel price are available when ordered separately.

Refer to Figure 1, page 1.

Floor Plate

Carpet Grippers are supplied as standard with Floor Plate. Positioning tape will be provided upon request.

Ordering Options — Specify

1. Trim Color

Ceiling Components — When Ordered Separately

SIN 711-1

Item	Catalog Number	Price
Ceiling Brace — White Only		
Round — Used between panels	TCBRACERD	\$87
Square — Used at the end of a panel run	TCBRACESQ	87
Crown Corner, 2' (610) x 2' (610)	TCCRNR	\$171
Crown Connector Plate	TCCPLATE	4
Crown Alignment Plate, Pair	TCAPLATE	13
Crown End Cap	TCE	26
Crown, Includes 1 Crown Connector, 2 Alignment Plates and 2 Screws		
6' (1829) Length	TCROWN6	\$56
12' (3658) Length	TCROWN12	91
Crown Filler Block, Price per Lineal Foot	—	\$30
Caddy Clips, Flush Grid ½" (13)	THOOK5	5
Caddy Clips, Recessed Grid 1½" (38)	THOOK15	5
Crown Foam Tape 25' (8m) Roll	W215	29

Connectors and Anchoring — When Ordered Separately

SIN 711-1

Item	Catalog Number	Price
Panel Leveling Bolt	SITLB	\$ 4
Straight Panel Connector	TSCONNECTOR	4
Corner Panel Connector	TCCONNECTOR	4
Extended-Corner Connector	TWCC1	12
Half-Extended Corner Connector	TWCCCH	12
Base Door End Cap	TBDECAP	3
Flush Vinyl Base — Enhanced		
6' (1829) Length	ETVBASE6	23
12' (3658) Length	ETVBASE12	39
Flush Base Corner — Enhanced	ETVCRNR	42
Flush Base Door End Cap — Enhanced	ETBASEND	4
Floor Plate, Includes Carpet Grippers		
6' (1829) Length	FC06	\$42
12' (3658) Length	FC12	61
Double Face Positioning Tape, 50' (15m) Roll	TDFTAPE	\$23
TrendWall Carpet Gripper Kit (Package of 12)	TCGRIP	\$36
Leveling Bolt Bracket	SITLBB	\$44
Stabilizing Bracket	SITSB	\$17

Accessories

Wall Starter Reinforcement Bracket

The Wall Starter Reinforcement Bracket is used for attaching a Wall Starter for systems panel to an Outside Corner Condition of a TrendWall Outside Corner Pilaster. Brackets are used in pairs and mount to the vertical rails of TrendWall Panels in a Standard Corner Condition; or it mounts to the Corner Component Rail in an Extended Corner Condition.

The quantity of WSRB pairs required for attaching a systems panel:

Systems Panel Height	WSRB Pairs Required
42" (1067), 48" (1219), 54" (1372)	2
62" (1575), 66" (1676)	3
84" (2134)	4

Always use Wall Starter Reinforcement Brackets for safe attachment of any systems panel run from a TrendWall Outside Corner Pilaster location.

Ceiling Filler

Includes Pilaster treatment and additional Crown. For adding above cornice height panels. Not available under 12" (305) height.


Note: Ceiling braces may be required for use with Ceiling Filler for additional stability.

Ordering Options — Specify

1. Vinyl or Fabric Color
2. Pilaster Style (Standard or Enhanced)
3. Trim Color

Connectors and Anchoring — When Ordered Separately (con't) SIN 711-1

Item	Catalog Number	Price
Wall Starter Reinforcement Bracket (Price Per Pair)	WSRB	\$28



Ceiling Filler

SIN 711-1

Height	Fabric Grade					Price
Vinyl						
1' (305) to 2' (610)						\$70
2' (610) to 3' (914)						79
3' (914) to 4' (1219)						90
Vinyl/Fabric	2	3	4	5	6	
1' (305) to 2' (610)	\$106	\$109	\$116	\$118	\$120	
2' (610) to 3' (914)	120	122	130	132	134	
3' (914) to 4' (1219)	137	139	146	148	150	
Fabric						
1' (305) to 2' (610)	\$132	\$137	\$146	\$150	\$154	
2' (610) to 3' (914)	150	155	165	169	174	
3' (914) to 4' (1219)	171	177	185	189	194	
Glazed Ceiling Filler Vinyl or Fabric						Price
1' (305)						\$160
2' (610)						179
3' (914)						200

Power Modules

Power Modules are available in three styles to bring power access to the area between the panels at varying heights. One end has a connector for attachment to Power Harnesses and the other end has a distribution block to accept a Power Duplex, both sides back to back.

Power Duplexes

The TrendWall Power Duplex plugs into the distribution block on the Power Module to access the power circuit. Each Power Duplex is clearly marked for Circuit I, II, III or IVΔ access. Circuit IVΔ

has an orange numeral and delta symbol(Δ) to indicate it accesses the dedicated circuit. Packaged in boxes of six of the same duplex.

Ordering Options — Specify

1. Trim Color

Base Feeds


The Base Feed plugs into the distribution block on the Power Module to feed power from the building's electrical system. The BFH Base Feed (Hardwired) has 6' (1829) of flexible conduit for hardwiring the standard PowerPac

four-circuit system. The BFP Base Feed (Plug) has a 2' (610) cord and 20-amp plug for powering Circuit I only. The EBFH Base Feed plugs into the end of a Pass-Through Harness within the panel's base raceway, while the rest of the base feed will be outside the panel.

Available in Black only.

Ceiling Feed

The Ceiling Feed supplies power from the ceiling to the distribution block on the Power Module. Length is 12' (3658) of conduit with 13' (3962) of wire.




Male

Power Modules

SIN 711-1

Item	Catalog Number	Price
Standard Height Power Module	SHPM	\$ 82
Work Height Power Module	WHPM	103
Work Height Power Module Adder	WHPMA	82



Package Contains 6 Duplex Plugs

Power Duplexes — Box of 6


SIN 711-1

Item	Catalog Number	Price
Circuit I	TWD1	\$115
Circuit II	TWD2	115
Circuit III	TWD3	115
Circuit IVΔ	TWD4	128

Single Power Duplexes

SIN 711-1

Item	Catalog Number	Price
Circuit I	SITD1	\$27
Circuit II	SITD2	27
Circuit III	SITD3	27
Circuit IVΔ	SITD4	29



Male

Base Feeds


SIN 711-1

Item	Cord Length	Catalog Number	Price
4-Circuit, Hardwired, End Mount	6' (1829)	EBFH	\$134
4-Circuit, For use in New York City (not shown)	6' (1829)	BFHNY	143

Ceiling Feed

SIN 711-1

Item	Catalog Number	Price
4-Circuit	CFTP	\$99



Male

Pass-Through Harness

Pass-Through Harnesses bring power from a feed point to a distribution point at a Power Module. Harnesses are available in lengths from 24" (610) to 141" (3581) in 3" (76) increments and 16" (406) Male/Male Harness for connecting Power at 3- and 4-way panel intersections.

Male/Male Harness


One is required at each 4-way condition.

End Block

The new TrendWall Electrical End Block (TEEB) provides necessary connectors at the end of a TrendWall Modular Electrical run. One is required at the end of a run.

For Hardwire Installations

Electrical boxes are not included, however, Trendway recommends the use of one of the following: Appleton M1-250, Bowers 1-MBS, Raco 690, Steel City GW-125-C or equivalent.



Female

Male



Male


Male

Pass-Through Harness

SIN 711-1

Item	Catalog Number	Price
24" (610)	THARN24	\$85
27" (686)	THARN27	85
30" (762)	THARN30	85
33" (838)	THARN33	85
36" (914)	THARN36	85
39" (991)	THARN39	85
42" (1067)	THARN42	\$101
45" (1143)	THARN45	101
48" (1219)	THARN48	101
51" (1295)	THARN51	101
54" (1372)	THARN54	101
57" (1448)	THARN57	101
60" (1524)	THARN60	\$116
63" (1600)	THARN63	116
66" (1676)	THARN66	116
69" (1753)	THARN69	116
72" (1829)	THARN72	116
75" (1905)	THARN75	116
78" (1981)	THARN78	\$132
81" (2057)	THARN81	132
84" (2134)	THARN84	132
87" (2210)	THARN87	132
90" (2286)	THARN90	132
93" (2362)	THARN93	132
96" (2438)	THARN96	\$147
99" (2515)	THARN99	147
102" (2591)	THARN102	147
105" (2667)	THARN105	147
108" (2743)	THARN108	147
111" (2819)	THARN111	147
114" (2896)	THARN114	\$163
117" (2972)	THARN117	163
120" (3048)	THARN120	163
123" (3124)	THARN123	163
126" (3200)	THARN126	163
129" (3277)	THARN129	163
132" (3353)	THARN132	\$175
135" (3429)	THARN135	175
138" (3505)	THARN138	175
141" (3581)	THARN141	175
16" (406) Male/Male Harness	TCHMM	\$76

Female/Female



Female/Female

End Block

SIN 711-1

Item	Catalog Number	Price
End Block	TEEB	\$27

Trendway GSA Representatives

EASTERN REGION

Dave McGinn
Regional Manager
Holland, MI 49424
ph. 616-399-3900
fax 616-399-0668

Nick Pannunzio
DC, MD, VA
Washington, DC 20005
ph. 202-408-7430
fax 202-408-7439

The Michela Group
DC, MD, VA
Washington, DC 20005
ph. 202-408-7460
fax 202-408-7469

Timonium, MD 21093
ph. 410-804-6161
fax 410-252-0771

Midlothian, VA 23113
ph. 804-539-4800
fax 804-539-4800

Valinote Foster Associates
NJ, Eastern PA
Moorestown, NJ 08057
ph. 856-235-7450
fax 856-722-9706

Brad Baldwin
MA, RI, CT, VT, ME, NH
Waymouth, MA 02188
ph. 508-563-3300
fax 508-563-3300

Pringle Ward Associates
NYC, North NJ, S.NY
New York, NY 10016
ph. 212-689-0300
fax 212-689-7143

Whitemore Associates
Upper NY
Jamestown, NY 14701
ph. 716-661-3405
fax 716-661-3409

SOUTHEAST REGION

Bryan Durkis
Regional Manager
Atlanta, GA 30350
ph. 678-352-8341
fax 678-352-8341

Options Business Furniture
FL
Apollo Beach, FL 33572
ph. 813-641-1645
fax 813-641-1645

Plantation, FL 33322
ph. 954-678-8761
fax 954-423-6892

Orlando, FL 32808
ph. 407-578-9115
fax 407-295-1594

Gainesville, FL 32607
ph. 352-332-1941
fax 352-332-1941

Carolina Rep Lines
NC, SC
Raleigh, NC 27615
ph. 919-841-1178
fax 919-796-9399

Rick McDonald
MS, AL, LA
Fernwood, MS 39635
ph. 601-684-4229
fax 601-341-5008

Wolf Associates
TN
Brentwood, TN 37027
ph. 615-943-8478
fax 615-377-2370

CENTRAL REGION

Mike Hall
Regional Manager
Holland, MI 49424
ph. 616-399-3900
fax 616-399-0668

Great Lakes Contract Group
MI
Kalamazoo, MI 49004
ph. 269-342-8354
fax 269-342-8354

Dan Binford & Associates
KY, OH, IN, W.PA
Cincinnati, OH 45206
ph. 513-221-4800
fax 513-475-5838

Contract Furniture Resource
IL, WI
Chicago, IL 60610
ph. 312-661-1808
fax 312-661-0823

Russell Firth
Northern TX, OK, AR
Dallas, TX 75080
ph. 972-743-8717

Brenda Blair
San Antonio, Austin, El Paso
San Antonio, TX 78130
ph. 210-861-2273
fax 830-214-0626

Cronan-Stinson Inc.
Southern TX
Houston, TX 77057
ph. 713-974-4083
fax 713-974-5683

San Antonio, TX 78266
ph. 210-424-0508
fax 210-424-0508

Dakota Sales Services
MN, IA, ND, SD
Rosemount, MN 55068
ph. 651-322-5930
fax 651-322-9265

Scott Burroughs
NE, KS, MO, S.IL
Overland Parks, KS 66212
ph. 913-515-3251
fax 913-541-0507

WESTERN REGION

Jim Smith
Regional Manager
Pasadena, CA 91107
ph. 626-398-9864
fax 626-398-3164

Fuller Associates
WA, OR, ID, MT, AK, HI
Mill Creek, WA 98012
ph. 425-741-0331
fax 425-742-6198

Portland, OR 97202
ph. 503-209-9519
fax 503-232-8270

Kathryn Grace
S.CA
Pasadena, CA 91105
ph. 213-622-8197
fax 616-994-5450

Mark McGregor
N.CA
Montara, CA 94037
ph. 650-563-9151
fax 650-563-9330

Scott Mitchell
S.CA
Corona, CA 92882
ph. 951-734-4332
fax 951-734-0558

Ferradino Marketing
AZ, NM, NV
Cave Creek, AZ 85331
ph. 602-749-0576
fax 602-943-8564

P.O. Box 9016
Holland, MI 49422-9016
Phone: 616-399-3900 Fax: 616-399-0668
www.trendway.com

Customer Service Phone: 1-800-893-8115
Fax: 1-800-893-8121

GSA 248 © Trendway Corporation, 2007

